BACKEND CODE:

1) Main package:com.techm

```
package com.techm;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication
public class PaymentSystemApplication {

	public static void main(String[] args) {
		SpringApplication.run(PaymentSystemApplication.class, args);
	}

}
```

2)Controller

i)billerController.java

```
package com.techm.controller;

import java.util.ArrayList;
import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.ModelAttribute;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestParam;
import org.springframework.web.servlet.ModelAndView;

import com.techm.entity.Biller;
import com.techm.entity.BillerDashDTO;
import com.techm.entity.Customer;
import com.techm.entity.Orders;
import com.techm.entity.Product;
```

```
import com.techm.enums.BillerCategory;
import com.techm.service.BillerService;
import com.techm.service.OrderService;
import com.techm.service.ProductService;

import jakarta.servlet.http.HttpSession;

@Controller
@RequestMapping("/biller")
public class BillerController {

    @Autowired
    private BillerService billerService;

    @Autowired
    private ProductService productService;

    @Autowired
    private OrderService orderService;

    @GetMapping("/register")
    public ModelAndView register(ModelAndView modelAndView) {
            modelAndView.addObject("biller", new Biller());
        modelAndView.setViewName("biller/register");
        return modelAndView;
    }

    @PostMapping("/register")
    public ModelAndView register(@ModelAttribute("biller") Biller biller,
ModelAndView modelAndView) {
        Biller registeredBiller = billerService.registerBiller(biller);
        if (registeredBiller == null) {
            modelAndView.addObject("message", "Email already exists");
            modelAndView.setViewName("biller/register");
        } else {
            modelAndView.addObject("message", "Biller registered successfully");
            modelAndView.setViewName("login");
        }
        return modelAndView;
    }

    @GetMapping("/dashboard")
    public ModelAndView dashboard(HttpSession session, ModelAndView
modelAndView) {
```

```
        Biller biller = (Biller) session.getAttribute("biller");
        if(biller != null) {
        BillerDashDTO bdd = billerService.billerMoreInfo(biller.getBillerId());
        modelAndView.addObject("bdd", bdd);
        modelAndView.setViewName("biller/dashboard");
        }else {
                modelAndView.setViewName("redirect:/home");
        }
        return modelAndView;
    }

    @GetMapping("/profile")
    public ModelAndView profile(ModelAndView modelAndView) {
        modelAndView.setViewName("biller/profile");
        return modelAndView;
    }

    @GetMapping("update-profile")
    public ModelAndView updateProfile(ModelAndView modelAndView) {
        modelAndView.setViewName("biller/update-profile");
        return modelAndView;
    }

    @PostMapping("update-profile")
    public ModelAndView updateProfile(HttpSession
session,@RequestParam("billerName") String billerName,
                @RequestParam("email") String email, @RequestParam("about")
String about,
                @RequestParam("category") String category, ModelAndView
modelAndView) {

        Biller biller = (Biller) session.getAttribute("biller");
        biller.setBillerName(billerName);
        biller.setEmail(email);
        biller.setAbout(about);
        biller.setCategory(BillerCategory.valueOf(category));

      Biller updatedBiller = billerService.updateBiller(biller);
      modelAndView.addObject("message", "Profile updated successfully");
      session.setAttribute("biller", updatedBiller);
      modelAndView.setViewName("biller/profile");
      return modelAndView;
    }
```

```
    @GetMapping("/change-password")
    public ModelAndView changePassword(ModelAndView modelAndView) {
            modelAndView.setViewName("biller/change-password");
            return modelAndView;
    }

    @PostMapping("/change-password")
    public ModelAndView changePassword(@RequestParam("oldPassword") String
oldPassword, @RequestParam("newPassword") String newPassword, HttpSession
session ,ModelAndView modelAndView) {

            Biller biller = (Biller) session.getAttribute("biller");

        if(biller.getPassword().equals(oldPassword)) {
            biller.setPassword(newPassword);
            biller = billerService.updateBiller(biller);
           modelAndView.addObject("message", "Password changed successfully.");
        } else {
           modelAndView.addObject("message", "Entered password is incorrect.");
        }

        modelAndView.setViewName("biller/profile");
        return modelAndView;
    }

    @GetMapping("/add-product")
    public ModelAndView addProduct(ModelAndView modelAndView) {
            modelAndView.addObject("product", new Product());
            modelAndView.setViewName("biller/add-product");
            return modelAndView;
    }

    @PostMapping("/add-product")
    public ModelAndView addProduct(@ModelAttribute("product") Product product,
HttpSession session, ModelAndView modelAndView) {
            Biller biller = (Biller) session.getAttribute("biller");
            product.setBiller(biller);
            product.setActive(true);
            productService.addProducct(product);
            modelAndView.setViewName("redirect:/biller/dashboard");
            return modelAndView;
    }

    @GetMapping("/view-products")
```

```
    public ModelAndView viewProducts(HttpSession session, ModelAndView
modelAndView) {
        Biller biller = (Biller) session.getAttribute("biller");
        List<Product> products= productService.getAllProductsByBiller(biller);
        modelAndView.addObject("products", products);
        modelAndView.setViewName("biller/view-products");
        return modelAndView;
    }

    @GetMapping("/edit-product")
    public ModelAndView editProduct(@RequestParam("productId") Long productId,
ModelAndView  modelAndView) {
        Product product = productService.getProductById(productId);
        modelAndView.addObject("product", product);
        modelAndView.setViewName("biller/edit-product");
        return modelAndView;
    }

    @PostMapping("/edit-product")
    public ModelAndView editProduct(@ModelAttribute("product") Product product,
ModelAndView modelAndView) {
        Product updateProduct =
productService.getProductById(product.getProductId());
        updateProduct.setName(product.getName());
        updateProduct.setPrice(product.getPrice());
        updateProduct.setDescription(product.getDescription());
        updateProduct.setCategory(product.getCategory());
        productService.updateProduct(updateProduct);

        modelAndView.setViewName("redirect:/biller/view-products");
        return modelAndView;
    }

    @GetMapping("/delete-product")
    public ModelAndView deleteProduct(@RequestParam("productId") Long
productId, ModelAndView modelAndView) {
        productService.deleteProduct(productId);
        modelAndView.setViewName("redirect:/biller/view-products");
        return modelAndView;
    }

    @GetMapping("/active-product")
    public ModelAndView activeProduct(@RequestParam("productId") Long
productId, ModelAndView modelAndView) {
```

```
        productService.activeProduct(productId);
        modelAndView.setViewName("redirect:/biller/view-products");
        return modelAndView;
    }

    @GetMapping("/pending-orders")
    public ModelAndView pendingOrders(HttpSession session, ModelAndView
modelAndView) {
        Biller biller = (Biller) session.getAttribute("biller");
        List<Orders> orders = orderService.pendingOrdersByBiller(biller.getBillerId());
        modelAndView.addObject("orders", orders);
        modelAndView.setViewName("biller/pending-orders");
        return modelAndView;
    }

    @GetMapping("/accept-order")
    public ModelAndView acceptOrder(@RequestParam("orderId") Long orderId,
ModelAndView modelAndView) {
        orderService.acceptOrder(orderId);
        modelAndView.setViewName("redirect:/biller/pending-orders");
        return modelAndView;
    }

    @GetMapping("/reject-order")
    public ModelAndView rejectOrder(@RequestParam("orderId") Long orderId,
ModelAndView modelAndView) {
        orderService.rejectOrder(orderId);
        modelAndView.setViewName("redirect:/biller/pending-orders");
        return modelAndView;
    }

    @GetMapping("/all-orders")
    public ModelAndView allOrders(HttpSession session, ModelAndView
modelAndView) {
        Biller biller = (Biller) session.getAttribute("biller");
        List<Orders> orders = orderService.allOrdersByBiller(biller.getBillerId());
        modelAndView.addObject("orders", orders);
        modelAndView.setViewName("biller/all-orders");
        return modelAndView;
    }

    @GetMapping("/view-order")
    public ModelAndView viewOrders(@RequestParam("orderId") Long orderId,
ModelAndView modelAndView) {
```

```
        Orders orders = orderService.getOrderById(orderId);
        modelAndView.addObject("orders", orders);
        modelAndView.setViewName("biller/view-order");
        return modelAndView;
    }

    @GetMapping("/registered-customers")
        public ModelAndView registeredCustomers(HttpSession session,
ModelAndView modelAndView) {
        Biller biller = (Biller) session.getAttribute("biller");
                List<Customer> customers =
billerService.registeredCustomers(biller.getBillerId());
                modelAndView.addObject("customers", customers);
                modelAndView.setViewName("biller/registered-customers");
                return modelAndView;
        }

    @GetMapping("/customer-orders")
    public ModelAndView customerOrders(HttpSession session,
@RequestParam("customerId") Long customerId, ModelAndView modelAndView) {
        Biller biller = (Biller) session.getAttribute("biller");
        List<Orders> customerOrders =
orderService.getOrderByCustomer(customerId);
        List<Orders> orders = new ArrayList<>();
        for(Orders order : customerOrders) {
                if(order.getProduct().getBiller().getBillerId() == biller.getBillerId()) {
                        orders.add(order);
                }
        }
        modelAndView.addObject("orders", orders);
        modelAndView.setViewName("biller/customer-orders");
        return modelAndView;
    }
}
```

ii)customerController.java

```
package com.techm.controller;

import java.util.Collections;
import java.util.List;
```

```
import org.springframework.beans.factory.ObjectFactory;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.ModelAttribute;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestParam;
import org.springframework.web.servlet.ModelAndView;

import com.techm.entity.Biller;
import com.techm.entity.Customer;
import com.techm.entity.Orders;
import com.techm.entity.Product;
import com.techm.service.BillerService;
import com.techm.service.CustomerService;
import com.techm.service.OrderService;
import com.techm.service.ProductService;

import jakarta.servlet.http.HttpSession;

@Controller
@RequestMapping("/customer")
public class CustomerController {

	@Autowired
	private CustomerService customerService;

	@Autowired
	private ProductService productService;

	@Autowired
	private OrderService orderService;

	@Autowired
	private BillerService billerService;

	@Autowired
	ObjectFactory<HttpSession> httpSessionFactory;

	@GetMapping("/register")
	public ModelAndView register(ModelAndView modelAndView) {
		modelAndView.addObject("customer", new Customer());
		modelAndView.setViewName("customer/register");
```

```
		return modelAndView;
	}

	@PostMapping("/register")
	public ModelAndView register(@ModelAttribute("customer") Customer
customer, ModelAndView modelAndView) {
		Customer registeredCustomer =
customerService.registerCustomer(customer);
		if (registeredCustomer == null) {
			modelAndView.addObject("message", "Email already exists!");
			modelAndView.setViewName("customer-register");
		} else {
			modelAndView.addObject("message", "Customer registered
successfully");
			modelAndView.setViewName("login");
		}
		return modelAndView;
	}

	@GetMapping("/dashboard")
	public ModelAndView dashboard(ModelAndView modelAndView) {
		List<Product> products = productService.getAllProducts();
		Collections.reverse(products);
		modelAndView.addObject("products", products);
		modelAndView.setViewName("customer/dashboard");
		return modelAndView;
	}

	@GetMapping("/profile")
	public ModelAndView profile(ModelAndView modelAndView) {
		modelAndView.setViewName("customer/profile");
		return modelAndView;
	}

	@GetMapping("update-profile")
	public ModelAndView updateProfile(ModelAndView modelAndView) {
		modelAndView.setViewName("customer/update-profile");
		return modelAndView;
	}

	@PostMapping("/update-profile")
	public ModelAndView updateProfile(@RequestParam("name") String name,
@RequestParam("email") String email,
			ModelAndView modelAndView, HttpSession session) {
```

```
		Customer customer = (Customer) session.getAttribute("customer");
		customer.setName(name);
		customer.setEmail(email);
		Customer updatedCustomer =
customerService.updateCustomer(customer);
		modelAndView.addObject("message", "Profile updated successfully");
		session.setAttribute("customer", updatedCustomer);
		modelAndView.setViewName("customer/profile");
		return modelAndView;
	}

	@GetMapping("/change-password")
	public ModelAndView changePassword(ModelAndView modelAndView) {
		modelAndView.setViewName("customer/change-password");
		return modelAndView;
	}

	@PostMapping("/change-password")
	public ModelAndView changePassword(@RequestParam("oldPassword")
String oldPassword,
			@RequestParam("newPassword") String newPassword,
HttpSession session, ModelAndView modelAndView) {

		Customer customer = (Customer) session.getAttribute("customer");

		if (customer.getPassword().equals(oldPassword)) {
			customer.setPassword(newPassword);
			customerService.updateCustomer(customer);
			modelAndView.addObject("message", "Password changed
successfully.");
		} else {
			modelAndView.addObject("message", "Entered password is
incorrect.");
		}
		modelAndView.setViewName("customer/profile");
		return modelAndView;
	}

	@GetMapping("all-billers")
	public ModelAndView allBillers(HttpSession session, ModelAndView
modelAndView) {
		List<Biller> billers = billerService.getAllBillers();
		modelAndView.addObject("billers", billers);
		modelAndView.setViewName("customer/all-billers");
```

```
		return modelAndView;
	}

	@GetMapping("/view-biller-products")
	public ModelAndView viewBillerProducts(@RequestParam("billerId") Long
billerId, ModelAndView modelAndView) {
		List<Product> products =
productService.getAllActiveProductsByBiller(billerService.getBillerById(billerId));
		modelAndView.addObject("products", products);
		modelAndView.setViewName("customer/view-biller-products");
		return modelAndView;
	}

	@GetMapping("/buy")
	public ModelAndView buyProduct(@RequestParam("productId") Long
productId, HttpSession session,
				ModelAndView modelAndView) {
		Customer customer = (Customer) session.getAttribute("customer");
		orderService.buyProduct(customer.getCustomerId(), productId);
		modelAndView.setViewName("redirect:/customer/my-orders");
		return modelAndView;
	}

	@GetMapping("/my-orders")
	public ModelAndView myOrders(HttpSession session, ModelAndView
modelAndView) {
		Customer customer = (Customer) session.getAttribute("customer");
		List<Orders> orders =
orderService.getOrderByCustomer(customer.getCustomerId());
		modelAndView.addObject("orders", orders);
		modelAndView.setViewName("customer/my-orders");
		return modelAndView;
	}

	@GetMapping("/view-order")
	public ModelAndView viewOrders(@RequestParam("orderId") Long orderId,
ModelAndView modelAndView) {
		Orders orders = orderService.getOrderById(orderId);
		modelAndView.addObject("orders", orders);
		modelAndView.setViewName("customer/view-order");
		return modelAndView;
	}

	@GetMapping("/all-products")
```

```
	public ModelAndView allProducts(ModelAndView modelAndView) {
		List<Product> products = productService.getAllProducts();
		modelAndView.addObject("products", products);
		modelAndView.setViewName("customer/all-products");
		return modelAndView;
	}

	@GetMapping("/registered-billers")
	public ModelAndView registeredBillers(HttpSession session, ModelAndView
modelAndView) {
		Customer customer = (Customer) session.getAttribute("customer");
		List<Biller> billers =
customerService.registeredBillers(customer.getCustomerId());
		modelAndView.addObject("billers", billers);
		modelAndView.setViewName("customer/registered-billers");
		return modelAndView;
	}

	@GetMapping("/approved-orders")
	public ModelAndView approvedOrders(HttpSession session, ModelAndView
modelAndView) {
		Customer customer = (Customer) session.getAttribute("customer");
		List<Orders> orders =
orderService.getOrdersByCustomerAndStatus(customer.getCustomerId(),
"Approved");
		modelAndView.addObject("orders", orders);
		modelAndView.setViewName("customer/my-orders");
		return modelAndView;
	}

	@GetMapping("/pending-orders")
	public ModelAndView pendingOrders(HttpSession session, ModelAndView
modelAndView) {
		Customer customer = (Customer) session.getAttribute("customer");
		List<Orders> orders =
orderService.getOrdersByCustomerAndStatus(customer.getCustomerId(), "Pending");
		modelAndView.addObject("orders", orders);
		modelAndView.setViewName("customer/my-orders");
		return modelAndView;
	}
	@GetMapping("/rejected-orders")
	public ModelAndView rejectedOrders(HttpSession session, ModelAndView
modelAndView) {
		Customer customer = (Customer) session.getAttribute("customer");
```

```
                List<Orders> orders =
orderService.getOrdersByCustomerAndStatus(customer.getCustomerId(),
"Rejected");
                modelAndView.addObject("orders", orders);
                modelAndView.setViewName("customer/my-orders");
                return modelAndView;

        }


}
```

iii) homeController.java

```
package com.techm.controller;

package com.techm.controller;


import com.techm.entity.Biller;

import com.techm.entity.Customer;

import com.techm.service.BillerService;

import com.techm.service.CustomerService;


import jakarta.servlet.http.HttpSession;


import org.springframework.beans.factory.annotation.Autowired;

import org.springframework.stereotype.Controller;

import org.springframework.web.bind.annotation.GetMapping;

import org.springframework.web.bind.annotation.PostMapping;

import org.springframework.web.bind.annotation.RequestMapping;

import org.springframework.web.bind.annotation.RequestParam;

import org.springframework.web.servlet.ModelAndView;


@Controller

@RequestMapping("/home")
```

```
public class HomeController {

@Autowired
private CustomerService customerService;

@Autowired
private BillerService billerService;

@GetMapping
public ModelAndView home(ModelAndView model) {
model.setViewName("home");
return model;
 }

@GetMapping("/login")
public ModelAndView login(ModelAndView modelAndView) {
  modelAndView.setViewName("login");
return modelAndView;
 }

@PostMapping("/login")
public ModelAndView login(@RequestParam("email") String email,
@RequestParam("password") String password, HttpSession session, ModelAndView
modelAndView) {
Customer customer = customerService.loginCustomer(email, password);
Biller biller = billerService.loginBiller(email, password);
if (customer != null) {
  session.setAttribute("customer", customer);
  modelAndView.setViewName("redirect:/customer/dashboard");
} else if (biller != null) {
```

```
            session.setAttribute("biller", biller);
            modelAndView.setViewName("redirect:/biller/dashboard");
        } else {
            modelAndView.addObject("message", "Invalid email or password");
            modelAndView.setViewName("login");
        }
        return modelAndView;
    }

    @GetMapping("/logout")
    public ModelAndView logout(ModelAndView modelAndView, HttpSession session) {
            modelAndView.clear();
            session.invalidate();
            modelAndView.setViewName("redirect:/home");
        return modelAndView;
    }
}
```

3)ENTITY

i) Biller.Java

```
package com.techm.entity;

import com.techm.enums.*;
import jakarta.persistence.*;

@Entity
public class Biller {
    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
```

```
    private Long billerId;
    private String billerName;
    private String email;
    private String password;
    private String about;
    @Enumerated(EnumType.STRING)
    private Role role;
    @Enumerated(EnumType.STRING)
    private BillerCategory category;
    private boolean active;

    public Biller() {
    }

    public Biller(String billerName, String email, String password, String about, String
category) {
        this.billerName = billerName;
        this.email = email;
        this.password = password;
        this.about = about;
        this.active = true;
        this.category = BillerCategory.valueOf(category.toUpperCase());
        this.role = Role.BILLER;
    }

    public Long getBillerId() {
        return billerId;
    }

    public void setBillerId(Long billerId) {
```

```
    this.billerId = billerId;
}

public String getBillerName() {
    return billerName;
}

public void setBillerName(String billerName) {
    this.billerName = billerName;
}

public String getEmail() {
    return email;
}

public void setEmail(String email) {
    this.email = email;
}

public String getPassword() {
    return password;
}

public void setPassword(String password) {
    this.password = password;
}

public String getAbout() {
    return about;
```

```
}

public void setAbout(String about) {
    this.about = about;
}

public Role getRole() {
    return role;
}

public void setRole(Role role) {
    this.role = role;
}

public BillerCategory getCategory() {
    return category;
}

public void setCategory(BillerCategory category) {
    this.category = category;
}

public boolean isActive() {
    return active;
}

public void setActive(boolean active) {
    this.active = active;
}}
```

ii)BillerDashDTO.java

```
package com.techm.entity;

public class BillerDashDTO {

	private int totalProducts;
	private int totalOrders;
	private int pendingOrders;
	private int customers;

	public BillerDashDTO() {
	}

	public int getTotalProducts() {
		return totalProducts;
	}

	public void setTotalProducts(int totalProducts) {
		this.totalProducts = totalProducts;
	}

	public int getTotalOrders() {
		return totalOrders;
	}

	public void setTotalOrders(int totalOrders) {
		this.totalOrders = totalOrders;
	}
```

```
	public int getPendingOrders() {
		return pendingOrders;
	}

	public void setPendingOrders(int pendingOrders) {
		this.pendingOrders = pendingOrders;
	}

	public int getCustomers() {
		return customers;
	}

	public void setCustomers(int customers) {
		this.customers = customers;
	}


}
```

iii)Customer.java

```
package com.techm.entity;

import java.util.ArrayList;
import java.util.List;

import com.techm.enums.Role;

import jakarta.persistence.Entity;
import jakarta.persistence.EnumType;
```

```
import jakarta.persistence.Enumerated;
import jakarta.persistence.GeneratedValue;
import jakarta.persistence.GenerationType;
import jakarta.persistence.Id;
import jakarta.persistence.OneToMany;

@Entity
public class Customer {
    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    private Long customerId;
    private String name;
    private String email;
    private String password;
    @Enumerated(EnumType.STRING)
    private Role role;
    private boolean active;
    @OneToMany(mappedBy = "customer")
    private List<Orders> orders;
    public Customer() {
    }

    public Customer(String name, String email, String password) {
        this.name = name;
        this.email = email;
        this.password = password;
        this.active = true;
        this.role = Role.CUSTOMER;
        this.orders = new ArrayList<Orders>();
```

```
}

public Long getCustomerId() {
    return customerId;
}

public void setCustomerId(Long customerId) {
    this.customerId = customerId;
}

public String getName() {
    return name;
}

public void setName(String name) {
    this.name = name;
}

public String getEmail() {
    return email;
}

public void setEmail(String email) {
    this.email = email;
}

public String getPassword() {
    return password;
}
```

```
    public void setPassword(String password) {
        this.password = password;
    }

    public Role getRole() {
        return role;
    }

    public void setRole(Role role) {
        this.role = role;
    }

    public boolean isActive() {
        return active;
    }

    public void setActive(boolean active) {
        this.active = active;
    }

        public List<Orders> getOrders() {
                return orders;
        }

        public void setOrders(List<Orders> orders) {
                this.orders = orders;
        }
}
```

iv)orders.java

```
package com.techm.entity;

import java.time.LocalDateTime;

import jakarta.persistence.Entity;
import jakarta.persistence.GeneratedValue;
import jakarta.persistence.GenerationType;
import jakarta.persistence.Id;
import jakarta.persistence.JoinColumn;
import jakarta.persistence.ManyToOne;
import jakarta.persistence.Table;

@Entity
@Table(name = "orders")
public class Orders {
        @Id
        @GeneratedValue(strategy = GenerationType.IDENTITY)
        private Long orderid;
        @ManyToOne
  @JoinColumn(name = "customer_id")
        private Customer customer;
        @ManyToOne
  @JoinColumn(name = "product_id")
        private Product product;
        private LocalDateTime orderDate;
        private String orderStatus;
        private String paymentStatus;
        private String billId;
```

```
	public Orders() {
	}

	public Orders(Customer customer, Product product, LocalDateTime orderDate, String orderStatus,
		String paymentStatus) {
		super();
		this.customer = customer;
		this.product = product;
		this.orderDate = orderDate;
		this.orderStatus = orderStatus;
		this.paymentStatus = paymentStatus;
	}

	public Long getOrderid() {
		return orderid;
	}

	public void setOrderid(Long orderid) {
		this.orderid = orderid;
	}

	public Customer getCustomer() {
		return customer;
	}

	public void setCustomer(Customer customer) {
		this.customer = customer;
	}
```

```
public Product getProduct() {
        return product;
}

public void setProduct(Product product) {
        this.product = product;
}

public LocalDateTime getOrderDate() {
        return orderDate;
}

public void setOrderDate(LocalDateTime orderDate) {
        this.orderDate = orderDate;
}

public String getOrderStatus() {
        return orderStatus;
}

public void setOrderStatus(String orderStatus) {
        this.orderStatus = orderStatus;
}

public String getPaymentStatus() {
        return paymentStatus;
}
```

```
	public void setPaymentStatus(String paymentStatus) {
		this.paymentStatus = paymentStatus;
	}

	public String getBillId() {
		return billId;
	}

	public void setBillId(String billId) {
		this.billId = billId;
	}

}
```

v)Product.java

```
package com.techm.entity;

import java.util.List;

import jakarta.persistence.Entity;
import jakarta.persistence.GeneratedValue;
import jakarta.persistence.GenerationType;
import jakarta.persistence.Id;
import jakarta.persistence.JoinColumn;
import jakarta.persistence.ManyToOne;
import jakarta.persistence.OneToMany;

@Entity
public class Product {
```

```
        @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
        private Long productId;
        private String name;
        private String description;
        private double price;
        private String category;
        private boolean active;
        @ManyToOne
    @JoinColumn(name = "biller_id")
        private Biller biller;
        @OneToMany(mappedBy = "product")
    private List<Orders> orders;

        public Product() {

        }

        public Product(String name, String description, double price, String category, Biller
biller) {
                super();
                this.name = name;
                this.description = description;
                this.price = price;
                this.category = category;
                this.biller = biller;
        }

        public Long getProductId() {
                return productId;
```

```
}

public void setProductId(Long productId) {
        this.productId = productId;
}

public String getName() {
        return name;
}

public void setName(String name) {
        this.name = name;
}

public String getDescription() {
        return description;
}

public void setDescription(String description) {
        this.description = description;
}

public double getPrice() {
        return price;
}

public void setPrice(double price) {
        this.price = price;
}
```

```
public String getCategory() {
        return category;
}

public void setCategory(String category) {
        this.category = category;
}

public boolean isActive() {
        return active;
}

public void setActive(boolean active) {
        this.active = active;
}

public Biller getBiller() {
        return biller;
}

public void setBiller(Biller biller) {
        this.biller = biller;
}

public List<Orders> getOrders() {
        return orders;
}
```

```
        public void setOrders(List<Orders> orders) {
                this.orders = orders;
        }
}
```

3)ENUM

i)BillerCategory

```
package com.techm.enums;

public enum BillerCategory {
    ENTERTAINMENT("Entertainment"),
    TELECOM("Telecom"),
    INSURANCE("Insurance"),
    ELECTRICITY("Electricity"),
    WATER("Water"),
    GAS("Gas"),
    CABLE("Cable"),
    OTHER("Other");

    private final String value;

    BillerCategory(String value) {
        this.value = value;
    }

    public String getValue() {
        return value;
    }
}
```

ii)BillStatus

```
package com.techm.enums;

public enum BillStatus {
    PAID("Paid"),
    PENDING("Pending"),
    OVERDUE("Overdue");

    private final String value;

    BillStatus(String value) {
        this.value = value;
    }

    public String getValue() {
        return value;
    }
}
```

iii)PaymentStatus

```
package com.techm.enums;

public enum PaymentStatus {
    PENDING("Pending"),
    SUCCESS("Success"),
    FAILED("Failed");

    private final String value;
```

```
    PaymentStatus(String value) {
        this.value = value;
    }

    public String getValue() {
        return value;
    }
}
```

iv)ProductCategory.java

```
package com.techm.enums;

public enum ProductCategory {
            ENTERTAINMENT("Entertainment"),
    TELECOM("Telecom"),
    INSURANCE("Insurance"),
    ELECTRICITY("Electricity"),
    WATER("Water"),
    GAS("Gas"),
    CABLE("Cable"),
    OTHER("Other");

            private final String value;

            ProductCategory(String value) {
        this.value = value;
    }
```

```
    public String getValue() {
        return value;
    }
}
```

v)Role.java

```
package com.techm.enums;

public enum Role {
    CUSTOMER("Customer"),
    BILLER("Biller");

    private final String value;

    Role(String value) {
        this.value = value;
    }

    public String getValue() {
        return value;
    }
}
```

4)RESPIRATORY

i)BillerRespiratory

```
package com.techm.repository;

import org.springframework.data.jpa.repository.JpaRepository;
import org.springframework.stereotype.Repository;

import com.techm.entity.Biller;

@Repository
public interface BillerRepository extends JpaRepository<Biller, Long>{

	Biller findByEmailAndPassword(String email, String password);

	Biller findByEmail(String email);
}
```

ii)CustomerRespiratory

```
package com.techm.repository;

import org.springframework.data.jpa.repository.JpaRepository;
import org.springframework.stereotype.Repository;

import com.techm.entity.Customer;

@Repository
public interface CustomerRepository extends JpaRepository<Customer, Long>{
	Customer findByEmailAndPassword(String email, String password);
```

```
	Customer findByEmail(String email);
}
```

iii)OrderRespiratory

```
package com.techm.repository;

import java.util.List;

import org.springframework.data.jpa.repository.JpaRepository;
import org.springframework.stereotype.Repository;

import com.techm.entity.Customer;
import com.techm.entity.Orders;
import com.techm.entity.Product;

@Repository
public interface OrderRepository extends JpaRepository<Orders, Long> {

	Orders findByCustomerAndProduct(Customer customer, Product product);

	List<Orders> findAllByCustomer(Customer customer);

}
```

iv)ProductRespiratory.java

```
package com.techm.repository;

import java.util.List;
```

```
import org.springframework.data.jpa.repository.JpaRepository;
import org.springframework.stereotype.Repository;

import com.techm.entity.Biller;
import com.techm.entity.Product;

@Repository
public interface ProductRepository extends JpaRepository<Product, Long>{

	List<Product> findAllByBiller(Biller biller);

}
```

5)Services

i)BillerServices

```
package com.techm.service;

import java.util.List;

import org.springframework.stereotype.Service;

import com.techm.entity.Biller;
import com.techm.entity.BillerDashDTO;
import com.techm.entity.Customer;

@Service
public interface BillerService {
```

```
	public Biller registerBiller(Biller biller);
	public Biller loginBiller(String email, String password);
	public Biller getBillerById(Long billerId);
	public Biller updateBiller(Biller biller);
	public List<Biller> getAllBillers();
	public BillerDashDTO billerMoreInfo(Long billerId);
	List<Customer> registeredCustomers(Long billerId);
}
```

ii)CustomerService.java

```
package com.techm.service;

import java.util.List;

import org.springframework.stereotype.Service;

import com.techm.entity.Biller;
import com.techm.entity.Customer;

@Service
public interface CustomerService {

	public Customer registerCustomer(Customer customer);
	public Customer loginCustomer(String email, String password);
	public Customer getCustomerById(Long customerId);
	public Customer updateCustomer(Customer customer);
	public List<Biller> registeredBillers(Long customerId);
}
```

iv)orderService.java

```
package com.techm.service;

import java.util.List;

import org.springframework.stereotype.Service;

import com.techm.entity.Orders;

@Service
public interface OrderService {

	Orders buyProduct(Long customerId, Long productId);

	List<Orders> pendingOrdersByBiller(Long billerId);

	List<Orders> allOrdersByBiller(Long billerId);

	boolean acceptOrder(Long orderId);

	boolean rejectOrder(Long orderId);

	Orders getOrderById(Long orderId);

	List<Orders> getOrderByCustomer(Long customerId);

	List<Orders> getOrdersByCustomerAndStatus(Long customerId, String status);
}
```

v)ProductService.java

```
package com.techm.service;

import java.util.List;

import org.springframework.stereotype.Service;

import com.techm.entity.Biller;
import com.techm.entity.Product;

@Service
public interface ProductService {
	public Product addProducct(Product product);
	public Product updateProduct(Product product);
	public Product getProductById(Long productId);
	public List<Product> getAllProducts();
	public List<Product> getAllProductsByBiller(Biller biller);
	public void deleteProduct(Long productId);
	public void activeProduct(Long productId);
	public List<Product> getAllActiveProductsByBiller(Biller biller);
}
```

6)ServiceImplement

i)Biller

```
package com.techm.service.impl;

import com.techm.entity.Biller;
import com.techm.entity.BillerDashDTO;
import com.techm.entity.Customer;
```

```
import com.techm.entity.Orders;
import com.techm.enums.Role;
import com.techm.repository.BillerRepository;
import com.techm.repository.CustomerRepository;
import com.techm.service.BillerService;
import com.techm.service.OrderService;
import com.techm.service.ProductService;

import java.util.HashSet;
import java.util.List;
import java.util.Set;
import java.util.stream.Collectors;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service;

@Service
public class BillerServiceImpl implements BillerService {

    @Autowired
    private BillerRepository billerRepository;

    @Autowired
    private CustomerRepository customerRepository;

    @Autowired
    private ProductService productService;

    @Autowired
```

```
    private OrderService orderService;

    @Override
    public Biller registerBiller(Biller biller) {
        String email = biller.getEmail();
        if (billerRepository.findByEmail(email) != null || customerRepository.findByEmail(email)
!= null) {
            return null;
        }
        biller.setRole(Role.BILLER);
        biller.setActive(true);
        return billerRepository.save(biller);
    }

    @Override
    public Biller loginBiller(String email, String password) {
        return billerRepository.findByEmailAndPassword(email, password);
    }

            @Override
            public Biller getBillerById(Long billerId) {
                    return billerRepository.findById(billerId).orElse(null);
            }

            @Override
            public Biller updateBiller(Biller biller) {
                    return billerRepository.save(biller);
            }

            @Override
```

```
public List<Biller> getAllBillers() {
        return billerRepository.findAll();
}

@Override
public BillerDashDTO billerMoreInfo(Long billerId) {
        Biller biller = getBillerById(billerId);
        int totalProducts = productService.getAllProductsByBiller(biller).size();

        int totalOrders = orderService.allOrdersByBiller(billerId).size();

        int pendingOrders = orderService.pendingOrdersByBiller(billerId).size();

        BillerDashDTO bdd = new BillerDashDTO();
        bdd.setPendingOrders(pendingOrders);
        bdd.setTotalProducts(totalProducts);
        bdd.setTotalOrders(totalOrders);

        return bdd;
}

@Override
public List<Customer> registeredCustomers(Long billerId) {
        List<Orders> orders = orderService.allOrdersByBiller(billerId);
        Set<Customer> customers = new HashSet<>();
        for(Orders order : orders) {
                customers.add(order.getCustomer());
        }
        return customers.stream().collect(Collectors.toList());
```

```
        }
}
```

ii)Customer

```
package com.techm.service.impl;

import com.techm.entity.Biller;
import com.techm.entity.Customer;
import com.techm.entity.Orders;
import com.techm.enums.Role;
import com.techm.repository.BillerRepository;
import com.techm.repository.CustomerRepository;
import com.techm.repository.OrderRepository;
import com.techm.service.CustomerService;

import java.util.HashSet;
import java.util.List;
import java.util.Set;
import java.util.stream.Collectors;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service;

@Service
public class CustomerServiceImpl implements CustomerService {

    @Autowired
    private CustomerRepository customerRepository;
```

```
    @Autowired
    private BillerRepository billerRepository;

    @Autowired
    private OrderRepository orderRepository;

    @Override
    public Customer registerCustomer(Customer customer) {
        String email = customer.getEmail();
        if (customerRepository.findByEmail(email) != null || billerRepository.findByEmail(email)
!= null) {
            return null;
        }
        customer.setActive(true);
        customer.setRole(Role.CUSTOMER);
        return customerRepository.save(customer);
    }

    @Override
    public Customer loginCustomer(String email, String password) {
        return customerRepository.findByEmailAndPassword(email, password);
    }

    @Override
    public Customer getCustomerById(Long customerId) {
        return customerRepository.findById(customerId).orElse(null);
    }

    @Override
```

```
    public Customer updateCustomer(Customer customer) {
        return customerRepository.save(customer);
    }

        @Override
        public List<Biller> registeredBillers(Long customerId) {
                List<Orders> orders =
orderRepository.findAllByCustomer(getCustomerById(customerId));
                Set<Biller> billers = new HashSet<>();
                for(Orders order : orders) {
                        billers.add(order.getProduct().getBiller());
                }
                return billers.stream().collect(Collectors.toList());
        }
}
```

iii)Order

```
package com.techm.service.impl;

import java.time.LocalDateTime;
import java.util.ArrayList;
import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service;

import com.techm.entity.Customer;
import com.techm.entity.Orders;
```

```
import com.techm.entity.Product;
import com.techm.repository.OrderRepository;
import com.techm.service.CustomerService;
import com.techm.service.OrderService;
import com.techm.service.ProductService;

@Service
public class OrderServiceImpl implements OrderService {

	@Autowired
	private OrderRepository orderRepository;

	@Autowired
	private CustomerService customerService;

	@Autowired
	private ProductService productService;

	@Override
	public Orders buyProduct(Long customerId, Long productId) {
		Customer customer = customerService.getCustomerById(customerId);
		Product product = productService.getProductById(productId);

		Orders order = new Orders();
		order.setCustomer(customer);
		order.setProduct(product);
		order.setOrderDate(LocalDateTime.now());
		order.setOrderStatus("Pending");
		order.setPaymentStatus("Paid");
```

```
        int random = 100000 + (int)(Math.random() * ((999999-100000) + 1));
        String billId = "PS" + String.valueOf(random);
        order.setBillId(billId);

        return orderRepository.save(order);
    }

    @Override
    public List<Orders> allOrdersByBiller(Long billerId) {
        List<Orders> allOrders = orderRepository.findAll();
        List<Orders> billerOrders = new ArrayList<Orders>();
        for(Orders orders : allOrders) {
            if(orders.getProduct().getBiller().getBillerId() == billerId) {
                billerOrders.add(orders);
            }
        }
        return billerOrders;
    }

    @Override
    public List<Orders> pendingOrdersByBiller(Long billerId) {
        List<Orders> billerOrders = allOrdersByBiller(billerId);
        List<Orders> pendingOrders = new ArrayList<Orders>();
        for(Orders orders : billerOrders) {
            if(orders.getOrderStatus().equals("Pending")) {
                pendingOrders.add(orders);
            }
        }
        return pendingOrders;
```

```
}

@Override
public boolean acceptOrder(Long orderId) {
	Orders order = orderRepository.findById(orderId).orElse(null);
	if(order != null) {
		order.setOrderStatus("Approved");
		orderRepository.save(order);
		return true;
	}
	return false;
}

@Override
public boolean rejectOrder(Long orderId) {
	Orders order = orderRepository.findById(orderId).orElse(null);
	if(order != null) {
		order.setOrderStatus("Rejected");
		order.setPaymentStatus("Refund");
		orderRepository.save(order);
		return true;
	}
	return false;
}

@Override
public Orders getOrderById(Long orderId) {
	return orderRepository.findById(orderId).orElse(null);
}
```

```
	@Override
	public List<Orders> getOrderByCustomer(Long customerId) {
		Customer customer = customerService.getCustomerById(customerId);
		List<Orders> orders = orderRepository.findAllByCustomer(customer);
		return orders;
	}

	@Override
	public List<Orders> getOrdersByCustomerAndStatus(Long customerId, String status) {
		List<Orders> allOrders = getOrderByCustomer(customerId);
		List<Orders> orders = new ArrayList<>();
		for(Orders order : allOrders) {
			if(order.getOrderStatus().equals(status))
				orders.add(order);
		}
		return orders;
	}

}
```

iv)product

```
package com.techm.service.impl;

import java.util.ArrayList;
import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;
```

```
import org.springframework.stereotype.Service;

import com.techm.entity.Biller;
import com.techm.entity.Product;
import com.techm.repository.ProductRepository;
import com.techm.service.ProductService;

@Service
public class ProductServiceImpl implements ProductService{
	@Autowired
	private ProductRepository productRepository;

	@Override
	public Product addProducct(Product product) {
		return productRepository.save(product);
	}

	@Override
	public Product updateProduct(Product product) {
		return productRepository.save(product);
	}

	@Override
	public Product getProductById(Long productId) {
		return productRepository.findById(productId).orElse(null);
	}

	@Override
	public List<Product> getAllProducts() {
```

```
        List<Product> allProducts = productRepository.findAll();
        List<Product> activeProducts = new ArrayList<>();
        for(Product product : allProducts) {
            if(product.isActive())
                activeProducts.add(product);
        }
        return activeProducts;
    }

    @Override
    public List<Product> getAllProductsByBiller(Biller biller) {
        return productRepository.findAllByBiller(biller);
    }

    @Override
    public void deleteProduct(Long productId) {
        Product product = getProductById(productId);
        product.setActive(false);
        productRepository.save(product);

    }

    @Override
    public void activeProduct(Long productId) {
        Product product = getProductById(productId);
        product.setActive(true);
        productRepository.save(product);
    }
```

```
	@Override
	public List<Product> getAllActiveProductsByBiller(Biller biller) {
		List<Product> allProduts = getAllProductsByBiller(biller);
		List<Product> products = new ArrayList<>();
		for(Product product : allProduts) {
			if(product.isActive())
				products.add(product);
		}
		return products;
	}

}
```

FRONTENED CODE:

1)Biller

i)Add Product:

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>Add Products</title>
</head>
<body>
<c:if test="${sessionScope.biller == null}">
      <div class="container">
          <div class="row justify-content-center">
              <div class="col text-center">
                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>
                  <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>
```

```
            </div>
          </div>
        </div>
</c:if>
<c:if test="${sessionScope.biller != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/biller/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
          <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
            <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
            <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
          </div>
    </div>
  </nav>


  <div class="row container-fluid">
    <div class="col col-3">
      <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>
```

```
    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>


  <div class="col col-9">
    <div class="message text-center text-warning fw-bold mt-3">
```

```
  ${message}
</div>
<div class="row m-2 container">
  <span class="text text-center fs-4 fw-bold mt-4">Add Product</span>
    <div class="d-flex justify-content-center mt-3">
      <form class="form" action="/biller/add-product" method="post">
        <div class="mb-3">
          <label for="name" class="form-label">Enter Product Name</label>
          <input type="text" class="form-control" id="name" name="name" required>
        </div>

        <div class="mb-3">
          <label for="price" class="form-label">Enter Product Price</label>
          <input type="number" class="form-control" id="price" name="price" required>
        </div>
        <div class="mb-2">
                    <label for="description" class="form-label">Product Descriptions</label>
                    <textarea class="form-control" id="description" rows="2"
name="description" required></textarea>
                    <div id="emailHelp" class="form-text text-white">Mention Product
Details Briefly with Expire Date.</div>
                  </div>
                  <select class="form-select" aria-label="Default select example"
name="category">
                    <option selected>Chose a Category</option>
                    <option value="Entertainment">Entertainment</option>
                    <option value="Telecom">Telecom</option>
                    <option value="Insurance">Insurance</option>
                    <option value="Gas">Gas</option>
                    <option value="Others">Others</option>
```

```
                    </select>
          <button type="submit" class="btn btn-primary w-100 mt-3">Add Product</button>
         </form>
        </div>


      </div>
     </div>
   </div>
  </div>

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

ii)All orders

```
<%@page import="com.techm.entity.Orders"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
   <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">

  <title>All Orders</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

      <div class="container">

          <div class="row justify-content-center">

              <div class="col text-center">

                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>

                  <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>

              </div>

          </div>

      </div>

</c:if>

<c:if test="${sessionScope.biller != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/biller/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">

        <span class="text fw-bold fs-4 ms-1">Payment System</span>

      </a>
```

```
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
      <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
        <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
        <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
      </div>
  </div>
 </nav>


 <div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
```

```
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>



  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">All Orders</span>

      <div class="col">
                <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                    for(Orders order : orders) {
                %>



        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
            <img src="https://i.postimg.cc/mZP117f1/orders.png" width="80" height="80" alt="Biller Logo">
          </div>
          <div class="col col-6">
```

```
            <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>

            <span class="text row">Description : <%= order.getProduct().getDescription()
%></span>

            <span class="text fw-bold row">Customer : <%= order.getCustomer().getName()
%></span>

            <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus()
%> </span>

          </div>

          <div class="col col-2 mt-3">

            <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>

            <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %>
</span>

            <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>

          </div>

          <div class="col col-2 mt-4">

           <a href="/biller/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-
primary">View Details</a>

          </div>

        </div>





            <% } %>

       </div>

     </div>

   </div>

  </div>



  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
```

```
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

iii)Change Password

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

   <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Change Password</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

      <div class="container">

          <div class="row justify-content-center">

              <div class="col text-center">

                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>
```

```
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.biller != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/biller/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
         <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
           <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
           <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
         </div>
    </div>
  </nav>


  <div class="row container-fluid">
    <div class="col col-3">
      <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>
```

```
    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>


  <div class="col col-9">
    <div class="message text-center text-warning fw-bold mt-3">
```

```
    ${message}
  </div>
  <div class="row m-2">
    <span class="text text-center fs-4 fw-bold">Biller Profile</span>


    <div class="col">


      <div class="d-flex justify-content-center m-3">
        <img src="https://i.postimg.cc/xjm5r4Bj/profile-icon.png" width="150px"
height="150px" alt="">
      </div>


      <div class="d-flex justify-content-center m-3">
        <table>
          <tr class="m-2 fs-5">
            <th>Name:</th>
            <th> ${biller.billerName}</th>
          </tr>
          <tr class="m-2 fs-5">
            <th>Email:</th>
            <th> ${biller.email}</th>
          </tr>
          <tr class="m-2 fs-6">
            <th>About:</th>
            <th> ${biller.about}</th>
          </tr>
          <tr class="m-2 fs-6">
            <th>Category:</th>
            <th> ${biller.category}</th>
          </tr>
```

```
          </table>
        </div>
        <div class="d-flex justify-content-center">
          <form class="row g-3 mt-4" action="/biller/change-password" method="post">
            <div class="col-auto">
              <input type="password" class="form-control" id="inputPassword2" placeholder="Old Password" name="oldPassword" required>
            </div>
            <div class="col-auto">
              <input type="password" class="form-control" id="inputPassword2" placeholder="New Password" name="newPassword" required>
            </div>
            <div class="col-auto">
              <button type="submit" class="btn btn-primary mb-3">Change Password</button>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

iv)Customer-Orders

```
<%@page import="com.techm.entity.Orders"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
   <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>All Orders</title>
</head>
<body>
<c:if test="${sessionScope.biller == null}">
      <div class="container">
          <div class="row justify-content-center">
              <div class="col text-center">
                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>
```

```
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.biller != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/biller/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
         <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
           <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
           <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
         </div>
    </div>
  </nav>


  <div class="row container-fluid">
    <div class="col col-3">
      <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>
```

```
    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>


  <div class="col col-9">
```

```
<div class="row m-2">
  <span class="text text-center fs-4 fw-bold">Customer Orders</span>


  <div class="col">
            <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                for(Orders order : orders) {
            %>



    <div class="card-body row m-2 border-bottom border-dark">
      <div class="col col-2">
        <img src="https://i.postimg.cc/mZP117f1/orders.png" width="80" height="80"
alt="Biller Logo">
      </div>
      <div class="col col-6">
        <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
        <span class="text row">Description : <%= order.getProduct().getDescription()
%></span>
        <span class="text fw-bold row">Customer : <%= order.getCustomer().getName()
%></span>
        <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus()
%> </span>
      </div>
      <div class="col col-2 mt-3">
        <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>
        <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %>
</span>
        <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>
      </div>
      <div class="col col-2 mt-4">
```

```
            <a href="/biller/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-primary">View Details</a>
          </div>
        </div>
          <% } %>
      </div>
    </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

V)Dashboard

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
   <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">
```

```
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Biller Dashboard</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

                    <div class="container">

          <div class="row justify-content-center">

             <div class="col text-center">

                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>

                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>

             </div>

          </div>

       </div>

</c:if>

<c:if test="${sessionScope.biller != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom
border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/biller/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40"
height="40" class="d-inline-block">

        <span class="text fw-bold fs-4 ms-1">Payment System</span>

      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>
```

```
    </button>
        <div class="collapse navbar-collapse d-flex justify-content-end"
id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout"
role="button">Logout</a>
        </div>
   </div>
  </nav>


  <div class="row container-fluid">
   <div class="col col-3">
    <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View
Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-
product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-
products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-
orders">Pending Orders</a>
      </li>
```

```
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All
Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-
customers">Registered Customers</a>
      </li>
    </ul>
  </div>



  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold"></span>


      <div class="col">
                              <div class="row m-3">


                                <div class="col-sm-6">
                                  <div class="card text-center border-0">
                                        <div  class="text-center m-2">
                                                    <img
src="https://i.postimg.cc/mZP117f1/orders.png" class="" alt="..." width="100px"
height="100px">
                                              </div>
                                  <div class="card-body">
                                        <h3>All Orders : ${bdd.totalOrders }</h3>
                                    <a href="/biller/all-orders" class="btn btn-primary m-2">View
Details</a>
                                  </div>
```

```
</div>
</div>

<div class="col-sm-6">
<div class="card text-center border-0">
<div class="text-center m-2">
<img src="https://i.postimg.cc/MTKKwJxj/pending.png" class="" alt="..." width="100px" height="100px">
</div>
<div class="card-body">
<h3>Pending Orders : ${bdd.pendingOrders }</h3>
<a href="/biller/pending-orders" class="btn btn-primary m-2">View Details</a>
</div>
</div>
</div>

</div>

<div class="row m-3 mt-4">

<div class="col-sm-6">
<div class="card text-center border-0">
<div class="text-center m-2">
<img src="https://i.postimg.cc/1RbnG4sC/products.png" class="" alt="..." width="100px" height="100px">
</div>
<div class="card-body">
<h3>Total Products : ${bdd.totalProducts }</h3>
```

```
                    <a href="/biller/view-products" class="btn btn-primary m-2">View Details</a>
                  </div>
                </div>
              </div>

              <div class="col-sm-6">
                <div class="card text-center border-0">
                    <div  class="text-center m-2">
                        <img src="https://i.postimg.cc/MTKKwJxj/pending.png" class="" alt="..." width="100px" height="100px">
                    </div>
                  <div class="card-body">
                    <h3>Registered Users : 3</h3>
                    <a href="/biller/registered-customers" class="btn btn-primary m-2">View Details</a>
                  </div>
                </div>
              </div>

            </div>

      <!--   <span class="btn btn-primary w-100"></span> -->
     </div>
    </div>
   </div>
  </div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
```

```
</c:if>

</body>

</html>
```

vi)edit-product

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

      <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Edit Product</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

      <div class="container">

          <div class="row justify-content-center">

              <div class="col text-center">

                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>
```

```
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>

            </div>

          </div>

        </div>

</c:if>

<c:if test="${sessionScope.biller != null}">


  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom
border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/biller/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40"
height="40" class="d-inline-block">

        <span class="text fw-bold fs-4 ms-1">Payment System</span>

      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

      </button>

          <div class="collapse navbar-collapse d-flex justify-content-end"
id="navbarSupportedContent">

            <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>

            <a class="btn btn-danger m-2 fw-bold" href="/home/logout"
role="button">Logout</a>

          </div>

    </div>

  </nav>


  <div class="row container-fluid">

    <div class="col col-3">
```

```
<h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


<ul class="nav flex-column">
  <li class="nav-item p-3">
    <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
  </li>
  <li class="nav-item p-3">
    <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
  </li>
  <li class="nav-item p-3">
    <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
  </li>
  <li class="nav-item p-3">
    <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
  </li>
  <li class="nav-item p-3">
    <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
  </li>
  <li class="nav-item p-3">
    <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
  </li>
</ul>
</div>
```

```
<div class="col col-9">
  <div class="row m-2">
    <span class="text text-center fs-4 fw-bold">Update Product</span>


    <div class="col">


                <div class="row m-2 container">
      <div class="d-flex justify-content-center mt-3">
        <form class="form" action="/biller/edit-product" method="post">
          <div class="mb-3">
            <label for="name" class="form-label">Enter Product Name</label>
            <input type="text" class="form-control" id="name" name="name"
value="${product.name }" required>
          </div>


          <div class="mb-3">
            <label for="price" class="form-label">Enter Product Price</label>
            <input type="number" class="form-control" id="price" name="price"
value="${product.price }" required>
          </div>
          <div class="mb-2">
                    <label for="description" class="form-label">Product Descriptions</label>
                    <textarea class="form-control" id="description" rows="2"
name="description" required>${product.description }</textarea>
                    <div id="emailHelp" class="form-text text-white">Mention Product
Details Briefly with Expire Date.</div>
                  </div>
                  <select class="form-select" aria-label="Default select example"
name="category">
                    <option value="${product.category }" selected>Chose a
Category</option>
```

```
                    <option value="Entertainment">Entertainment</option>
                    <option value="Telecom">Telecom</option>
                    <option value="Insurance">Insurance</option>
                    <option value="Gas">Gas</option>
                    <option value="Others">Others</option>
                  </select>
                  <input type="hidden" id="productId" name="productId"
value="${product.productId }" required>
          <button type="submit" class="btn btn-primary w-100 mt-3">Add Product</button>
         </form>
        </div>
       </div>
      </div>
     </div>
    </div>
</div>
 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

vii)Pending Orders

```
        <%@page import="com.techm.entity.Orders"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
```

```
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Pending Orders</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

      <div class="container">

          <div class="row justify-content-center">

              <div class="col text-center">

                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>

                  <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>

              </div>

          </div>

       </div>

</c:if>

<c:if test="${sessionScope.biller != null}">
```

```
 <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
   <div class="container-fluid">
     <a class="navbar-brand" href="/biller/dashboard">


       <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
       <span class="text fw-bold fs-4 ms-1">Payment System</span>
     </a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
       <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
         <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
         <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
       </div>
   </div>
 </nav>


 <div class="row container-fluid">
   <div class="col col-3">
     <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


     <ul class="nav flex-column">
       <li class="nav-item p-3">
         <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
       </li>
```

```
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>



  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">Pending Orders</span>


      <div class="col">
                <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                    for(Orders order : orders) {
```

```
                    %>


        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
            <img src="https://i.postimg.cc/MTKKwJxj/pending.png" width="80" height="80"
alt="Biller Logo">
          </div>
          <div class="col">
            <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
            <span class="text row">Description : <%= order.getProduct().getDescription()
%></span>
            <span class="text fw-bold row">Customer : <%= order.getCustomer().getName()
%></span>
            <span class="text row" id="convertedDateTime"></span>
          </div>
          <div class="col mt-4">
            <span class="text fw-bold row btn">Rs. <%= order.getProduct().getPrice() %></span>
            <a href="/biller/accept-order?orderId=<%= order.getOrderid()%>" class="btn btn-
primary ms-3">Accept</a>
            <a href="/biller/reject-order?orderId=<%= order.getOrderid()%>" class="btn btn-
danger ms-1">Reject</a>
          </div>
        </div>
        <% } %>
      </div>
    </div>
  </div>
 </div>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
```

```
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

viii)profile

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

   <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Biller Profile</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

      <div class="container">

          <div class="row justify-content-center">

              <div class="col text-center">
```

```
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.biller != null}">


 <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
   <div class="container-fluid">
     <a class="navbar-brand" href="/biller/dashboard">
       <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
       <span class="text fw-bold fs-4 ms-1">Payment System</span>
     </a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
       <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
         <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
         <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
       </div>
   </div>
 </nav>
```

```
<div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>
```

```
<div class="col col-9">
  <div class="message text-center text-warning fw-bold mt-3">
    ${message}
  </div>
  <div class="row m-2">
    <span class="text text-center fs-4 fw-bold">Biller Profile</span>


    <div class="col">


      <div class="d-flex justify-content-center m-3">
        <img src="https://i.postimg.cc/xjm5r4Bj/profile-icon.png" width="150px"
height="150px" alt="">
      </div>


      <div class="d-flex justify-content-center m-3">
        <table>
          <tr class="m-2 fs-5">
            <th>Name:</th>
            <th> ${biller.billerName}</th>
          </tr>
          <tr class="m-2 fs-5">
            <th>Email:</th>
            <th> ${biller.email}</th>
          </tr>
          <tr class="m-2 fs-6">
            <th>About:</th>
            <th> ${biller.about}</th>
          </tr>
```

```
            <tr class="m-2 fs-6">
              <th>Category:</th>
              <th> ${biller.category}</th>
            </tr>
          </table>
        </div>
        <div class="d-flex justify-content-center">
          <a class="btn btn-primary m-2" href="/biller/update-profile" role="button">Update Profile</a>
          <a class="btn btn-primary m-2" href="/biller/change-password" role="button">Change Password</a>
        </div>
      </div>
    </div>
  </div>
</div>

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

ix)Register

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1" pageEncoding="ISO-8859-1"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
```

```html
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
  <title>Biller Registration</title>
</head>
<body>

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container-fluid">
      <a class="navbar-brand" href="/home">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="35" height="35" class="d-inline-block align-text-top">
        <span class="text fw-bold">Payment System</span>
      </a>
      <div class="collapse navbar-collapse justify-content-end" id="navbarSupportedContent">
        <a class="btn btn-warning m-2 fw-bold" href="/customer/register" role="button">Register as Customer</a>
        <a class="btn btn-success m-2 fw-bold" href="/home/login" role="button">Login</a>
      </div>
    </div>
  </nav>

  <div class="container d-flex justify-content-center mt-1 p-5 border rounded shadow w-50">
    <form action="/biller/register" method="post">
```

```
<div class="message text-center mb-2 fw-bold text-info">
  ${message}
</div>


<span class="text text-center mb-2 fs-2 fw-bold text-primary ">Biller Registration</span>
<div class="mb-1">
  <label for="billerName" class="form-label">Enter Organisation Name</label>
  <input type="text" class="form-control" id="billerName" name="billerName" required>
</div>
<div class="mb-1">
  <label for="email" class="form-label">Enter Your Email address</label>
  <input type="email" class="form-control" id="email" aria-describedby="emailHelp" name="email" required>
  <div id="emailHelp" class="form-text">We'll never share your email with anyone else.</div>
</div>
<div class="mb-2">
  <label for="password" class="form-label">Password</label>
  <input type="password" class="form-control" id="password" name="password" required>
</div>
<div class="mb-2">
  <label for="about" class="form-label">About Organisation</label>
  <textarea class="form-control" id="about" rows="2" name="about" required></textarea>
</div>
<select class="form-select" aria-label="Default select example" name="category">
  <option value="OTHER" selected>Chose a Category</option>
  <option value="ENTERTAINMENT">Entertainment</option>
  <option value="TELECOM">Telecom</option>
  <option value="INSURANCE">Insurance</option>
```

```
      <option value="GAS">Gas</option>
      <option value="OTHER">Others</option>
    </select>
    <button type="submit" class="btn btn-primary w-100 mt-3 fw-bolder">Register</button>
  </form>
</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</body>
</html>
```

x)Registered-Customer

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1" pageEncoding="ISO-8859-1"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
  <title>Biller Registration</title>
</head>
```

```
<body>

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container-fluid">
      <a class="navbar-brand" href="/home">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="35"
height="35" class="d-inline-block align-text-top">
        <span class="text fw-bold">Payment System</span>
      </a>
      <div class="collapse navbar-collapse justify-content-end" id="navbarSupportedContent">
        <a class="btn btn-warning m-2 fw-bold" href="/customer/register"
role="button">Register as Customer</a>
        <a class="btn btn-success m-2 fw-bold" href="/home/login" role="button">Login</a>
      </div>
    </div>
  </nav>

  <div class="container d-flex justify-content-center mt-1 p-5 border rounded shadow w-50">
    <form action="/biller/register" method="post">
      <div class="message text-center mb-2 fw-bold text-info">
        ${message}
      </div>

      <span class="text text-center mb-2 fs-2 fw-bold text-primary ">Biller Registration</span>
      <div class="mb-1">
        <label for="billerName" class="form-label">Enter Organisation Name</label>
        <input type="text" class="form-control" id="billerName" name="billerName" required>
      </div>
      <div class="mb-1">
        <label for="email" class="form-label">Enter Your Email address</label>
```

```
      <input type="email" class="form-control" id="email" aria-describedby="emailHelp" name="email" required>
      <div id="emailHelp" class="form-text">We'll never share your email with anyone else.</div>
    </div>
    <div class="mb-2">
      <label for="password" class="form-label">Password</label>
      <input type="password" class="form-control" id="password" name="password" required>
    </div>
    <div class="mb-2">
      <label for="about" class="form-label">About Organisation</label>
      <textarea class="form-control" id="about" rows="2" name="about" required></textarea>
    </div>
    <select class="form-select" aria-label="Default select example" name="category">
      <option value="OTHER" selected>Chose a Category</option>
      <option value="ENTERTAINMENT">Entertainment</option>
      <option value="TELECOM">Telecom</option>
      <option value="INSURANCE">Insurance</option>
      <option value="GAS">Gas</option>
      <option value="OTHER">Others</option>
    </select>
    <button type="submit" class="btn btn-primary w-100 mt-3 fw-bolder">Register</button>
  </form>
 </div>


 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</body>
```

```
</html>
```

xi)Update-profile

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
      <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>Update Profile</title>
</head>
<body>
<c:if test="${sessionScope.biller == null}">
      <div class="container">
          <div class="row justify-content-center">
              <div class="col text-center">
```

```
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.biller != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/biller/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
          <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
            <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
            <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
          </div>
    </div>
  </nav>


  <div class="row container-fluid">
```

```
<div class="col col-3">
  <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


  <ul class="nav flex-column">
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
    </li>
  </ul>
</div>
```

```
<div class="col col-9">
  <div class="message text-center text-warning fw-bold mt-3">
    ${message}
  </div>
  <div class="row m-2">
    <span class="text text-center fs-4 fw-bold">Biller Profile</span>


    <div class="col">


      <div class="d-flex justify-content-center m-3">
        <img src="https://i.postimg.cc/xjm5r4Bj/profile-icon.png" width="150px"
height="150px" alt="">
      </div>


      <div class="d-flex justify-content-center m-3">
        <table>
          <tr class="m-2 fs-5">
            <th>Name:</th>
            <th> ${biller.billerName}</th>
          </tr>
          <tr class="m-2 fs-5">
            <th>Email:</th>
            <th> ${biller.email}</th>
          </tr>
          <tr class="m-2 fs-6">
            <th>About:</th>
            <th> ${biller.about}</th>
          </tr>
          <tr class="m-2 fs-6">
```

```
            <th>Category:</th>
            <th> ${biller.category}</th>
          </tr>
        </table>
      </div>

      <div class="d-flex justify-content-center">
        <form class="form" action="/biller/update-profile" method="post">
          <div class="mb-3">
            <label for="name" class="form-label">Name</label>
            <input type="text" class="form-control" id="name" name="billerName" value="${biller.billerName}" required>
          </div>

          <div class="mb-3">
            <label for="email" class="form-label">Email</label>
            <input type="email" class="form-control" id="email" name="email" value="${biller.email}" required>
            <div id="emailHelp" class="form-text">We'll never share your email with anyone else.</div>
          </div>
          <div class="mb-2">
                        <label for="about" class="form-label">About</label>
                        <textarea class="form-control" id="about" rows="2" name="about" required>${biller.about}</textarea>
                      </div>
                      <select class="form-select" aria-label="Default select example" name="category">
                        <option value="${biller.category}" selected>Chose a Category</option>
                        <option value="ENTERTAINMENT">Entertainment</option>
                        <option value="TELECOM">Telecom</option>
```

```
                    <option value="INSURANCE">Insurance</option>
                    <option value="GAS">Gas</option>
                    <option value="OTHER">Others</option>
                  </select>
          <button type="submit" class="btn btn-primary w-100 mt-3">Update</button>
        </form>
      </div>
    </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

Xii)View-Order

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
      <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
```

```
  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">

  <title>Update Profile</title>

</head>

<body>

<c:if test="${sessionScope.biller == null}">

      <div class="container">

          <div class="row justify-content-center">

              <div class="col text-center">

                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>

                  <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>

              </div>

          </div>

      </div>

</c:if>

<c:if test="${sessionScope.biller != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/biller/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">

        <span class="text fw-bold fs-4 ms-1">Payment System</span>

      </a>
```

```
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
      <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
        <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
        <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
      </div>
  </div>
 </nav>


 <div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
```

```
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
  </div>



  <div class="col col-9">
    <div class="message text-center text-warning fw-bold mt-3">
      ${message}
    </div>
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">Biller Profile</span>


      <div class="col">


        <div class="d-flex justify-content-center m-3">
          <img src="https://i.postimg.cc/xjm5r4Bj/profile-icon.png" width="150px" height="150px" alt="">
        </div>


        <div class="d-flex justify-content-center m-3">
          <table>
```

```
            <tr class="m-2 fs-5">
              <th>Name:</th>
              <th> ${biller.billerName}</th>
            </tr>
            <tr class="m-2 fs-5">
              <th>Email:</th>
              <th> ${biller.email}</th>
            </tr>
            <tr class="m-2 fs-6">
              <th>About:</th>
              <th> ${biller.about}</th>
            </tr>
            <tr class="m-2 fs-6">
              <th>Category:</th>
              <th> ${biller.category}</th>
            </tr>
          </table>
        </div>

        <div class="d-flex justify-content-center">
          <form class="form" action="/biller/update-profile" method="post">
            <div class="mb-3">
              <label for="name" class="form-label">Name</label>
              <input type="text" class="form-control" id="name" name="billerName"
value="${biller.billerName}" required>
            </div>

            <div class="mb-3">
              <label for="email" class="form-label">Email</label>
```

```
            <input type="email" class="form-control" id="email" name="email"
value="${biller.email}" required>
            <div id="emailHelp" class="form-text">We'll never share your email with anyone
else.</div>
          </div>
          <div class="mb-2">
                        <label for="about" class="form-label">About</label>
                        <textarea class="form-control" id="about" rows="2" name="about"
required>${biller.about}</textarea>
                      </div>
                      <select class="form-select" aria-label="Default select example"
name="category">
                        <option value="${biller.category}" selected>Chose a Category</option>
                        <option value="ENTERTAINMENT">Entertainment</option>
                        <option value="TELECOM">Telecom</option>
                        <option value="INSURANCE">Insurance</option>
                        <option value="GAS">Gas</option>
                        <option value="OTHER">Others</option>
                      </select>
          <button type="submit" class="btn btn-primary w-100 mt-3">Update</button>
         </form>
        </div>
       </div>
      </div>
     </div>
    </div>

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
```

```
</body>
</html>
```

xiii)View-Product

```
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
      <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>View Products</title>
</head>
<body>
<c:if test="${sessionScope.biller == null}">
      <div class="container">
```

```
        <div class="row justify-content-center">
          <div class="col text-center">
            <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
            <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
          </div>
        </div>
      </div>
</c:if>
<c:if test="${sessionScope.biller != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-warning sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/biller/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
        <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${biller.billerName}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
        </div>
    </div>
  </nav>
```

```
<div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-primary pt-3">Biller Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/add-product">Add Product</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/view-products">View Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/pending-orders">Pending Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/all-orders">All Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/biller/registered-customers">Registered Customers</a>
      </li>
    </ul>
```

```
  </div>
  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">All Products</span>


      <div class="col">
                <% List<Product> allProducts = (List<Product>) request.getAttribute("products");
                        for(Product product : allProducts) {
                %>


        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
            <img src="https://i.postimg.cc/1RbnG4sC/products.png" width="80" height="80" alt="Biller Logo">
          </div>
          <div class="col col-5">
            <span class="text fw-bold fs-5 row"><%= product.getName() %></span>
            <span class="text rows">Description : <%= product.getDescription() %></span>
            <span class="text fw-bold row">Category : <%= product.getCategory() %></span>
          </div>
          <div class="col mt-3 col-2">
            <span class="text fw-bold row btn">Rs. <%= product.getPrice() %></span>
          </div>
          <div class="col mt-3 col-3">
            <a href="/biller/edit-product?productId=<%=product.getProductId() %>" class="btn btn-primary ms-2">Edit</a>
            <% if(product.isActive()) { %>
            <a href="/biller/delete-product?productId=<%=product.getProductId() %>" class="btn btn-danger ms-1">Delete</a>
            <% }else { %>
```

```
            <a href="/biller/active-product?productId=<%=product.getProductId() %>"
class="btn btn-success ms-1">Active</a>

            <% } %>

          </div>

        </div>

            <% } %>

       </div>

     </div>

   </div>

  </div>


  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

2)CUSTOMER

i)All-Billers

```
<%@page import="com.techm.entity.Biller"%>

<%@page import="com.techm.entity.Product"%>

<%@page import="java.util.List"%>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

    pageEncoding="ISO-8859-1"%>

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">

  <title>All Billers</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">

         <div class="row justify-content-center">

            <div class="col text-center">

               <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>

               <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>

            </div>

         </div>

      </div>

</c:if>

<c:if test="${sessionScope.customer != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/customer/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
```

```
      <span class="text fw-bold fs-4 ms-1">Payment System</span>
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
      <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
        <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
        <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
      </div>


  </div>
 </nav>


 <div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
```

```
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>

    </ul>
  </div>


  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">All Billers</span>
      <div class="col">

                <% List<Biller> AllBillers = (List<Biller>) request.getAttribute("billers");
                    for(Biller biller : AllBillers) {
                %>
        <div class="card-body row m-1 border-bottom border-dark">
          <div class="col col-2">
```

```
            <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="100" height="100"
alt="Biller Logo">
          </div>
          <div class="col">
            <span class="text fw-bold fs-5 row"><%= biller.getBillerName() %></span>
            <span class="text row">Description : <%= biller.getAbout() %></span>
            <span class="text row">Category : <%= biller.getCategory() %></span>
            <span class="text fw-bold row">Email : <%= biller.getEmail() %></span>
          </div>


          <div class="col col-3 ">
            <%-- <a href="/customer/register-
biller?billerId=<%=biller.getBillerId()%>&customerId=${customer.customerId}" class="btn
btn-info m-1 w-100 disabled">Register</a>            --%>
            <a href="/customer/view-biller-products?billerId=<%=biller.getBillerId()%>"
class="btn btn-success m-1 w-100 mt-4">View Products</a>
          </div>
        </div>
          <% } %>
      </div>
    </div>
  </div>
 </div>


 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

ii)All-Products

```
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>All Products</title>
</head>
<body>
<c:if test="${sessionScope.customer == null}">
      <div class="container">
         <div class="row justify-content-center">
```

```
            <div class="col text-center">
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/customer/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
        <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
        </div>


    </div>
  </nav>
```

```
<div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>
```

```
    </ul>
  </div>




  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">All Products</span>
      <div class="col">


                <% List<Product> allProducts = (List<Product>) request.getAttribute("products");
                        for(Product product : allProducts) {
                %>
        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
            <img src="https://i.postimg.cc/1RbnG4sC/products.png" width="80" height="80" alt="Biller Logo">
          </div>
          <div class="col col-6">
            <span class="text fw-bold fs-5 row"><%= product.getName() %></span>
            <span class="text row">Description : <%= product.getDescription() %></span>
            <span class="text fw-bold row">Category : <%= product.getCategory() %></span>
            <span class="text fw-bold row">Biller : <%= product.getBiller().getBillerName() %></span>
          </div>
          <div class="col col-2 mt-4">
            <span class="text fw-bold row mt-2">Rs. <%= product.getPrice() %>0</span>
          </div>
          <div class="col col-2 mt-4">
```

```
            <a href="/customer/buy?productId=<%=product.getProductId()%>" class="btn btn-primary ms-3">Buy Now</a>
          </div>
        </div>
          <% } %>
      </div>
    </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

iii)Approved Orders

```
<%@page import="com.techm.entity.Orders"%>
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html>
```

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
  <title>Approved Orders</title>
</head>
<body>
<c:if test="${sessionScope.customer == null}">
      <div class="container">
         <div class="row justify-content-center">
            <div class="col text-center">
                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                  <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
         </div>
      </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
     <a class="navbar-brand" href="/customer/dashboard">
       <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
       <span class="text fw-bold fs-4 ms-1">Payment System</span>
```

```
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
       <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
         <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
         <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
       </div>


  </div>
 </nav>


 <div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
```

```
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
    </li>

  </ul>
 </div>




 <div class="col col-9">
  <div class="row m-2">
    <!-- <span class="text text-center fs-4 fw-bold">My Orders</span> -->
      <div class="row text-center mt-3 border-bottom border-warning border-5">
                <div class="col">
                  <a href="/customer/approved-orders" class="btn btn-secondar mb-3">Approved Orders</a>
                </div>
                <div class="col">
                  <a href="/customer/pending-orders" class="btn btn-primary mb-3">Pending Orders</a>
                </div>
```

```
                    <div class="col">
                      <a href="/customer/rejected-orders" class="btn btn-primary mb-3">Rejected Orders</a>
                    </div>
                  </div>

    <div class="col">

            <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                for(Orders order : orders) {
            %>

      <div class="card-body row m-2 border-bottom border-dark">
        <div class="col col-2">
          <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80" alt="Biller Logo">
        </div>
        <div class="col col-6">
          <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
          <span class="text row">Description : <%= order.getProduct().getDescription() %></span>
          <span class="text fw-bold row">Biller : <%= order.getProduct().getBiller().getBillerName() %></span>
          <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus() %> </span>
        </div>
        <div class="col col-2 mt-3">
          <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>
          <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %> </span>
          <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>
```

```
          </div>
          <div class="col col-2 mt-4">
           <a href="/customer/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-primary">View Details</a>
          </div>
         </div>
           <% } %>


       </div>
     </div>
   </div>
  </div>


  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

iv)Change-Password

```
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Customer Dashboard</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">

         <div class="row justify-content-center">

            <div class="col text-center">

                  <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>

                  <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>

            </div>

         </div>

      </div>

</c:if>

<c:if test="${sessionScope.customer != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom
border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/customer/dashboard">
```

```
      <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
      <span class="text fw-bold fs-4 ms-1">Payment System</span>
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
        <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
        </div>


   </div>
  </nav>


  <div class="row container-fluid">
   <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
```

```
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>

    </ul>
  </div>

  <div class="col col-9">
    <div class="message text-center text-warning fw-bold mt-3">
      ${message}
    </div>
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">Customer Profile</span>

      <div class="col">

        <div class="d-flex justify-content-center m-3">
```

```
<img src="https://i.postimg.cc/xjm5r4Bj/profile-icon.png" width="150px" height="150px" alt="">
</div>

<div class="d-flex justify-content-center m-3">
  <table>
    <tr class="m-2 fs-5">
      <th>Name:</th>
      <th> ${customer.name}</th>
    </tr>
    <tr class="m-2 fs-5">
      <th>Email:</th>
      <th> ${customer.email}</th>
    </tr>
  </table>
</div>

<div class="d-flex justify-content-center">

  <form class="row g-3 mt-4" action="/customer/change-password" method="post">
    <div class="col-auto">
      <input type="password" class="form-control" id="inputPassword2" placeholder="Old Password" name="oldPassword" required>
    </div>
    <div class="col-auto">
      <input type="password" class="form-control" id="inputPassword2" placeholder="New Password" name="newPassword" required>
    </div>
    <div class="col-auto">
      <input type="hidden" class="form-control" id="customerId" name="customerId" value="${customer.customerId}" required>
```

```
            <button type="submit" class="btn btn-primary mb-3">Change Password</button>
          </div>
        </form>
      </div>

    </div>
   </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

v)Dashboard

```
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
```

```
  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">

  <title>Customer Dashboard</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">

         <div class="row justify-content-center">

            <div class="col text-center">

                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>

                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>

            </div>

         </div>

      </div>

</c:if>

<c:if test="${sessionScope.customer != null}">


  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/customer/dashboard">

       <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">

       <span class="text fw-bold fs-4 ms-1">Payment System</span>
```

```
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
       <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
         <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
         <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
       </div>


  </div>
 </nav>


 <div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
```

```
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
    </li>
    <li class="nav-item p-3">
      <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
    </li>

  </ul>
 </div>


 <div class="col col-9">
  <div class="row m-2">
    <span class="text text-center fs-4 fw-bold"></span>
    <div class="col">

                <% List<Product> allProducts = (List<Product>) request.getAttribute("products");
                    for(Product product : allProducts) {
                %>
      <div class="card-body row m-2 border-bottom border-dark">
        <div class="col col-2">
          <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80" alt="Biller Logo">
```

```
          </div>
          <div class="col col-6">
            <span class="text fw-bold fs-5 row"><%= product.getName() %></span>
            <span class="text row">Description : <%= product.getDescription() %></span>
            <span class="text fw-bold row">Category : <%= product.getCategory() %></span>
            <span class="text fw-bold row">Biller : <%= product.getBiller().getBillerName()
%></span>
          </div>
          <div class="col col-2 mt-4">
            <span class="text fw-bold row mt-2">Rs. <%= product.getPrice() %>0</span>
          </div>
          <div class="col col-2 mt-4">
            <a href="/customer/buy?productId=<%=product.getProductId()%>" class="btn btn-
primary ms-3">Buy Now</a>
          </div>
        </div>
          <% } %>
      </div>
    </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

vi)My-Orders

```
<%@page import="com.techm.entity.Orders"%>

<%@page import="com.techm.entity.Product"%>

<%@page import="java.util.List"%>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>My Orders</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

       <div class="container">

          <div class="row justify-content-center">

             <div class="col text-center">
```

```
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/customer/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
         <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
         </div>


    </div>
  </nav>
```

```
<div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>


    </ul>
```

```
  </div>




  <div class="col col-9">
    <div class="row m-2">
      <!-- <span class="text text-center fs-4 fw-bold">My Orders</span> -->
          <div class="row text-center mt-3 border-bottom border-warning border-5">
                                <div class="col">
                                  <a href="/customer/approved-orders" class="btn btn-primary mb-
3">Approved Orders</a>
                                </div>
                                <div class="col">
                                  <a href="/customer/pending-orders" class="btn btn-primary mb-
3">Pending Orders</a>
                                </div>
                                <div class="col">
                                  <a href="/customer/rejected-orders" class="btn btn-primary mb-
3">Rejected Orders</a>
                                </div>
                              </div>


      <div class="col">


                  <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                          for(Orders order : orders) {
                  %>


        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
```

```
            <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80"
alt="Biller Logo">
          </div>
          <div class="col col-6">
            <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
            <span class="text row">Description : <%= order.getProduct().getDescription()
%></span>
            <span class="text fw-bold row">Biller : <%=
order.getProduct().getBiller().getBillerName() %></span>
            <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus()
%> </span>
          </div>
          <div class="col col-2 mt-3">
            <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>
            <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %>
</span>
            <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>
          </div>
          <div class="col col-2 mt-4">
           <a href="/customer/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-
primary">View Details</a>
          </div>
         </div>
           <% } %>


       </div>
     </div>
   </div>
  </div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
```

```
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

vii)Pending Orders

```
<%@page import="com.techm.entity.Orders"%>

<%@page import="com.techm.entity.Product"%>

<%@page import="java.util.List"%>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Pending Orders</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">
```

```
        <div class="row justify-content-center">
            <div class="col text-center">
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/customer/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
         <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
           <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
           <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
         </div>


    </div>
```

```
  </nav>


  <div class="row container-fluid">
    <div class="col col-3">
      <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


      <ul class="nav flex-column">
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3"
href="/customer/profile">View Profile</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-
orders">My Orders</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-
billers">All Billers</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-
products">All Products</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-
billers">Registered Billers</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-success p-3 disabled"
href="/customer/biller-bills">Biller Bills</a>
        </li>
```

```
    </ul>
  </div>



  <div class="col col-9">
    <div class="row m-2">
      <!-- <span class="text text-center fs-4 fw-bold">My Orders</span> -->
          <div class="row text-center mt-3 border-bottom border-warning border-5">
                                <div class="col">
                                  <a href="/customer/approved-orders" class="btn btn-primary mb-
3">Approved Orders</a>
                                </div>
                                <div class="col">
                                  <a href="/customer/pending-orders" class="btn btn-secondar mb-
3">Pending Orders</a>
                                </div>
                                <div class="col">
                                  <a href="/customer/rejected-orders" class="btn btn-primary mb-
3">Rejected Orders</a>
                                </div>
                              </div>


      <div class="col">


                  <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                          for(Orders order : orders) {
                  %>
```

```
<div class="card-body row m-2 border-bottom border-dark">
  <div class="col col-2">
    <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80" alt="Biller Logo">
  </div>
  <div class="col col-6">
    <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
    <span class="text row">Description : <%= order.getProduct().getDescription() %></span>
    <span class="text fw-bold row">Biller : <%= order.getProduct().getBiller().getBillerName() %></span>
    <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus() %> </span>
  </div>
  <div class="col col-2 mt-3">
    <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>
    <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %> </span>
    <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>
  </div>
  <div class="col col-2 mt-4">
   <a href="/customer/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-primary">View Details</a>
  </div>
 </div>
   <% } %>


 </div>
</div>
</div>
</div>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

viii)Profile

```
<%@page import="com.techm.entity.Orders"%>

<%@page import="com.techm.entity.Product"%>

<%@page import="java.util.List"%>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Pending Orders</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">
```

```
        <div class="row justify-content-center">
            <div class="col text-center">
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
            </div>
        </div>
    </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/customer/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
         <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
           <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
           <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
         </div>


    </div>
```

```
  </nav>


  <div class="row container-fluid">
    <div class="col col-3">
      <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


      <ul class="nav flex-column">
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3"
href="/customer/profile">View Profile</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-
orders">My Orders</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-
billers">All Billers</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-
products">All Products</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-
billers">Registered Billers</a>
        </li>
        <li class="nav-item p-3">
          <a class="nav-link text-light fw-bold btn btn-success p-3 disabled"
href="/customer/biller-bills">Biller Bills</a>
        </li>
```

```
    </ul>
  </div>



  <div class="col col-9">
    <div class="row m-2">
      <!-- <span class="text text-center fs-4 fw-bold">My Orders</span> -->
          <div class="row text-center mt-3 border-bottom border-warning border-5">
                                <div class="col">
                                  <a href="/customer/approved-orders" class="btn btn-primary mb-
3">Approved Orders</a>
                                </div>
                                <div class="col">
                                  <a href="/customer/pending-orders" class="btn btn-secondar mb-
3">Pending Orders</a>
                                </div>
                                <div class="col">
                                  <a href="/customer/rejected-orders" class="btn btn-primary mb-
3">Rejected Orders</a>
                                </div>
                              </div>


      <div class="col">


                  <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                          for(Orders order : orders) {
                  %>
```

```
<div class="card-body row m-2 border-bottom border-dark">
  <div class="col col-2">
    <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80" alt="Biller Logo">
  </div>
  <div class="col col-6">
    <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
    <span class="text row">Description : <%= order.getProduct().getDescription() %></span>
    <span class="text fw-bold row">Biller : <%= order.getProduct().getBiller().getBillerName() %></span>
    <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus() %> </span>
  </div>
  <div class="col col-2 mt-3">
    <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>
    <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %> </span>
    <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>
  </div>
  <div class="col col-2 mt-4">
   <a href="/customer/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-primary">View Details</a>
  </div>
 </div>
   <% } %>


 </div>
</div>
</div>
</div>
```

```
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

ix)Register

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

    pageEncoding="ISO-8859-1"%>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>C Registration</title>

</head>

<body>


  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">

    <div class="container-fluid">

      <a class="navbar-brand" href="/home">
```

```
      <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="35" height="35" class="d-inline-block align-text-top">
      <span class="text fw-bold">Payment System</span>
    </a>
    <div class="collapse navbar-collapse justify-content-end" id="navbarSupportedContent">
      <a class="btn btn-warning m-2 fw-bold" href="/biller/register" role="button">Register as Biller</a>
      <a class="btn btn-success m-2 fw-bold" href="/home/login" role="button">Login</a>
    </div>
  </div>
 </nav>


 <div class="container d-flex justify-content-center mt-1 p-5 border rounded shadow w-50">
  <form action="/customer/register" method="post">
    <div class="message text-center mb-3 fw-bold text-info">
      ${message}
    </div>
    <span class="text text-center mb-5 fs-2 fw-bold text-primary ">Customer Registration</span>
    <div class="mb-3 mt-4">
      <label for="name" class="form-label">Enter Your Name</label>
      <input type="text" class="form-control" id="name" name="name" required>
    </div>
    <div class="mb-3">
      <label for="email" class="form-label">Enter Your Email address</label>
      <input type="email" class="form-control" id="email" aria-describedby="emailHelp" name="email" required>
      <div id="emailHelp" class="form-text">We'll never share your email with anyone else.</div>
    </div>
    <div class="mb-3">
```

```
      <label for="password" class="form-label">Password</label>
      <input type="password" class="form-control" id="password" name="password" required>
     </div>
     <button type="submit" class="btn btn-primary w-100 mt-3 fw-bolder">Register</button>
   </form>
  </div>


  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM" crossorigin="anonymous"></script>
</body>
</html>
```

x)Registered-Billers

```
%@page import="com.techm.entity.Biller"%>
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">

  <title>Registered Billers</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">

         <div class="row justify-content-center">

            <div class="col text-center">

               <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>

               <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>

            </div>

         </div>

      </div>

</c:if>

<c:if test="${sessionScope.customer != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/customer/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">

        <span class="text fw-bold fs-4 ms-1">Payment System</span>

      </a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
```

```
      <span class="navbar-toggler-icon"></span>
     </button>
       <div class="collapse navbar-collapse d-flex justify-content-end"
id="navbarSupportedContent">
         <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
         <a class="btn btn-danger m-2 fw-bold" href="/home/logout"
role="button">Logout</a>
        </div>


   </div>
  </nav>


  <div class="row container-fluid">
   <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3"
href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-
orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-
billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
```

```
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>

    </ul>
  </div>



  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">Registered Billers</span>
      <div class="col">

                <% List<Biller> AllBillers = (List<Biller>) request.getAttribute("billers");
                        for(Biller biller : AllBillers) {
                %>
        <div class="card-body row m-1 border-bottom border-dark">
          <div class="col col-2">
            <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="100" height="100" alt="Biller Logo">
          </div>
          <div class="col">
            <span class="text fw-bold fs-5 row"><%= biller.getBillerName() %></span>
```

```
            <span class="text row">Description : <%= biller.getAbout() %></span>
            <span class="text row">Category : <%= biller.getCategory() %></span>
            <span class="text fw-bold row">Email : <%= biller.getEmail() %></span>
          </div>

          <div class="col col-3 ">
            <a href="/customer/view-biller-products?billerId=<%=biller.getBillerId()%>"
class="btn btn-success mt-4 w-100">View Products</a>
          </div>
        </div>
          <% } %>
      </div>
    </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

xi)Rejected-Orders

```
<%@page import="com.techm.entity.Orders"%>
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
```

```
   pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>


<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>Rejected Orders</title>
</head>
<body>
<c:if test="${sessionScope.customer == null}">
      <div class="container">
         <div class="row justify-content-center">
            <div class="col text-center">
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>
            </div>
         </div>
      </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
```

```
 <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom
border-5 border-white">
   <div class="container-fluid">
     <a class="navbar-brand" href="/customer/dashboard">
       <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40"
height="40" class="d-inline-block">
       <span class="text fw-bold fs-4 ms-1">Payment System</span>
     </a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
        <div class="collapse navbar-collapse d-flex justify-content-end"
id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout"
role="button">Logout</a>
        </div>


   </div>
 </nav>


 <div class="row container-fluid">
   <div class="col col-3">
     <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


     <ul class="nav flex-column">
       <li class="nav-item p-3">
         <a class="nav-link text-light fw-bold btn btn-primary p-3"
href="/customer/profile">View Profile</a>
       </li>
```

```
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>

    </ul>
  </div>

  <div class="col col-9">
    <div class="row m-2">
      <!-- <span class="text text-center fs-4 fw-bold">My Orders</span> -->
          <div class="row text-center mt-3 border-bottom border-warning border-5">
                          <div class="col">
```

```
                    <a href="/customer/approved-orders" class="btn btn-primary mb-3">Approved Orders</a>
                  </div>
                  <div class="col">
                    <a href="/customer/pending-orders" class="btn btn-primary mb-3">Pending Orders</a>
                  </div>
                  <div class="col">
                    <a href="/customer/rejected-orders" class="btn btn-secondar mb-3">Rejected Orders</a>
                  </div>
                </div>

      <div class="col">

            <% List<Orders> orders = (List<Orders>) request.getAttribute("orders");
                for(Orders order : orders) {
            %>

        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
            <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80" alt="Biller Logo">
          </div>
          <div class="col col-6">
            <span class="text fw-bold fs-5 row"><%= order.getProduct().getName() %></span>
            <span class="text row">Description : <%= order.getProduct().getDescription() %></span>
            <span class="text fw-bold row">Biller : <%= order.getProduct().getBiller().getBillerName() %></span>
            <span class="text row fw-bold text-info">Order Status : <%= order.getOrderStatus() %> </span>
```

```
        </div>
        <div class="col col-2 mt-3">
          <span class="text fw-bold row">Rs. <%= order.getProduct().getPrice() %></span>
          <span class="text row fw-bold text-info">Status : <%= order.getPaymentStatus() %>
</span>
          <span class="text row fs-6">Bill ID : <%= order.getBillId() %> </span>
        </div>
        <div class="col col-2 mt-4">
         <a href="/customer/view-order?orderId=<%= order.getOrderid()%>" class="btn btn-
primary">View Details</a>
        </div>
       </div>
         <% } %>


      </div>
     </div>
   </div>
  </div>


  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

xii)Update-profile

```
<%@page import="com.techm.entity.Product"%>
<%@page import="java.util.List"%>
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>Update Profile</title>
</head>
<body>
<c:if test="${sessionScope.customer == null}">
      <div class="container">
         <div class="row justify-content-center">
            <div class="col text-center">
                <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>
                <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>
            </div>
         </div>
      </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
```

```
 <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom
border-5 border-white">
   <div class="container-fluid">
     <a class="navbar-brand" href="/customer/dashboard">
       <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40"
height="40" class="d-inline-block">
       <span class="text fw-bold fs-4 ms-1">Payment System</span>
     </a>
     <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
        <div class="collapse navbar-collapse d-flex justify-content-end"
id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout"
role="button">Logout</a>
        </div>


   </div>
 </nav>


 <div class="row container-fluid">
   <div class="col col-3">
     <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


     <ul class="nav flex-column">
       <li class="nav-item p-3">
         <a class="nav-link text-light fw-bold btn btn-primary p-3"
href="/customer/profile">View Profile</a>
       </li>
```

```
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>


    </ul>
  </div>


  <div class="col col-9">
    <div class="message text-center text-warning fw-bold mt-3">
      ${message}
    </div>
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">Customer Profile</span>
```

```
    <div class="col">


      <div class="d-flex justify-content-center m-3">
        <img src="https://i.postimg.cc/xjm5r4Bj/profile-icon.png" width="150px"
height="150px" alt="">
      </div>


      <div class="d-flex justify-content-center m-3">
        <table>
          <tr class="m-2 fs-5">
            <th>Name:</th>
            <th> ${customer.name}</th>
          </tr>
          <tr class="m-2 fs-5">
            <th>Email:</th>
            <th> ${customer.email}</th>
          </tr>
        </table>
      </div>


      <div class="d-flex justify-content-center">
        <form class="form" action="/customer/update-profile" method="post">
          <div class="mb-3">
            <label for="name" class="form-label">Name</label>
            <input type="text" class="form-control" id="name" name="name"
value="${customer.name}" required>
          </div>


          <div class="mb-3">
            <label for="email" class="form-label">Email</label>
```

```
            <input type="email" class="form-control" id="email" name="email"
value="${customer.email}" required>

            <div id="emailHelp" class="form-text">We'll never share your email with anyone
else.</div>

          </div>

          <button type="submit" class="btn btn-primary w-100 mt-3">Update</button>

         </form>

        </div>


      </div>

     </div>

   </div>

  </div>


  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

</c:if>

</body>

</html>
```

Xiii)view-biller-products

```
<%@page import="com.techm.entity.Product"%>

<%@page import="java.util.List"%>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">

  <title>Customer Dashboard</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">

      <div class="container">

         <div class="row justify-content-center">

            <div class="col text-center">

               <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>

               <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>

            </div>

         </div>

      </div>

</c:if>

<c:if test="${sessionScope.customer != null}">

  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">

    <div class="container-fluid">

      <a class="navbar-brand" href="/customer/dashboard">

        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
```

```
      <span class="text fw-bold fs-4 ms-1">Payment System</span>
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
       <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
         <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
         <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
       </div>


  </div>
 </nav>


 <div class="row container-fluid">
  <div class="col col-3">
    <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>


    <ul class="nav flex-column">
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
      </li>
      <li class="nav-item p-3">
```

```
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
      </li>
      <li class="nav-item p-3">
        <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
      </li>

    </ul>
  </div>


  <div class="col col-9">
    <div class="row m-2">
      <span class="text text-center fs-4 fw-bold">Biller Products</span>
      <div class="col">

                <% List<Product> allProducts = (List<Product>) request.getAttribute("products");
                    for(Product product : allProducts) {
                %>
        <div class="card-body row m-2 border-bottom border-dark">
          <div class="col col-2">
```

```
            <img src="https://i.postimg.cc/MpVCcgJT/biller-logo.png" width="80" height="80"
alt="Biller Logo">
          </div>
          <div class="col col-6">
            <span class="text fw-bold fs-5 row"><%= product.getName() %></span>
            <span class="text row">Description : <%= product.getDescription() %></span>
            <span class="text fw-bold row">Category : <%= product.getCategory() %></span>
            <span class="text fw-bold row">Biller : <%= product.getBiller().getBillerName()
%></span>
          </div>
          <div class="col col-2 mt-4">
            <span class="text fw-bold row mt-2">Rs. <%= product.getPrice() %>0</span>
          </div>
          <div class="col col-2 mt-4">
            <a href="/customer/buy?productId=<%=product.getProductId()%>" class="btn btn-
primary ms-3">Buy Now</a>
          </div>
        </div>
          <% } %>
      </div>
    </div>
  </div>
 </div>

 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

Xiv)View-Orders

```
<%@page import="com.techm.entity.Orders"%>

<%@page import="com.techm.entity.Product"%>

<%@page import="java.util.List"%>

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

<%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Order Receipt</title>

</head>

<body>

<c:if test="${sessionScope.customer == null}">
```

```
    <div class="container">
      <div class="row justify-content-center">
        <div class="col text-center">
          <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired, Please Login Again</div>
          <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home" role="button">Home Page...</a>
        </div>
      </div>
    </div>
</c:if>
<c:if test="${sessionScope.customer != null}">
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top border-bottom border-5 border-white">
    <div class="container-fluid">
      <a class="navbar-brand" href="/customer/dashboard">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="40" height="40" class="d-inline-block">
        <span class="text fw-bold fs-4 ms-1">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
        <div class="collapse navbar-collapse d-flex justify-content-end" id="navbarSupportedContent">
          <span class="text text-light fw-bold fs-5 me-4">Hi, ${customer.name}</span>
          <a class="btn btn-danger m-2 fw-bold" href="/home/logout" role="button">Logout</a>
        </div>
```

```
  </div>
 </nav>

 <div class="row container-fluid">
  <div class="col col-3">
   <h3 class="text-center text-warning pt-3">Customer Dashboard</h3>

   <ul class="nav flex-column">
    <li class="nav-item p-3">
     <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/profile">View Profile</a>
    </li>
    <li class="nav-item p-3">
     <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/my-orders">My Orders</a>
    </li>
    <li class="nav-item p-3">
     <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-billers">All Billers</a>
    </li>
    <li class="nav-item p-3">
     <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/all-products">All Products</a>
    </li>
    <li class="nav-item p-3">
     <a class="nav-link text-light fw-bold btn btn-primary p-3" href="/customer/registered-billers">Registered Billers</a>
    </li>
    <li class="nav-item p-3">
     <a class="nav-link text-light fw-bold btn btn-success p-3 disabled" href="/customer/biller-bills">Biller Bills</a>
```

```
      </li>


     </ul>
    </div>


    <div class="col col-9">
     <div class="row m-2">
      <span class="text text-center fs-4 fw-bold mt-3">Order Receipt</span>


      <div class="col">



                <% Orders orders = (Orders) request.getAttribute("orders");%>
            <div class="card m-3 border-0">
                        <img class="card-img-top rounded"
src="https://i.postimg.cc/CxQVyg4V/Picsart-24-04-27-17-03-58-141.jpg" alt="Card image
cap" height="150px">
                        <div class="card-body row mt-3">
                              <div class="col m-1 ms-5">
                                    <span class="text fw-bold row">Product Name :
<%= orders.getProduct().getName() %></span>
                                    <span class="text row mt-1">Description : <%=
orders.getProduct().getDescription() %></span>
                                    <span class="text row mt-1">Product Category :
<%= orders.getProduct().getCategory() %></span>
                                    <span class="text fw-bold row mt-3">Biller
Name : <%= orders.getProduct().getBiller().getBillerName() %></span>
                                    <span class="text row mt-1">Biller Email : <%=
orders.getProduct().getBiller().getEmail() %></span>
                              </div>
                              <div class="col m-1">
```

```
                                        <span class="text fw-bold row">Buyer Name : <%= orders.getCustomer().getName() %></span>
                                        <span class="text row mt-1">Buyer Email : <%= orders.getCustomer().getEmail() %></span>
                                        <span class="text fw-bold text-warning row mt-5">Order Bill ID : <%= orders.getBillId() %></span>
                                    </div>
                                </div>
                                <div class="card-body row border-top border-bottom">
                                    <div class="col m-1 ms-5">
                                        <span class="text fw-bold row  text-primary">Order Status : <%= orders.getOrderStatus() %></span>
                                        <span class="text row mt-1" id="timestamp"></span>
                                    </div>
                                    <div class="col m-1">
                                        <span class="text fw-bold row">Product Price : <%= orders.getProduct().getPrice() %></span>
                                        <span class="text fw-bold row text-info mt-1">Payment Status : <%= orders.getPaymentStatus() %></span>
                                    </div>
                                </div>
                            </div>


        <script>
                        // Function to convert ISO datetime to 12-hour format with AM and PM and DD-MM-YYYY format
                        function convertTo12HourDateTime(isoDateTime) {
                            var dateTime = new Date(isoDateTime);
                            var day = dateTime.getDate().toString().padStart(2, '0');
                            var month = (dateTime.getMonth() + 1).toString().padStart(2, '0'); // Add 1 because month index starts from 0
```

```
                var year = dateTime.getFullYear();
                var hours = dateTime.getHours();
                var minutes = dateTime.getMinutes().toString().padStart(2, '0');
                var amPM = hours >= 12 ? 'PM' : 'AM';
                hours = hours % 12 || 12;
                return "Order Date : " + day + "-" + month + "-" + year + " " + hours +
":" + minutes + " " + amPM;
            }
            // Example usage
            window.onload = function() {
                var isoDateTime = "<%=orders.getOrderDate()%>";
                var twelveHourDateTime = convertTo12HourDateTime(isoDateTime);
                document.getElementById("timestamp").textContent =
twelveHourDateTime;
            };
        </script>


      </div>
     </div>
   </div>
  </div>


  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</c:if>
</body>
</html>
```

3)error

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

   pageEncoding="ISO-8859-1"%>

   <%@ taglib uri="http://java.sun.com/jsp/jstl/core" prefix="c" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

  <title>Payment System</title>

</head>

<body>

          <div class="container">

        <div class="row justify-content-center">

           <div class="col text-center">

              <div class="text text-center fs-4 fw-bold mt-5 mb-2">Your Session has Expired,
Please Login Again</div>

              <a class="btn btn-primary m-2 fw-bold ps-5 pe-5" href="/home"
role="button">Home Page...</a>

           </div>

        </div>

           </div>

</body>

</html>
```

4)Home

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>Payment System</title>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container-fluid">
      <a class="navbar-brand" href="/home">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="35"
height="35" class="d-inline-block align-text-top">
        <span class="text fw-bold">Payment System</span>
      </a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
```

```
    <div class="collapse navbar-collapse d-flex justify-content-end"
id="navbarSupportedContent">
      <a class="btn btn-warning m-2 fw-bold" href="/customer/register"
role="button">Register</a>
      <a class="btn btn-success m-2 fw-bold" href="/home/login" role="button">Login</a>
    </div>
  </div>
 </nav>


 <div class="container d-flex justify-content-center mt-5 p-5">
  <div class="container">
    <h1 class="text fw-bold pt-5">Welcome to Payment System</h1>
    <p class="text">Pay All Bills at One Place, with most trusted billers and products.</p>


    <div>
      <a class="btn btn-primary" href="/customer/register" role="button">Getting
Started</a>
    </div>
  </div>
  <div >
    <img src="https://i.postimg.cc/j2bvQvvd/ps-img1.jpg" width="400px" height="400px"
class="rounded-circle" alt="...">
  </div>
 </div>



 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</body>
</html>
```

5)Login

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" type="image/x-icon" href="https://i.postimg.cc/sgHqJ95p/payment-system-
logo.png">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
  <title>C Registration</title>
</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container-fluid">
      <a class="navbar-brand" href="/home">
        <img src="https://i.postimg.cc/sgHqJ95p/payment-system-logo.png" alt="" width="35"
height="35" class="d-inline-block align-text-top">
        <span class="text fw-bold">Payment System</span>
      </a>
      <div class="collapse navbar-collapse justify-content-end" id="navbarSupportedContent">
        <a class="btn btn-warning m-2 fw-bold" href="/biller/register" role="button">Register
as Biller</a>
        <a class="btn btn-warning m-2 fw-bold" href="/customer/register"
role="button">Register as Customer</a>
```

```
    </div>
   </div>
  </nav>


  <div class="container d-flex justify-content-center mt-5 p-5 border rounded shadow w-50">
 <form action="/home/login" method="post">
      <div class="message text-center mb-3 fw-bold text-info">
         ${message}
      </div>
<span class="text text-center mb-5 fs-2 fw-bold text-primary">Login (Customer & Biller)
</span>
     <div class="mb-3 mt-4">
       <label for="email" class="form-label">Enter Your Email address</label>
       <input type="email" class="form-control" id="email" name="email" required>
       <div id="emailHelp" class="form-text">We'll never share your email with anyone else.
</div>
     </div>
     <div class="mb-3">
       <label for="password" class="form-label">Password</label>
       <input type="password" class="form-control" id="password" name="password"
required>
     </div>
     <button type="submit" class="btn btn-primary w-100 mt-3">Login</button>
   </form>
  </div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</body>
</html>
```