

Configuration Cockpit

V1

User Guide

16/04/2024

Table of Content

1. 1 FOREWORD	3
1.1 PURPOSE OF THE DOCUMENT	3
1.2 AUDIENCE	3
1.3 ASSOCIATED DOCUMENTATION	3
1.4 DOCUMENT CONFIGURATION	3
1.5 Abbreviations and Glossary	4
1.5.1 Abbreviations	4
1.5.2 Glossary	4
1.6 Getting functional support	4
1.6.1 How to contact the support	4
1.6.2 What is the support mission	4
2. INTRODUCTION TO CONFIGURATION COCKPIT	5
2.1 PURPOSE OF THE APPLICATION	5
2.2 MAIN FUNCTIONALITIES AND INTERFACES	5
2.3 CONNECTION/DECONNECTION PRINCIPLES	8
2.3.1 Airbus world account, Skywise contract.	8
2.3.2 How to Get Access?	8
2.3.3 How to connect?	8
2.3.4 How to disconnect?	8
3. BASIC PRINCIPLES	9
3.1 Description of main Modules	9
3.1.1 Configuration Checker - Fleet view:	9
3.1.2 Configuration Checker - Detailed view	14
3.1.3 Browser in Part:	18
3.1.4 Browser for MOD/SB	19
3.1.5 Aircraft Configuration Matrix (ACM)	25

1. 1 Foreword

1.1 Purpose of the Document

The following user guide is intended to provide necessary information to navigate MVP version of ConfigurationCockpit.

The functions covered by this user guide are:

1. Browser in Parts
2. Browser in SB/MOD
3. Aircraft Configuration Matrix (ACM)
4. Checker Module.

1.2 Audience

This User Guide is intended for customers using the ConfigurationCockpit application to Browse the configuration data coming from their Maintenance Information System (MIS) and / or Avionics Configuration Report (ACR) to check the configuration vs Airbus as allowed configuration.

1.3 Associated Documentation

NA

1.4 Document configuration

This document is related to the version V1: 1.0

Document version	Description	Type of modification (addition, update, deletion)
1.0	Creation of the user guide	Creation

1.5 Abbreviations and Glossary

1.5.1 Abbreviations

List of the abbreviations used in the Configuration Cockpit user guide:

Abbreviation/ Acronym	Definition
ACM	Aircraft Configuration Matrix
ACR	Avionics Configuration Report
FIN	Functional Item Number
MIS	Maintenance Information System
MOD	Modification
MP	Mod Proposal
MSN	Manufacturer Serial Number
SB	Service Bulletin

1.5.2 Glossary

Definition of terms used in the Configuration Cockpit user guide:

Term	Definition
Wrong part	Part number received from MIS or ACR is not matching with Airbus Allowed configuration part number/condition
To be Analysed	Condition from Airbus Allowed configuration cannot be determined automatically based on Part number received from MIS or ACR
Match	Part number received from MIS or ACR is matching with Airbus Allowed configuration part number/condition

1.6 Getting functional support

1.6.1 How to contact the support

For any question related to Configuration Cockpit application, open a dossier in TechRequest Domain: **Software and Services**

Product: **Configuration Cockpit**

Customers Services Helpdesk

- Telephone no: (Support Level 1 CHINA): **+86 411 39 77 35 95** [Working days from 08:30 to 17:30 UTC+8]
- Telephone no: (Support Level 1 All Customers): **+33 (0)5 67 19 11 00** (24/7)

1.6.2 What is the support mission


Actions done for and with the business:

- Provide all the support required to help the customers use the application.
- In Coordination with the Business, provide refreshers to the customers if required.
- Follow all the requests, and report the status to the requestor
- Follow all incident transfers, and report the status to the requestor

2. Introduction to Configuration Cockpit

2.1 Purpose of the application

Configuration Cockpit is a new central platform that helps customers manage their aircraft configuration using browsing and configuration checking modules that improve the efficiency of configuration checking while decreasing the risk of non conformities (configuration mismatch)



2.2 Main Functionalities and Interfaces

Configuration Cockpit has three core modules

1. **Browser (in part and in MOD/SB)**
2. **Configuration Checker**
3. **Aircraft Configuration Matrix (ACM)**

Browser

Browser in Part

Browser in Parts provides the capability to display the Part's configuration details for a selected MSN/set of MSN for a given operator/airline. The user can also search by Functional Identification

Number (FIN) and the part associated with it, or look for a serial number linked to a part number (PNR) to understand the current configuration of an aircraft.

The data is updated based on the frequency of synchronization from the Airline Maintenance Information System (MIS) and Avionic Configuration Report (ACR).

Key aspects to take into consideration are:

- **Installation Date** : The date on which the part is set to be communicated through the communication system onboard [CMS] the aircraft. An aircraft might have the part already fitted/installed on the specific location but might not be part of the ACR or other reports until it is set on to be communicated via the reports.
- **Reported Date** : The date on which the part data is synchronized with Airline MIS to Configuration in Part dataset in Skywise or the date on which the part data is received via ACR for the selected aircraft.

Browser in MOD/SB :

Browser in MOD/SB provides the capability to display the configuration by MOD at delivery and status of the Service Bulletins as reported by the customer for a set of given MSNs.

Key points to consider are

- Configuration Number for an SB identifies which SB is applicable to which particular aircraft [same SB reference with different CONF number can apply to only a specific series of aircraft programmes(eg: SB X1235 with CONF 003 can be applicable to A320N or A320 classic programme subtype].
- Version Number for an SB changes with new releases and SB with same reference number but different version number could be applicable to same or different aircraft type[or subtype].
- There could be multiple MOD's linked to one SB and one MOD could have multiple MP's or Mod proposals linked to it.

Concurrent Requirements

There could be scenarios where one service bulletin has a dependency with other SB/SB's that need to be applied first. This is determined using concurrent requirements :

- One service bulletin could be linked to one or multiple service bulletin using the dependency formula which could have following scenarios :

- ☐ There are one or multiple valid concurrent SB's found
- ☐ There are one or multiple concurrent requirements found but it's not possible to display the links in the configuration cockpit, and the customer can consult the SB provided/published over time to find the concurrent requirements.
- ☐ There is no concurrent requirement linked for one SB reference.

Checker Module

Checker Fleet View:

The Checker Fleet view provides a fleet view discrepancy “configuration mismatches” status for all the aircrafts in your fleet. The summarized view helps the user to focus on a specific aircraft or set of aircrafts which might need attention based on the criticality/number of the mismatches found for the parts currently installed on the aircraft.

The user can focus on a model by selecting a specific aircraft or using filters to define a subset of the aircraft as per the responsibility area.

To sum up, our objective is to cross check the airline data with the Airbus allowable configuration. The functional key is the MSN and FIN to check the partNumber and the conditions, to show the status.

Checker Details View:

The Checker details view provides details of the aircraft/s selected and lists out the details of configuration mismatches.

The discrepancies between parts fitted on a given FIN vs Airbus allowable configuration.

ACM- [Aircraft Configuration Matrix] Module

Browser module provides the capability to provide a comparison matrix for SB embodiment status considering the MOD's or MOD+SB as per the applicability to the fleet.

An operator can compare the embodiment status for the entire fleet using the ACM module by selecting a fleet or model [by choosing an Aircraft family[A350/A320] /Aircraft type [A320/A319/A321] or Subtype [A320 Neo, A320 Classic].

2.3 Connection/Disconnection principles

2.3.1 Airbus world account, Skywise contract.

2.3.2 How to Get Access?

2.3.3 How to connect?

2.3.4 How to disconnect?

3. Basic principles

3.1 Description of main Modules

3.1.1 Configuration Checker - Fleet view:

This is the initial landing page for Checker Module. In this page, we are showing all MSNs related to one Operator in the card view with **Match**, **Wrong Part** and **To be Analyzed** calculation along with the **A/C details**, **MIS** and **ACR** date.

Initial Landing Page

skywise | Configuration Cockpit | Browser | **Checker** | ACM | Testuser Skywiseairlineart

Operator: A9F | A/C Type: All | A/C Sub Type: All | MSN A/C Registration: All | Discrepancy Result: All | Reset

Aircrafts (8)

Aircraft	Operator	Wrong Part	To be Analyzed	Match	MIS	ACR
A9F-03	A320 N98986 A9F	1 0.1%	241 20.8%	916 79.1%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA46	A320 N99946 A9F	1 0.1%	241 20.8%	915 79.1%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA47	A350 P99947 A9F	205 5.3%	677 17.4%	3010 77.3%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA48	A350 P99948 A9F	207 5.3%	700 17.9%	3005 76.8%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA49	A350 P99949 A9F	140 3.8%	672 18.0%	2915 78.2%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA51	A320 N99951 A9F	1 0.1%	232 19.9%	930 80.0%		
OY-HA52	A350 P99952 A9F	141 3.8%	693 18.5%	2908 77.7%		
OY-HA53	A350 P99953 A9F	130 3.5%	675 18.2%	2914 78.4%		

Quick Filter Search:

Quick filter search functionality is provided to users for filtering data based on A/C Type, A/C Subtype, MSN and Discrepancy results selection.

skywise | Configuration Cockpit | Browser | **Checker** | ACM | Testuser Skywiseairlineart

Operator: A9F | A/C Type: All | A/C Sub Type: All | MSN A/C Registration: All | Discrepancy Result: All | Reset

i) Based on A/C type selection from quick filter dropdown, showing related results.

Quick Filter search with A/C Type

skywise | Configuration Cockpit | Browser | **Checker** | ACM | Download | Help | Testuser Skywiseairlineart

Operator: A9F | A/C Type: A350 | A/C Sub Type: All | MSN A/C Registration: All | Discrepancy Result: All | Reset

Aircrafts (5)

Aircraft	Operator	A/C Type	Wrong Part	To be Analysed	Match	MIS	ACR
OY-HA47	A9F	A350 P99947	205 5.3%	677 17.4%	3010 77.3%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA48	A9F	A350 P99948	207 5.3%	700 17.9%	3005 76.8%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA49	A9F	A350 P99949	140 3.8%	672 18.0%	2915 78.2%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA52	A9F	A350 P99952	141 3.8%	693 18.5%	2908 77.7%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA53	A9F	A350 P99953	130 3.5%	675 18.2%	2914 78.4%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM

Based on selection of A/C type, populating cards related to particular A/C subtype and MSN for selected A/C type. Here, we are showing all results based on particular **A/C type: A320** for test **Operator A9F**

ii) Based on A/C type and A/C subtype selection from quick filter dropdown, showing related results.

Quick Filter search with combination of A/C Type and A/C subtype

skywise | Configuration Cockpit | Browser | **Checker** | ACM | Download | Help | Testuser Skywiseairlineart

Operator: A9F | A/C Type: A350 | A/C Sub Type: A350-941 | MSN A/C Registration: All | Discrepancy Result: All | Reset

Aircrafts (3)

Aircraft	Operator	A/C Type	Wrong Part	To be Analysed	Match	MIS	ACR
OY-HA49	A9F	A350 P99949	140 3.8%	672 18.0%	2915 78.2%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA52	A9F	A350 P99952	141 3.8%	693 18.5%	2908 77.7%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM
OY-HA53	A9F	A350 P99953	130 3.5%	675 18.2%	2914 78.4%	07 Mar 2024 04:22 PM	07 Mar 2024 04:22 PM

Based on selection of A/C type and A/C subtype, populating cards related to particular MSN for selected A/C type and A/C subtype.

Here, we are showing filtered results based on particular **A/C type: A320** and **A/C subtype: A320-272N** for test **Operator A9F**

iii) Based on A/C type, A/C subtype and MSN selection from quick filter dropdown, showing related results.

Quick Filter search with combination of A/C Type, A/C subtype and MSN

Based on selection of A/C type, A/C subtype and MSNs populating cards for selected A/C type, A/C subtype and MSN. Here, we are showing filtered results based on particular **A/C type: A320, A/C subtype: A320-272N and MSN: N11408 EI-HJE, N11635 EI-HOD, N11722 EI-HOF** for test Operator **A9F**

iv) Based on A/C type, A/C subtype, MSN and Discrepancy result selection from quick filter dropdown, showing related results.

The screenshot shows the skywise Configuration Cockpit interface. The top navigation bar includes 'skywise', 'Configuration Cockpit', 'Browser', 'Checker', 'ACM', a download icon, a help icon, and a user profile 'Testuser Skywiseairlineart'. Below the navigation bar, there are filters for 'Operator' (A9F), 'A/C Type' (All), 'A/C Sub Type' (All), 'MSN A/C Registration' (All), and 'Discrepancy Result' (Wrong Part). A 'Reset' button is also present. The main content area is titled 'Aircrafts (8)' and displays a grid of aircraft cards. Each card shows the aircraft type, MSN, A/C subtype, and a summary of discrepancy results (Wrong Part, To be Analysed, Match) with counts and percentages. The cards are for aircraft A9F-03, OY-HA46, OY-HA47, OY-HA48, OY-HA49, OY-HA51, OY-HA52, and OY-HA53. Each card also shows the last update time for MIS and ACR.

Aircraft	Type	MSN	Subtype	Wrong Part	To be Analysed	Match
A9F-03	A320	N98986	A9F	1 0.1%	241 20.8%	916 79.1%
OY-HA46	A320	N99946	A9F	1 0.1%	241 20.8%	915 79.1%
OY-HA47	A350	P99947	A9F	205 5.3%	677 17.4%	3010 77.3%
OY-HA48	A350	P99948	A9F	207 5.3%	700 17.9%	3005 76.8%
OY-HA49	A350	P99949	A9F	140 3.8%	672 18.0%	2915 78.2%
OY-HA51	A320	N99951	A9F	1 0.1%	232 19.9%	930 80.0%
OY-HA52	A350	P99952	A9F	141 3.8%	693 18.5%	2908 77.7%
OY-HA53	A350	P99953	A9F	130 3.5%	675 18.2%	2914 78.4%

Based on selection of A/C type, A/C subtype, MSNs, Discrepancy result populating cards for selected A/C type, A/C subtype, MSN and Discrepancy result.

Here, we are showing filtered results based on particular **A/C type: Select All, A/C subtype: Selected All, MSN: Selected All and Discrepancy Result: To be Analyzed** for test Operator **A9F**

Reset Icon:

This reset icon button is used to reset all Quick Filter Search selected to its initial state for respective Operator selection.

After clicking on Reset Icon, all quick filter search loads to its initial state.

The screenshot shows the Skywise Configuration Cockpit interface. The top navigation bar includes the Skywise logo, 'Configuration Cockpit', and tabs for 'Browser', 'Checker' (selected), and 'ACM'. A user profile 'Testuser Skywiseairlineart' is visible. Below the navigation bar, there are filter dropdowns for 'Operator' (A9F), 'A/C Type' (All), 'A/C Sub Type' (All), 'MSN A/C Registration' (All), and 'Discrepancy Result' (All). A 'Reset' button is located on the right. The main content area displays 'Aircrafts (8)' in a grid. Each aircraft card shows the aircraft ID, operator, and a list of discrepancies with counts and percentages. For example, A9F-03 shows 1 Wrong Part (0.1%), 241 To be Analysed (20.8%), and 916 Match (79.1%).

Aircraft ID	Operator	Wrong Part	To be Analysed	Match
A9F-03	A320 N98986 A9F	1 0.1%	241 20.8%	916 79.1%
OY-HA46	A320 N99946 A9F	1 0.1%	241 20.8%	915 79.1%
OY-HA47	A350 P99947 A9F	205 5.3%	677 17.4%	3010 77.3%
OY-HA48	A350 P99948 A9F	207 5.3%	700 17.9%	3005 76.8%
OY-HA49	A350 P99949 A9F	140 3.8%	672 18.0%	2915 78.2%
OY-HA51	A320 N99951 A9F	1 0.1%	-	-
OY-HA52	A350 P99952 A9F	141 3.8%	-	-
OY-HA53	A350 P99953 A9F	130 3.5%	-	-

Total number of particular MSN on initial load and after Quick filter search selected:



This shows the count of the total number of MSNs for a particular Operator on initial load and also after Quick Filter Search is selected.

Showing count on initial load and after Quick Filter Search

This screenshot is similar to the previous one, showing the Skywise Configuration Cockpit interface. The top navigation bar and filter dropdowns are the same. The 'Aircrafts (8)' section is highlighted with a yellow box, indicating the focus on the aircraft list. The data presented in the aircraft cards is identical to the previous screenshot.


Help Icon:

On click of this icon, the Help module for Fleet view will open in the Modal popup.

Help Icon for Fleet view**Help Module for Fleet View****Small view Icon for Cards display:**

This icon will display the size of the card in a large and small view. Initially, we are displaying cards in a large view.

Note: Large view of cards already shown in above screen shot

Small card view of Checker fleet view

3.1.2 Configuration Checker - Detailed view

Checker detailed view provides the details of Configuration discrepancies for a selected MSN [if the user selects an Aircraft Tile] or a set of MSN [if the user directly accesses the Details screen by clicking on the 'Details' tab on the header section].

The screenshot shows the 'Configuration Cockpit' interface with the 'Checker' tab selected. The top navigation bar includes 'skywise', 'Configuration Cockpit', 'Browser', 'Checker', 'ACM', and a user profile 'Testuser Skywiseairlineart'. Below the navigation bar, there are filters for 'Operator' (A9F), 'A/C Type' (All), 'A/C Sub Type' (All), 'MSN A/C Registration' (All), and 'Discrepancy Result' (All). A 'Reset' button is also present. The main area displays 'Aircrafts (8)' in a grid of tiles. Each tile represents an aircraft with its registration, type, and a list of discrepancies categorized as 'Wrong Part', 'To be Analysed', and 'Match'. For example, the first tile for A9F-03 shows 1 wrong part (0.1%), 241 parts to be analysed (20.8%), and 916 matches (79.1%).

a) Navigating to Checker Details view using Fleet View

Users can click on an Aircraft tile/card from the Checker fleet view. On click, the user would be redirected to the Checker details view as shown below :

The Checker detailed view would list out the status between parts fitted on a given FIN vs Airbus recommendations.

The screenshot shows the 'Configuration Cockpit' interface with the 'Checker' tab selected. The top navigation bar is the same as the previous view. Below the navigation bar, the filters are updated: 'Operator' (A9F), 'A/C Type' (A350), 'A/C Sub Type' (A350-1041), and 'MSN A/C Registration' (P99947 OY-HA47). A 'Data Selection' button is visible. The main area displays a table of discrepancies. The table has columns for 'Edit', 'FIN', 'MSN', 'ATA', 'Description', 'Source', 'Part Number', 'Status', 'Reason', and 'Details'. The table shows several rows of discrepancies, including 'SOFTWARE-RAIMS TYPE...', 'CONTACTOR', 'MACHINE-ESPRESSO', and 'OVEN-STEAM'. Each row indicates the source (ACR or MIS), the part number, and the reason for the discrepancy (e.g., 'Wrong part with condition' or 'Wrong part without condition').

b) Navigating to the Checker Details view using the Details tab.

Users can optionally choose a set of aircraft from the Details tab on the header section of the Checker fleet view. The user can choose the desired AC Family, AC Type, AC Subtype [optionally] and a list of MSN to view the checker details view.

Once the above parameters are selected, the user can click on 'Validate' button to redirect to the details screen.

The screenshot shows the Skywise Configuration Cockpit interface. The top navigation bar includes the Skywise logo, 'Configuration Cockpit', and tabs for 'Browser', 'Checker' (which is the active tab), and 'ACM'. On the right side of the navigation bar, there is a download icon, a help icon, and a user profile 'Testuser Skywiseairlineart'. Below the navigation bar, there are two tabs: 'Fleet' and 'Details' (which is the active tab). The main content area displays a 'Data Selection' form. The form has a title 'Data Selection' with a help icon. It contains several fields, each with a 'Select or Type' dropdown menu: 'Operator', 'A/C Family', 'A/C Type', 'A/C Sub Type', 'MSN A/C Registration', 'ATA', and 'FIN'. At the bottom right of the form, there are two buttons: 'Reset' and 'Validate'.

c) Filter the details displayed on the Checker details screen.

Users can view the status of the FIN associated with the selection done in previous steps. To change the aircraft selected the user can utilize header level 'quick filters'

- AC Type
- AC Sub Type
- MSN AC Registration Number

skywise.

Configuration Cockpit

Browser

Checker

ACM

Testuser Skywiseairlineart

Fleet

Details

Operator

A9F

A/C Type

A350

A/C Sub Type

A350-1041

MSN A/C Registration

P99947 OY-HA47

Data Selection

Row per page

100

1-100 of 3892

1

2

3

4

5

...

39

Filter

Export

Edit	FIN	MSN	ATA	Description	Source	Part Number	Status	Reason	Details
☐	60RNSW8 W	P99947 OY-HA47	23-51	SOFTWARE-RAIMS TYPE IN...	ACR MIS	ABF2CA6FPAL2362 ABF2CA6FPAL2362	Wrong part with condition Wrong part with condition	PNR is not authorised on Fl... PNR is not authorised on Fl...	
☐	60RNSW9 W	P99947 OY-HA47	23-51	SOFTWARE-RAIMS PTT GLA...	ACR MIS	ABF2CA6FPBL3270 ABF2CA6FPBL3270	Wrong part with condition Wrong part with condition	PNR is not authorised on Fl... PNR is not authorised on Fl...	
☐	2XB2 W	P99947 OY-HA47	2428	CONTACTOR	MIS	N/A 107CA06Y00	Wrong part with condition	PNR is not authorized on FIN	
☐	1123NL112 W	P99947 OY-HA47	25-36	MACHINE-ESPRESSO	ACR	N/A 4670-100-100	Wrong part without condition	PNR is not authorized on FIN	
☐	222NL181 W	P99947 OY-HA47	25-36	OVEN-STEAM	ACR	N/A 0123456789ABCDE	Wrong part without condition	PNR is not authorized on FIN	
☐	201CR1 W	P99947 OY-HA47	2714	FCRM-FLIGHT CONTROL RE...	MIS	N/A CA71323-014	Wrong part with condition	PNR is not authorized on FIN	
☐	201CR2 W	P99947 OY-HA47	2714	FCRM-FLIGHT CONTROL RE...	MIS	N/A CA71323-014	MSN part with condition	PNR is not authorized on FIN	
☐	202CR1 W	P99947 OY-HA47	2714	FCRM-FLIGHT CONTROL RE...	MIS	N/A CA71323-014	Wrong part with condition	PNR is not authorized on FIN	

Users can also filter by column name using the 'Filter' icon on the details view page.

skywise

Configuration Cockpit

Browser

Checker

ACM

Testuser Skywiseairlineart

Fleet

Details

Operator

A9F

A/C Type

A350

A/C Sub Type

A350-1041

MSN A/C Registration

P99947 OY-HA47

Data Selection

Row per page

100

1-100 of 3892

1

2

3

4

5

...

39

Filter

Export

Edit	FIN	MSN
☐	60RNSW8 W	P99947 OY-HA47
☐	60RNSW9 W	P99947 OY-HA47
☐	2XB2 W	P99947 OY-HA47
☐	1123NL112 W	P99947 OY-HA47
☐	222NL181 W	P99947 OY-HA47
☐	201CR1 W	P99947 OY-HA47
☐	201CR2 W	P99947 OY-HA47
☐	202CR1 W	P99947 OY-HA47

Filter & Sort

Filter By

Fin

Select or Type

Fin Status

Select or Type

MSN

Select or Type

ATA

Select or Type

Description

Select or Type

Source

Select or Type

Part Number

Select or Type

Status

Select or Type

Reason	Details
PNR is not authorised on FI...	
PNR is not authorised on FI...	
PNR is not authorised on FI...	
PNR is not authorised on FI...	
PNR is not authorized on FIN	
PNR is not authorized on FIN	
PNR is not authorized on FIN	
PNR is not authorized on FIN	
PNR is not authorized on FIN	
PNR is not authorized on FIN	
PNR is not authorized on FIN	

Users can sort the Data displayed on the Checker details using the 'Sort By' section on the 'filter' section.

Row per page 100 1-100 of 3892

Filter & Sort

Filter By

Fin Select or Type

Fin Status Select or Type

MSN Select or Type

ATA Select or Type

Description Select or Type

Source Select or Type

Part Number Select or Type

Status Select or Type

Reason Select or Type

Sort By Select or Type

Ascending Descending

Clear Apply

Reason	Details
PNR is not authorised on Fl...	+
PNR is not authorised on Fl...	+
PNR is not authorised on Fl...	+
PNR is not authorised on Fl...	+
PNR is not authorized on FIN	+
PNR is not authorized on FIN	+
PNR is not authorized on FIN	+
PNR is not authorized on FIN	+
PNR is not authorized on FIN	+
PNR is not authorized on FIN	+
PNR is not authorized on FIN	+

d) To view the associated individual 'status for each condition' linked to a part and fin combination.

- FIN status is associated with certain set of condition/s linked to higher assembly which the FIN/PART is linked to or embodiment of the Service bulletins released by Airbus over time.
- To view the details of the Reason for the 'discrepancy' status, users can click on the + icon [highlighted below] on the right of the details table.

skywise Configuration Cockpit

Browser Checker ACM

Operator A9F A/C Type A350 A/C Sub Type A350-1041 MSN A/C Registration P99947 OY-HA47

Fleet Details

Row per page 100 1-100 of 3892

Edit	FIN	MSN	ATA	Description	Source	Part Number	Status	Reason	Details
	60RNSW8 W	P99947 OY-HA47	23-51	SOFTWARE-RAIMS TYPE IN...	ACR MIS	ABF2CA6FPAL2362	Wrong part with condition	PNR is not authorised on Fl...	+
	60RNSW9 W	P99947 OY-HA47	23-51	SOFTWARE-RAIMS PTT GLA...	ACR MIS	ABF2CA6FPBL3270	Wrong part with condition	PNR is not authorised on Fl...	+
	2XB2 W	P99947 OY-HA47	2428	CONTACTOR	MIS	N/A 107CA06Y00	Wrong part with condition	PNR is not authorized on FIN	+
	1123NL112 W	P99947 OY-HA47	25-36	MACHINE-ESPRESSO	ACR	N/A 4670-100-100	Wrong part without condition	PNR is not authorized on FIN	+
	222NL181 W	P99947 OY-HA47	25-36	OVEN-STEAM	ACR	N/A 0123456789ABCDE	Wrong part without condition	PNR is not authorized on FIN	+
	201CR1 W	P99947 OY-HA47	2714	FCRM-FLIGHT CONTROL RE...	MIS	N/A CA71323-014	Wrong part with condition	PNR is not authorized on FIN	+
	201CR2 W	P99947 OY-HA47	2714	FCRM-FLIGHT CONTROL RE...	MIS	N/A CA71323-014	Wrong part with condition	PNR is not authorized on FIN	+
	202CR1 W	P99947 OY-HA47	2714	FCRM-FLIGHT CONTROL RE...	MIS	N/A CA71323-014	Wrong part with condition	PNR is not authorized on FIN	+

This would open up the reason details to consult the details of why a part linked to a FIN has been tagged with a particular discrepancy status [MATCH, TO BE ANALYSED or WRONG PART]

e) Export the configuration checker details view.

Users can download the checker details view using the 'Export' button on the details page. Once the user clicks on the Export button, the user will see the 'File export is initiated successfully' message [shown below] and the user could see the status of the download on the Download section on the header tab.

skywise. | Configuration Cockpit

Browser **Checker** ACM

Testuser Skywiseairlineart

Operator: A9F A/C Type: A350 A/C Sub Type: A350-1041 MSN A/C Registration: P99948 OY-HA48

Row per page: 100 1-100 of 3912

Filter Export

Edit	FIN	MSN	ATA	Description	Source	Part Number	Status	Reason	Details
☐	101HJ1 W	P99948 OY-HA48	21-42	EHC-SINGLE CHAN,115V	ACR	23812-01AA-00	Wrong part without condition	PNR is not authorized on FIN	⊕
					MIS	23812-01AA00	Match without condition	PNR is authorized on FIN	
☐	351HK W	P99948 OY-HA48	21-61	EHC-MULTI CHANNEL	ACR	23814-01AA-00	Wrong part without condition	PNR is not authorized on FIN	⊕
					MIS	23814-01AA00	Match without condition	PNR is authorized on FIN	
☐	352HK W	P99948 OY-HA48	21-61	EHC-MULTI CHANNEL	ACR	23814-01AA-00	Wrong part without condition	PNR is not authorized on FIN	⊕
					MIS	23814-01AA00	Match without condition	PNR is authorized on FIN	
☐	101HC1 W	P99948 OY-HA48	21-62	EHC-SINGLE CHAN,230V	ACR	23813-01AA-00	Wrong part without condition	PNR is not authorized on FIN	⊕
					MIS	23813-01AA00	Match without condition	PNR is authorized on FIN	
☐	60RNSW8 W	P99948 OY-HA48	23-51	SOFTWARE-RAIMS TYPE IN...	ACR	ABF2CA6FPAL2362	Wrong part with condition	PNR is not authorised on FL...	⊕
					MIS	ABF2CA6FPAL2362	Wrong part with condition	PNR is not authorised on FL...	
☐	60RNSW9 W	P99948 OY-HA48	23-51				with condition	PNR is not authorised on FL...	⊕

File export is initiated successfully

3.1.3 Browser in Part:

- The user can consult all parts related data for aircraft coming from the Maintenance Information System (MIS) or Avionics Configuration Report (ACR).
- When opening browser in part a data selection popup is shown to select the fields as per user preference.
- The data selection popup contains fields like : **Operator, A/C Type, A/C Sub Type, Data Source, MSN A/C Registration, FIN, PNR.**
- Mandatory fields are : **Operator, A/C Type, Data Source** and user should select at least one input from **MSN A/C Registration, FIN, PNR.**

• Data Selection Popup.

The screenshot shows the 'Data Selection' popup in the Configuration Cockpit. The interface includes a header with 'skywise | Configuration Cockpit' and navigation links 'Browser', 'Checker', and 'ACM'. Below the header, there are tabs for 'Part' and 'MOD/SB'. The 'Data Selection' popup is centered, featuring several dropdown menus for selection: Operator (A9F), A/C Type (A320), A/C Sub Type (A320-251N), Data Source (MIS), MSN A/C Registration (N99946 OY-HA46, N99951 OY-HA51), FIN (Select or Type), and PNR (Select or Type). There are 'Reset' and 'Validate' buttons at the bottom right.

- Once the user has made their selection and pressed the validate button a landing page to view all the data will be available based on the users selection.
- **Landing page after user validates the data selections.**

The screenshot shows the landing page after data selection. The page features a header with 'skywise | Configuration Cockpit' and navigation links 'Browser', 'Checker', and 'ACM'. Below the header, there are tabs for 'Part' and 'MOD/SB'. The 'Data Source: MIS' is displayed, and a 'Data Selection' button is visible. The main content area shows a table with 8 columns: MSN-A/C Registration, ATA, FIN, Description, PNR, S/N, Reported Date, and Installation Date. The table contains 8 rows of data. Above the table, there are pagination controls showing '1-100 of 4173' and buttons for 'Filter', 'Change View', and 'Export'.

MSN-A/C Registration	ATA	FIN	Description	PNR	S/N	Reported Date	Installation Date
N99946 OY-HA46	0900	2659GM	WHEEL HUB	300-800-3	A9196	04 Mar 2024 04:17 PM	20 Jan 2024 12:00 AM
N99946 OY-HA46	0900	2660GM	WHEEL HUB	300-800-3	C1421	04 Mar 2024 04:17 PM	20 Jan 2024 12:00 AM
N99946 OY-HA46	2121	15HG	FAN-RECIRCULATION	VD3900-03	19091478	04 Mar 2024 04:17 PM	04 Nov 2019 12:00 AM
N99946 OY-HA46	2121	4021HM	VALVE-CHECK	12664	19180725	04 Mar 2024 04:17 PM	04 Nov 2019 12:00 AM
N99946 OY-HA46	2121	4022HM	VALVE-CHECK	12664	19180727	04 Mar 2024 04:17 PM	04 Nov 2019 12:00 AM
N99946 OY-HA46	2121	4020HM	VALVE-CHECK	12664	19180735	04 Mar 2024 04:17 PM	04 Nov 2019 12:00 AM
N99946 OY-HA46	2121	14HG	FAN-RECIRCULATION	VD3900-03	19091479	04 Mar 2024 04:17 PM	04 Nov 2019 12:00 AM
N99946 OY-HA46	2123	1HU	FAN-EXTRACTION	VD3920	19090470	04 Mar 2024 04:17 PM	19 Jan 2023 12:00 AM
N99946 OY-HA46	2126	2140HM	VALVE-CHECK	CT191B	L022208407	04 Mar 2024 04:17 PM	04 Nov 2019 12:00 AM

3.1.4 Browser for MOD/SB

The user can consult the configuration by MOD at delivery and Status of Service Bulletins reported by the customer for a list of MSNs

Users can choose following parameters and click on the Validate button to view the status of each

- AC TYPE
- AC Sub Type [optional]

- AC MSN/Registration Number
- SB
- MOD

skywise | Configuration Cockpit

Browser

Checker

ACM

4

?

Testuser Skywiseairlineart

Part

MOD/SB

Data Selection

Operator

Select or Type

A/C Type

Select or Type

A/C Sub Type

Select or Type

Please provide atleast one of the inputs below

MSN A/C Registration

Select or Type

SB

Select or Type

MOD

Select or Type

Reset

Validate

skywise | Configuration Cockpit

Browser

Checker

ACM

4

?

Testuser Skywiseairlineart

Part

MOD/SB

SB Status View

Concurrent Requirements

Data Selection

Row per page

100

1-100 of 17225

1

2

3

4

5

...

173

Filter

Change View


Export

Actions	MSN-A/C Registration	ATA	MOD	SB Ref.	Status	SB Reporting Date	Compliance	Nature	CONF
	N98986 A9F-03	0000	152907		DELIVERED				
	N98986 A9F-03	0000	152907		DELIVERED				
	N98986 A9F-03	0000	152907		DELIVERED				
	N98986 A9F-03	0000	152907		DELIVERED				
	N98986 A9F-03	0000	157191		DELIVERED				
	N98986 A9F-03	0000	159215		DELIVERED				
	N98986 A9F-03	0000	159215		DELIVERED				
	N98986 A9F-03	0000	159215		DELIVERED				
	N98986 A9F-03	0000	159215		DELIVERED				

f) Select the desired number of columns in the MOD/SB details screen.


Users can select only a limited set of parameters to be viewed using the ‘Change View’ button on the details page.

The user can select or deselect a set of parameters as shown below.



g) Filter the data based on the selected column/s.

Users can focus on a specific aircraft or filter the data presented in the tabular format using the ‘filter’ button on the details page.



h) Download the MOD/SB data based

Users can download the data for the selected set of MSN/s using the export button. Once the user clicks on Export, the data can be downloaded in .xlsx or .csv format.

The screenshot shows the 'skywise Configuration Cockpit' interface. The 'MOD/SB' tab is active. The 'Export' button is highlighted, and a dropdown menu shows options for 'xlsx' and 'csv' formats. The table below shows the data for the selected set of MSN/s.

Actions	MSN-A/C Registration	ATA	MOD	SB	SB Reporting Date	Compliance	Nature
	N98986 A9F-03	0000	152907				DELIVERED
	N98986 A9F-03	0000	152907				DELIVERED
	N98986 A9F-03	0000	152907				DELIVERED
	N98986 A9F-03	0000	152907				DELIVERED
	N98986 A9F-03	0000	157191				DELIVERED
	N98986 A9F-03	0000	159215				DELIVERED
	N98986 A9F-03	0000	159215				DELIVERED
	N98986 A9F-03	0000	159215				DELIVERED
	N98986 A9F-03	0000	159215				DELIVERED

i) View the status for the MOD/SB Export

Users can view the status for the exported data by clicking the 'Download icon' on the top header highlighted below.

The screenshot shows the 'skywise Configuration Cockpit' interface. The 'MOD/SB' tab is active. The 'Download icon' is highlighted, and a dropdown menu shows the status of the exported data. The table below shows the data for the selected set of MSN/s.

Actions	MSN-A/C Registration	ATA	MOD	SB	SB Reporting Date	Status
	N98986 A9F-03	0000	152907			DELIVERED
	N98986 A9F-03	0000	152907			DELIVERED
	N98986 A9F-03	0000	152907			DELIVERED
	N98986 A9F-03	0000	152907			DELIVERED
	N98986 A9F-03	0000	157191			DELIVERED
	N98986 A9F-03	0000	159215			DELIVERED
	N98986 A9F-03	0000	159215			DELIVERED
	N98986 A9F-03	0000	159215			DELIVERED
	N98986 A9F-03	0000	159215			DELIVERED

h) Concurrent Requirements:

To show concurrent requirements data in the MOD/SB Browser tab, we have a **Concurrent Requirements toggle** button to filter all concurrent data related to specific SB Reference.

After enabling toggle on for Concurrent Requirements, we are filtered by the Action column only having **Blue** and **Red** action icons.

Blue action icon: It will reroute to a new tab for related concurrent data for related SB Ref.

Red action icon: Show the info via tooltip: Please check the Service bulletin for concurrent requirements details.

Note: In the action column in the MOD/SB data table, we are showing disabled action icon for No concurrent requirement. This is hidden while concurrent toggle is on.

Screen Shot: Concurrent Requirement toggle on

Actions	MSN-A/C Registration	ATA	MOD	SB Ref.	Status	SB Reporting Date	Compliance	Nature	CONF
	N98986 A9F-03	2126	168915	21-1264	FULLY EMBODIED	2023-10-22	RECOMMENDED	Modification	001
	N98986 A9F-03	2200	163909	22-1739	SCHEDULED	2021-07-09	RECOMMENDED	Modification	001
	N98986 A9F-03	2266	163880	22-1737	FULLY EMBODIED	2020-10-25	RECOMMENDED	Modification	002
	N98986 A9F-03	2266	163971	22-1737	FULLY EMBODIED	2020-10-25	RECOMMENDED	Modification	002
	N98986 A9F-03	2266	168149	22-1798	FULLY EMBODIED	2021-11-29	RECOMMENDED	Modification	001
	N98986 A9F-03	2270	172247	22-1B13	FULLY EMBODIED	2024-02-19	RECOMMENDED	Modification	001
	N98986 A9F-03	2270	172247	22-1B13	FULLY EMBODIED	2024-02-19	RECOMMENDED	Modification	002
	N98986 A9F-03	2270	172247	22-1B13	FULLY EMBODIED	2024-02-19	RECOMMENDED	Modification	003
	N98986 A9F-03	2270	172247	22-1B13	FULLY EMBODIED	2024-02-19	RECOMMENDED	Modification	004

Blue action icon in Action Column:

When clicking on the blue action icon a new tab is opened for the concurrent requirements data for the related SB.

In this new page the following information is displayed

- i) Concurrent toggle
- ii) Concurrent Requirement of info
- iii) Expression panel
- iv) Concurrent data in data table

Concurrent toggle on Concurrent page:

This toggle is also available on the new open concurrent page. And will show if there are further requirements.

Concurrent toggle on concurrent page

Actions	MSN-A/C Registration	ATA	MOD	SB Ref.	Status	SB Reporting Date	Compliance	Nature	CONF
	N98986 A9F-03	3153	166490	31-1609	FULLY EMBODIED	2022-09-04	RECOMMENDED	Modification	001

Concurrent Requirement of:

This panel provides the information for selected SB Ref, MSN, Configuration and Status.

Screen shot: Concurrent requirements of information on concurrent page

Expression Formula:


We are showing the Expression formula for related SB-Ref for concurrent Data in the Expansion Panel.

Expansion close: When expansion closes, we are showing expression formula text to the user.

Screen shot: Expansion close

Expansion open: When expansion opens, we are showing expression formulas with conditions (AND / OR).

Screen shot: Expansion open




3.1.5 Aircraft Configuration Matrix (ACM)

Users can download the Aircraft Configuration Matrix by clicking the ACM button on the top header section.

Note : Access to ACM module is based on specific permissions.

Users can choose an AC Family , AC type, MSN/Registration Number and select ACM SB or ACM SB MOD to select between only 'SB embodiment status' for all the MSN selected from the Airline/Operators fleet.



When the user clicks on 'Export' button, the ACM file would be downloaded and the status can be viewed in the 'Download' section of the top header [by clicking on the 'download' icon]

Once, the download is finished the users can view the .xlsx *in the following format.

Export Date	Title	MOD	MP	ATA or SB Reference	Compliance Nature	Type
2024-03-08						
	CERTIFICATION DOCUMENTS - GENERAL - CERTIFY AIRCRAFT FOR OPERATION ON RUNWAYS LESS THAN 45M WIDTH	30397	P6630	01-1004	O	M
	AIR CONDITIONING - AVIONICS EQUIPMENT VENTILATION - ADAPT AEVS CONTROL LOGIC FOR IMPROVEMENT OF SAOV RE-CONFIGURATION (NEO)	168915	K33563	21-1264	R	M
	AIR CONDITIONING - AVIONICS EQUIPMENT VENTILATION - ADAPT AEVS CONTROL LOGIC FOR IMPROVEMENT OF SAOV RE-CONFIGURATION (NEO)	25612	P21885	21-1264	R	M
	AIR CONDITIONING - AVIONICS EQUIPMENT VENTILATION - ADAPT AEVS CONTROL LOGIC FOR IMPROVEMENT OF SAOV RE-CONFIGURATION (NEO)	25612	P0274	21-1264	R	M
	AUTO FLIGHT - FLIGHT MANAGEMENT SYSTEM (FMS) - FLIGHT MANAGEMENT AND GUIDANCE COMPUTER (FMGC) - INSTALL NEO					

LEGEND

A/C status:	SB Compliance:	Signature:	SB Type:
blank = Not Applicable	DESIRABLE	I = Inspection	A = Alert
. = SB Applicable	MANDATORY	M = Modification	D = Dummy
F = SB Scheduled Incorporation	OPTIONAL		blank = Other
R = SB Rejected	RECOMMENDED		
C = SB Invalidated			
P = SB Initially Identified			
/ = MO Not Applicable with SB Solution			
= = Done in Production Line			

Notes:


The **SB status** extracted from Airbus database, based on data transmitted by Operators to Airbus.


The **status of pre-delivery Modifications** is provided for information purposes only.

The Aircraft Inspection Report (AIR) remains the contractual referential.

Help Icon for data selection popup :

- On clicking the help icon, the help module for data selection will open in the Modal popup.
- Help Icon for data selection popup.





Help Icon for change view :

- On clicking the help icon, the help module for change view will open in the Modal popup.

- **Screenshot - Help Icon for change view popup.**

