V & A FLOORING INC

Brand Identity Guidelines

Logo, color, typography, voice and everyday applications for V & A Flooring.

VERSION 3.0 · OCTOBER 2026 · FAMILY OWNED • SINCE 1999

01 Brand foundation	02 Logo	03 Color	04 Typography
05 Graphic elements	06 Imagery	07 Voice & messaging	08 Applications & files

01 · BRAND FOUNDATION

Who we are

V & A Flooring is a family-owned flooring contractor in Sun Valley, California, founded in 1999 by installer Armond Markarian. We supply flooring materials and install them for homeowners, builders, property managers, hotels and commercial clients across Los Angeles, Orange and Ventura counties.

> **Personal accountability backed by substantial installation capacity.**

Positioning

The customer care of a family-owned company with the experience and crew capacity (20+ installation crews) needed for major flooring projects.

Promise

Good materials, careful installation, honest guidance and support that continues after the job is complete.

Tagline

Flooring Expertise. Family Accountability. Since 1999.

Supporting line: Family Owned • Since 1999

Values

Honesty

Straight answers about materials, pricing and timing.

Hard Work

Started by an installer; judged by the floors our crews leave behind.

Initiative

We see a problem and act on it, on every job.

Trust

Showing up when we said we would and following through.

Audiences

Residential

Homeowners renovating occupied homes, building ADUs or updating single rooms. They want guidance, respect for their home and a clear schedule.

Commercial & multifamily

General contractors, developers, property managers, hospitality operators and multifamily owners. They want capacity, coordination, clear scope and one accountable supplier-installer.

Personality

Established, architectural, approachable. Confident without boasting; warm without being casual; organized and dependable. The look is **bold and corporate**: heavy navy type, clean structure and restrained brass details.

02 · LOGO

The V & A Flooring Inc logo

The mark is a parquet pattern: four navy planks locked around a single brass plank, the way flooring is laid. All four gaps are equal, and the brass center plank is the one warm accent. The wordmark reads “V & A FLOORING INC,” with “V & A” in Montserrat Black and “FLOORING INC” in Montserrat SemiBold, in uppercase.

Primary logo: horizontal



Full color for light backgrounds · `va-flooring-horizontal-navy.svg`



Reverse for navy and dark backgrounds · `va-flooring-horizontal-reverse.svg`

Use the horizontal logo by default: website header, letterhead, invoices, email signatures, vehicle doors, jobsite signs.

Stacked logo



`va-flooring-stacked-navy.svg`



`va-flooring-stacked-reverse.svg`




One color · `va-flooring-stacked-mono-navy.svg`

Use where space is square or tall: footer, business card front, polo shirts, hard hats, social posts, trade-show banners.


Mark (parquet symbol)




Full color



Reverse



White, one color



Black, one color (center plank knocked out)

For small or secondary spaces once the full name is already visible: favicon, social avatar, app icon, embroidery on sleeves, stamps, tape and packaging.

One-color versions

Navy · `…-mono-navy.svg`

Black · `…-mono-black.svg`

White · `…-mono-white.svg`

For one-color print, embroidery, vinyl cutting, engraving, rubber stamps and photocopies. In one color the brass center plank is knocked out (left empty) so the pattern still reads.

Clear space

Keep a margin around the logo at least equal to the **height of the brass center plank** (about one third of the mark's height). Keep text, photos, other logos and edges out of this area.

Minimum size

Horizontal: 180 px / 1.5 in wide

Stacked: 90 px / 0.75 in wide

Mark: 16 px / 0.2 in

Favicon 32 px

16 px

Below these sizes use the mark on its own. At favicon size the mark sits on a navy tile.

Backgrounds

✓ Ivory

✓ White

✓ Sand

✓ Navy

On photographs, place the reverse logo only over calm, dark areas, or put it on a solid navy panel.

Do not



× Stretch or squash



× Change the colors



× Rotate or tilt



× Place on brass or busy colors

V&A Flooring Inc.	V & A FLOORING INC	V & A FLOORING INC	PARTNER
✕ Retype the wordmark	✕ Add shadows, glows or bevels	✕ Use navy logo on dark backgrounds	✕ Lock up with Lowe's or manufacturer logos

Also avoid: rearranging or recoloring individual planks, adding more planks, outlining the logo, adding a roof, hammer or other clip-art, or placing the logo inside a box with rounded corners.

03 · COLOR

Color palette

Warm ivory and white carry the pages. Foundation Navy is the brand's anchor. Sand separates sections. Brass is a small signature accent, and Deep Bronze is reserved for primary action buttons.

Foundation Navy

#172B3A

HEX	RGB
#172B3A	23 43 58
CMYK*	SHARE
60 26 0 77	30%

Primary brand color. Logo, headlines, navigation, footer, dark sections.

Warm Ivory

#F7F4EE

HEX	RGB
#F7F4EE	247 244 238
CMYK*	SHARE
0 1 4 3	40%

Main page background. Light logo color on navy.

White

#FFFFFF

HEX	RGB
#FFFFFF	255 255 255
CMYK*	SHARE
0 0 0 0	15%

Alternate background, cards, form fields.

Natural Sand

#E6DED1

HEX	RGB
#E6DED1	230 222 209
CMYK*	SHARE
0 3 9 10	8%

Alternate sections and quiet surfaces.

Graphite

#303538

HEX	RGB
#303538	48 53 56
CMYK*	SHARE
14 5 0 78	text

Body text.

Deep Bronze

#75552F

HEX	RGB
#75552F	117 85 47
CMYK*	SHARE
0 27 60 54	4%

Primary buttons (white text) and small accent text on light backgrounds.

Muted Brass

#AA8453

HEX	RGB
#AA8453	170 132 83
CMYK*	SHARE
0 22 51 33	3%

Signature accent: the logo's center plank and short rules. Never body text on light backgrounds.

* CMYK values are calculated conversions for reference. For printed work, ask the printer to match the HEX values and approve a printed proof; check navy and brass especially on uncoated stock.

Proportion



Roughly how much of a typical page or printed piece each color should cover. Graphite is used for body text.

Supporting interface tones

Tints and shades of the core palette, used on the website where contrast or states require them.

#5E4424 — **Bronze Pressed**
Primary button hover / pressed.

#4A5A66 — **Ink Soft**
Secondary text, captions, labels on light backgrounds.

#C7A57A — **Brass Light**
Small accent text and labels on navy.

#213848 **Navy Raised**
Hover surface on navy.

#D9CFBF **Line**
Hairline dividers on ivory and white.

#3A4F5F **Line Dark**
Hairline dividers on navy.

#6B7278 **Field Border**
Form field outlines.

#9C2F23 **Error**
Form errors only.

#2F5D3A **Success**
Confirmation messages only.

Accessible color combinations (WCAG 2.2)

	USE	CONTRAST	RESULT
Aa	Headlines and logo on ivory	13.3:1	AAA, all text
Aa	Body text on ivory	11.3:1	AAA, all text
Aa	Text on sand	10.9:1	AAA, all text
Aa	Text on navy	13.3:1	AAA, all text
Aa	Accent labels on navy	6.3:1	AA, all text
Aa	Primary button	6.8:1	AA, all text
Aa	Accent text on ivory	6.2:1	AA, all text
Aa	Secondary text on white	7.1:1	AAA, all text
Aa	Brass on ivory	3.1:1	Large text and graphics only
Aa	Brass on navy	4.3:1	Large text and graphics only

Rule: never set body text or small text in Muted Brass on light backgrounds. On light backgrounds, use Deep Bronze for accent text instead.

Avoid

- ✕ Bright orange or safety-yellow “construction” colors.
- ✕ Black and gold “luxury” combinations, metallic or glossy gold effects.
- ✕ Gradients, glass effects or wood-grain textures as backgrounds.
- ✕ Brass used as a large background color.

04 · TYPOGRAPHY

Typefaces

PRIMARY · ALL COMMUNICATION

Inter

Aa Bb Cc Dd Ee Ff Gg 0123456789

Headlines (ExtraBold 800), body (Regular 400), buttons and labels (SemiBold–Bold 600–750). Free, SIL Open Font License · fonts.google.com/specimen/Inter

LOGO WORDMARK ONLY

MONTSERRAT

Aa Bb Cc Dd Ee Ff Gg 0123456789

Montserrat Black and SemiBold are built into the wordmark as outlines, so the logo never depends on the font being installed. Use it only for the logo or short uppercase signage text matching the logo. Free, SIL Open Font License.

If Inter is not installed (for example in Word or PowerPoint), use **Arial** as the fallback. Bold Arial for headlines, regular Arial for text.

Type scale

Hardwood Flooring Installation

Display / Hero
Inter ExtraBold 800 · 40–72 px · line 1.05 · tracking −3%

Flooring services in Los Angeles

Heading 1–2
Inter ExtraBold 800 · 30–48 px · line 1.08 · tracking −2.8%

Honest Guidance

Heading 3
Inter Bold 750 · 19–23 px · line 1.25

FLOORING SERVICES

Kicker label
Inter ExtraBold 800 · 13 px · uppercase · tracking +14% · brass rule. Once per section.

We supply the flooring we install, so material advice comes from people who also plan the installation. We'll help you narrow the options by what the floor needs to do.

Body
Inter Regular 400 · 17 px · line 1.65 · Graphite · max ~70 characters per line

Request an Estimate

Button label
Inter Bold 750 · 15 px · sentence/title case

Rules

- ✓ Use sentence case or title case for headlines; reserve uppercase for short kicker labels.

- ✓ Keep paragraphs short; left-align text.
- ✓ Use Navy for headlines, Graphite for body text.

- ✕ Don’t use more than two weights in one line, italics for emphasis in headlines, or outlined/shadowed text.
- ✕ Don’t center long paragraphs.

05 · GRAPHIC ELEMENTS

Graphic elements

The brass plank

A short 32 × 3 px brass rule echoing the logo's brass center plank. Used above kicker labels, on top of feature items and on printed pieces. One per element.

Corners



Near-square corners (2 px radius) on buttons, cards, images and form fields. No pill shapes or large rounded cards.

Lines

1 px Line hairlines between items; a 3 px navy rule to open major sections.

Buttons



Primary (Deep Bronze, white text) for the main action, used once per screen area. Secondary (navy outline) for other actions. On navy, use the ivory and ivory-outline versions.

Layout

Content width 1216 px with 20–48 px side margins; generous vertical spacing between sections (64–120 px); a 4 px spacing base. Alternate ivory, white, sand and navy sections to separate content instead of boxes and shadows.

06 · IMAGERY

Photography

Use

- ✓ Real V & A projects and crews whenever available.
- ✓ Warm, natural daylight; architectural angles where the floor is clearly visible.
- ✓ Realistic homes, ADUs, apartment common areas, hotel corridors, offices.
- ✓ Close-ups of plank seams, transitions and workmanship.

Avoid

- ✕ Generic stock with posed people or over-styled luxury interiors.
- ✕ Busy images behind small text.
- ✕ Heavy filters, strong color casts, HDR effects.
- ✕ Presenting stock or renderings as completed V & A work. Label illustrations as “Illustrative rendering.”

Shooting tips for project photos: shoot after cleanup in daylight, at hip height with a wide lens, include one wide shot and two details per room, keep verticals straight, and record the location, property type, material and scope for each project.

07 · VOICE & MESSAGING

How we sound

Clear
Plain words over jargon; say what happens next.

Honest
No exaggeration; state trade-offs.

Respectful
Of the customer's home, time and budget.

Capable
Calm confidence for large projects.

Key messages

- Family owned since 1999.
- Flooring materials and installation from one company.
- More than 20 installation crews for residential, multifamily, hospitality and commercial projects.
- Hardwood, laminate, luxury vinyl plank, carpet and tile.
- Honest guidance, respect for your schedule, competitive pricing, support after installation.
- Serving Los Angeles, Orange and Ventura counties.

Approved wording

TOPIC	USE EXACTLY
Lowe's	"Serving Lowe's installation customers for more than 20 years." Text only, smaller than the V & A brand, no Lowe's logo.
Manufacturers	"Products from manufacturers including Mohawk, Shaw and Engineered Floors." Text only unless logos are approved.
American made	"American-made options from established flooring manufacturers." Never "all American made."
License	"CSLB License #866991 (B, C-15, C-54) · Bonded & Insured." Required on ads, vehicles, proposals and contracts in California.

Words to avoid

"LA's largest," "number one," "best prices," "guaranteed perfect installation," "lifetime warranty," "waterproof" or "scratchproof" (unless quoting a specific manufacturer's product specification), and invented reviews or testimonials.

Business details (use consistently everywhere)


NAME	V & A Flooring Inc (logo and legal name). "V & A Flooring" is fine in running text. Never "VA Flooring" or "V&A" without spaces.
ADDRESS	10945 Pendleton St, Sun Valley, CA 91352
PHONE	(818) 843-4773
LICENSE	CSLB #866991 · B, C-15, C-54 · Bonded & Insured
FOUNDED	1999 by Armond Markarian · family owned
SERVICE AREA	Los Angeles, Orange and Ventura counties
SERVICES	Hardwood, laminate, luxury vinyl plank (LVP), carpet and carpet tile, porcelain and ceramic tile · materials and

	installation · residential, ADU, multifamily, hospitality, commercial

Applications

Business card (3.5 × 2 in)






Example layout; “Full Name,” “Title” and “website” are placeholders to replace.

Email signature

Full Name
Title · V & A Flooring
(818) 843-4773 · 10945 Pendleton St, Sun Valley, CA 91352
CSLB #866991 · Bonded & Insured · Family Owned Since 1999

Use Arial in email. Monogram at 48 px (export a PNG from the SVG).

Social avatar, favicon and app icon



Navy square with the ivory monogram. Use for Google Business Profile, Facebook, Instagram, LinkedIn and Yelp profile images.

Vehicles, signs and uniforms

Vehicles

Navy or white vehicle. Horizontal logo on doors, phone number large, license line required. No photos or gradients.

Jobsite signs

Navy background, reverse horizontal logo, one line of text (“Flooring by V & A Flooring”), phone and license.

Uniforms

Navy or sand garments; embroider the one-color stacked logo (ivory on navy, navy on sand), monogram on sleeves or caps.

Logo files

FILE	USE
`va-flooring-horizontal-navy.svg`	Primary logo on light backgrounds
`va-flooring-horizontal-reverse.svg`	Primary logo on navy / dark backgrounds
`va-flooring-horizontal-mono-navy / -black / -white.svg`	One-color print, embroidery, vinyl, engraving
`va-flooring-stacked-navy / -reverse / -mono-*.svg`	Square and tall spaces
`va-flooring-monogram-navy / -reverse / -mono-*.svg`	The parquet mark alone: avatars, icons, small spaces
`favicon.ico`, `icon.svg`, `icon-192.png`, `icon-512.png`	Website and app icons

All logos are flat vector SVG and scale to any size. For print shops that need PDF or EPS, open the SVG in Illustrator, Affinity Designer or Inkscape and save as PDF/EPS. Do not redraw the logo.

 Inter and Montserrat are licensed under the SIL Open Font License. Mohawk, Shaw, Engineered Floors and Lowe's are trademarks of their respective owners.