

HTML

Q1. what are the semantic elements explain with example?

Ans) Semantic elements are article section paragraph h1 to h6 etc... these are tags used to create a webpage

eg:

```
<!DOCTYPE>
```

```
<html>
```

```
<head>
```

```
<title> helloworld </title>
```

```
</head>
```

```
<body>
```

```
<h1> AAAA </h1>
```

```
<p> hello in naren </p>
```

```
<article>
```

```
<section>
```

```
</section>
```

```
</article>
```

OR, explain types of list with example

in HTML?

Ans) list are two type order list and un order list and order list have A, a, i, I four types un order have disc, circle, square three types & used to create a order & un order list depends on client requirement

eg: <ol type="I"> —> order list

 hellow

 two

<ul type="Circle"> —> unorder list

 one

 three

Q3, Different types of HTML <input> elements example ?

Ans) In HTML <input> tag are used to create a form or login page using <input> tag and have types like text, Password, tel, number, email,

eg:

Name: <input type="text"> </input>

Password: <input type="Password"> </input>

Phone no: <input type="tel"> </input>

Q4) Explain table with all attributes with example:

Ans) table tag is used to create a table
Page in this table tag have attributes
like <th> this tag is used for heading
Purpose and ColSpan = '3' is used to
Center of the table Purpose <tr> tag is
for row and <td> tag for columns.

eg:

```
<table>
```

```
<th colspan = '2'> SLA time table </th>
```

```
<tr>
```

```
<th> name </th> <th> age </th> <th> Marks </th>
```

```
</tr>
```

```
<tr>
```

```
<td> naren </td> <td> 20 </td> <td> 200 </td>
```

```
</tr>
```

```
<tr>
```

```
<td> dhivya </td> <td> 22 </td> <td> 200 </td>
```

```
</tr>
```

Q5) Explain Block and inline elements with example?

8.00

9.00

10.00

11.00

12.00

1.00

2.00

3.00

4.00

5.00

6.00

Notes

7) Create a registration form with
example `<Form action = "submit Page">`

day ^{label} `<title>` Form Page `</title>`
`<h1>` Login Page `</h1>`

name: `<input type = "text" require Placeholder>`

age: `<input type = "number">`

email: `<input type = "email">`

Password: `<input type = "Password">`

`<input type = "submit">`

`</Form>`

3.00

4.00

5.00

6.00

8) explain input attributes with example?

Ans. Input attributes one type = 'text'
number Password text, required
Placeholder these for attributes
are used to create a
form Page

require tag is used to don't
skip user to fill

Placeholder tag is used to
help user

eg: `<input type="text" required
name="username" placeholder="type your name">`
`</input>`

eg, explain metadata with an HTML document?
Ans, Metadata is used to define an HTML document
Metadata = "UTF 8"

eg, Explain all attributes of image tag with example?

eg:
``
~~`<a href="google map link">`~~
`<a href="page 02.html">`
`<a href="# about us">`

18

Saturday

3rd Week
018-347

2025

 tag is used to create
image as webpage ~~it will~~
not only from your download
you can also attach img
link address in google images.

<a> anchor tag is used in two
ways one is redirect to
another webpage & another
one is redirecting to same
page by using # tag

Example of an anchor tag
Example of an anchor tag
Example of an anchor tag
Example of an anchor tag

9 Sunday