```
In [1]: import pandas as pd
In [2]: data=pd.read csv("/home/placement/Desktop/naren/Advertising.csv")
In [3]: data.describe()
Out[31:
                Unnamed: 0
                                  TV
                                           radio
                                                newspaper
                                                               sales
                 200.000000 200.000000
                                      200.000000
                                                200.000000
                                                          200.000000
          count
                 100.500000 147.042500
                                       23.264000
                                                 30.554000
                                                           14.022500
          mean
                  57.879185
                            85.854236
                                       14.846809
                                                 21.778621
                                                            5.217457
            std
                   1.000000
                             0.700000
                                        0.000000
                                                  0.300000
                                                            1.600000
            min
            25%
                  50.750000
                            74.375000
                                        9.975000
                                                 12.750000
                                                           10.375000
            50%
                 100.500000 149.750000
                                       22.900000
                                                 25.750000
                                                           12.900000
                 150.250000 218.825000
                                                 45.100000
                                                           17.400000
           75%
                                       36.525000
                 200.000000 296.400000
                                       49.600000 114.000000
                                                            27.000000
In [4]:
         data.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 200 entries, 0 to 199
         Data columns (total 5 columns):
               Column
                             Non-Null Count
                                               Dtype
                             200 non-null
                                               int64
               Unnamed: 0
               TV
                             200 non-null
                                               float64
                             200 non-null
           2
               radio
                                               float64
                             200 non-null
                                               float64
               newspaper
           4
               sales
                             200 non-null
                                               float64
         dtypes: float64(4), int64(1)
         memory usage: 7.9 KB
```

```
In [5]: data.head()
```

Out[5]:		Unnamed: 0	TV	radio	newspaper	sales
	0	1	230.1	37.8	69.2	22.1
	1	2	44.5	39.3	45.1	10.4
	2	3	17.2	45.9	69.3	9.3
	3	4	151.5	41.3	58.5	18.5
	4	5	180.8	10.8	58.4	12.9

```
In [6]: data1=data.drop(["Unnamed: 0"],axis=1)
```

In [7]: data1

Out[7]:

	TV	radio	newspaper	sales
0	230.1	37.8	69.2	22.1
1	44.5	39.3	45.1	10.4
2	17.2	45.9	69.3	9.3
3	151.5	41.3	58.5	18.5
4	180.8	10.8	58.4	12.9
195	38.2	3.7	13.8	7.6
196	94.2	4.9	8.1	9.7
197	177.0	9.3	6.4	12.8
198	283.6	42.0	66.2	25.5
199	232.1	8.6	8.7	13.4

200 rows × 4 columns

```
In [8]: y=data1['sales']
x=data1.drop(['sales'],axis=1)
```

In [9]: x

Out[9]:

	TV	radio	newspaper
0	230.1	37.8	69.2
1	44.5	39.3	45.1
2	17.2	45.9	69.3
3	151.5	41.3	58.5
4	180.8	10.8	58.4
195	38.2	3.7	13.8
196	94.2	4.9	8.1
197	177.0	9.3	6.4
198	283.6	42.0	66.2
199	232.1	8.6	8.7

200 rows × 3 columns

```
In [10]: y
Out[10]: 0
                 22.1
                 10.4
                  9.3
          2
          3
                 18.5
                 12.9
          4
                  . . .
                  7.6
          195
          196
                  9.7
          197
                 12.8
                 25.5
          198
          199
                 13.4
          Name: sales, Length: 200, dtype: float64
In [11]: from sklearn.model selection import train test split
          x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.33,random_state=42)
In [12]: x test.head(5)
Out[12]:
                    radio newspaper
                 TV
            95 163.3
                     31.6
                               52.9
            15 195.4
                     47.7
                               52.9
              292.9
            30
                     28.3
                               43.2
                               45.2
           158
                11.7
                     36.9
           128 220.3
                               3.2
                     49.0
In [13]: y_test.head(5)
Out[13]: 95
                 16.9
          15
                 22.4
          30
                 21.4
          158
                  7.3
          128
                 24.7
          Name: sales, dtype: float64
```

```
In [14]: x train.head(5)
Out[14]:
                   radio newspaper
           42 293.6
                    27.7
                               1.8
               18.7
                              23.4
          189
                    12.1
           90 134.3
                     4.9
                               9.3
          136
               25.6
                     39.0
                               9.3
           51 100.4
                               3.6
                     9.6
In [15]: y train.head(5)
Out[15]: 42
                 20.7
                  6.7
          189
         90
                 11.2
         136
                  9.5
                 10.7
          51
         Name: sales, dtype: float64
In [18]: from sklearn.linear model import Lasso
         from sklearn.model selection import GridSearchCV
         lasso = Lasso()
         parameters = {'alpha': [1e-15, 1e-10, 1e-8, 1e-4, 1e-3, 1e-2, 1, 5, 10, 20]}
         lasso regressor = GridSearchCV(lasso, parameters)
         lasso_regressor.fit(x_train, y_train)
Out[18]: GridSearchCV(estimator=Lasso(),
                       param grid={'alpha': [1e-15, 1e-10, 1e-08, 0.0001, 0.001, 0.01, 1,
                                              5, 10, 20]})
```


In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook. On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.

```
In [19]: lasso_regressor.best_params_
Out[19]: {'alpha': 1}
In [20]: lasso=Lasso(alpha=0.01)
    lasso.fit(x_train,y_train)
    y_pred_lasso=lasso.predict(x_test)

In [21]: from sklearn.metrics import r2_score
    r2_score(y_test,y_pred_lasso)
Out[21]: 0.8555927456329158
```

In [22]: import seaborn as sns
import matplotlib.pyplot as mp
sns.boxplot(data1.sales)

Out[22]: <Axes: >



In []: