In [1]: import pandas as pd

In [2]: data=pd.read_csv("/home/placement/Desktop/naren/rainfall in india 1901-2015.csv")

data.describe()

In [3]: data.describe()

Out[3]:

		YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
_	count	4116.000000	4112.000000	4113.000000	4110.000000	4112.000000	4113.000000	4111.000000	4109.000000	4112.000000	4110.000000	4109.0
ı	mean	1958.218659	18.957320	21.805325	27.359197	43.127432	85.745417	230.234444	347.214334	290.263497	197.361922	95.!
	std	33.140898	33.585371	35.909488	46.959424	67.831168	123.234904	234.710758	269.539667	188.770477	135.408345	99.!
	min	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.400000	0.000000	0.000000	0.100000	0.0
	25%	1930.000000	0.600000	0.600000	1.000000	3.000000	8.600000	70.350000	175.600000	155.975000	100.525000	14.0
	50%	1958.000000	6.000000	6.700000	7.800000	15.700000	36.600000	138.700000	284.800000	259.400000	173.900000	65.2
	75 %	1987.000000	22.200000	26.800000	31.300000	49.950000	97.200000	305.150000	418.400000	377.800000	265.800000	،.148
	max	2015.000000	583.700000	403.500000	605.600000	595.100000	1168.600000	1609.900000	2362.800000	1664.600000	1222.000000	948.:
4												•

In [4]: data

Out[4]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	Jun- Sep	(
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	3373.2	136.3	560.3	1696.3	9
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	3520.7	159.8	458.3	2185.9	7
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	2957.4	156.7	236.1	1874.0	6!
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	3079.6	24.1	506.9	1977.6	5
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	2566.7	1.3	309.7	1624.9	6
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	1533.7	7.9	196.2	1013.0	3
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	1405.5	19.3	99.6	1119.5	1
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	1426.3	60.6	131.1	1057.0	1
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	1395.0	69.3	76.7	958.5	2
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	1642.9	2.7	223.9	860.9	5

4116 rows × 19 columns

data.groupby(['SUBDIVISION']).count() In [5]: Out[5]: Jan-Mar-Jun-Oct-JUN JUL AUG SEP OCT NOV DEC ANNUAL YEAR JAN FEB MAR APR MAY Feb Mav Sep Dec **SUBDIVISION ANDAMAN & NICOBAR ISLANDS** ARUNACHAL PRADESH **ASSAM & MEGHALAYA BIHAR CHHATTISGARH COASTAL ANDHRA PRADESH COASTAL KARNATAKA EAST MADHYA PRADESH** EAST RAJASTHAN **EAST UTTAR PRADESH GANGETIC WEST BENGAL GUJARAT REGION** HARYANA DELHI & **CHANDIGARH** HIMACHAL PRADESH **JAMMU & KASHMIR JHARKHAND KERALA KONKAN & GOA LAKSHADWEEP MADHYA MAHARASHTRA** MATATHWADA NAGA MANI MIZO TRIPURA

	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	Jun- Sep	Oct- Dec
SUBDIVISION																		
NORTH INTERIOR KARNATAKA	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
ORISSA	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
PUNJAB	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
RAYALSEEMA	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
SAURASHTRA & KUTCH	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
SOUTH INTERIOR KARNATAKA	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
SUB HIMALAYAN WEST BENGAL & SIKKIM	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
TAMIL NADU	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
TELANGANA	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
UTTARAKHAND	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
VIDARBHA	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
WEST MADHYA PRADESH	115	115	114	115	115	115	115	115	115	115	115	115	115	114	114	115	115	115
WEST RAJASTHAN	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
WEST UTTAR PRADESH	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115

Type *Markdown* and LaTeX: α^2

In [10]: data2

Out[10]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	Jun- Sep	O D
110	ARUNACHAL PRADESH	1916	48.1	69.8	71.1	316.1	424.6	1124.9	NaN	629.7	333.9	NaN	NaN	NaN	NaN	117.9	811.8	NaN	N
111	ARUNACHAL PRADESH	1917	21.4	164.5	NaN	269.6	107.9	823.8	909.1	628.4	411.5	199.3	63.5	0.0	NaN	185.9	NaN	2772.8	262
112	ARUNACHAL PRADESH	1918	10.4	11.0	191.2	144.6	861.1	1609.9	1303.0	692.6	515.8	125.2	7.8	13.7	5486.3	21.4	1196.9	4121.3	14(
113	ARUNACHAL PRADESH	1919	34.5	67.8	28.5	256.9	420.6	973.6	999.0	286.7	628.7	948.3	40.7	8.6	4693.9	102.3	706.0	2888.0	997
114	ARUNACHAL PRADESH	1920	14.0	196.3	605.6	364.7	173.6	840.6	535.4	896.5	376.7	103.3	0.0	0.0	4106.7	210.3	1143.9	2649.2	100
202	ARUNACHAL PRADESH	2011	40.0	51.3	174.5	240.8	219.6	288.4	531.4	277.6	286.7	51.9	16.2	15.2	2193.7	91.4	634.9	1384.2	8(
203	ARUNACHAL PRADESH	2012	57.8	35.8	134.2	403.4	187.4	645.8	638.9	316.0	724.9	248.1	22.0	26.2	3440.3	93.6	724.9	2325.6	29(
204	ARUNACHAL PRADESH	2013	18.5	40.5	115.1	175.1	335.8	290.0	329.6	230.2	316.1	164.1	13.3	14.6	2042.9	59.0	626.0	1165.9	192
205	ARUNACHAL PRADESH	2014	19.0	101.9	80.3	86.7	299.0	415.8	392.4	599.6	343.0	35.1	20.1	10.2	2403.2	120.9	466.0	1750.8	6 ;
206	ARUNACHAL PRADESH	2015	30.8	47.5	97.5	287.1	238.9	637.9	329.3	595.5	374.2	65.2	33.8	29.8	2767.5	78.3	623.5	1936.9	128

97 rows × 19 columns

4

```
In [11]: data2.isna().sum()
Out[11]: SUBDIVISION
                        0
         YEAR
                        0
         JAN
                        1
         FEB
                        1
         MAR
         APR
         MAY
                        0
         JUN
         JUL
         AUG
         SEP
                        0
         0CT
                        2
         NOV
                        2
         DEC
         ANNUAL
         Jan-Feb
         Mar-May
                        2
         Jun-Sep
                        2
         Oct-Dec
                        3
         dtype: int64
In [12]:
         data4=data.drop(['ANNUAL','Jan-Feb','Mar-May','Jun-Sep','Oct-Dec'],axis=1)
```

In [13]: data4

A 1	F 1 2 1
11111	1121
out	1 1 2 1

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0

4116 rows × 14 columns

```
In [19]: data4['ANNUAL_RAIN']=data4.apply(lambda row: row.JAN + row.FEB,axis=1)
```

In [20]: data4

Out[20]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL RAIN	ANNUAL_RAIN
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	136.3	136.3
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	159.8	159.8
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	156.7	156.7
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	24.1	24.1
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	1.3	1.3
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	7.9	7.9
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	19.3	19.3
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	60.6	60.6
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	69.3	69.3
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	2.7	2.7

4116 rows × 16 columns

In [25]: data4['ANNUAL__RAIN']=data4.apply(lambda row: row.ANNUAL_RAIN + row.APR + row.MAR + row.MAY + row.JUN + row.

In [26]: data4

Out[26]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL RAIN	ANNUAL_RAIN	ANNUA
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	136.3	136.3	
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	159.8	159.8	
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	156.7	156.7	
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	24.1	24.1	
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	1.3	1.3	
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	7.9	7.9	
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	19.3	19.3	
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	60.6	60.6	
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	69.3	69.3	
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	2.7	2.7	

4116 rows × 17 columns

In [28]: data4=data4.drop(['ANNUAL RAIN','ANNUAL_RAIN'],axis=1)

Type $\it Markdown$ and LaTeX: $\it \alpha^2$

In [29]: data4

Out[29]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL_RAIN
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	3373.2
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	3520.7
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	2957.4
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	3079.6
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	2566.7
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	1533.7
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	1405.5
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	1426.3
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	1395.0
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	1642.9

4116 rows × 15 columns

In [30]: data5=data4.drop(['SUBDIVISION'],axis=1)

In [31]: data5data5=data4.drop(['SUBDIVISION'],axis=1)

\sim			$r \sim$	-	٠.
<i>1</i> 1		-			
11	u		וו		
_	•	-	ᆫ	_	

	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL_RAIN
0	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	3373.2
1	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	3520.7
2	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	2957.4
3	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	3079.6
4	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	2566.7
4111	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	1533.7
4112	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	1405.5
4113	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	1426.3
4114	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	1395.0
4115	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	1642.9


4116 rows × 14 columns


In [33]: cor

Out[33]:

		YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	
•	YEAR	1.000000	-0.056235	-0.022144	0.020338	0.008007	0.003594	-0.013594	-0.016240	0.006442	-0.006670	0.002406	-0.018776	-(
	JAN	-0.056235	1.000000	0.456183	0.398502	0.209302	0.129622	-0.033725	-0.051642	0.011952	0.024289	0.012374	0.067281	(
	FEB	-0.022144	0.456183	1.000000	0.579819	0.367114	0.203062	0.033703	0.016235	0.072159	0.080148	-0.004581	-0.023413	(
	MAR	0.020338	0.398502	0.579819	1.000000	0.556856	0.362815	0.165857	0.097334	0.135071	0.178904	0.086187	0.008814	(
	APR	0.008007	0.209302	0.367114	0.556856	1.000000	0.650595	0.457091	0.268097	0.256168	0.382525	0.368886	0.165642	(
	MAY	0.003594	0.129622	0.203062	0.362815	0.650595	1.000000	0.567618	0.332283	0.329499	0.492378	0.529342	0.351931	(
	JUN	-0.013594	-0.033725	0.033703	0.165857	0.457091	0.567618	1.000000	0.741285	0.655142	0.551890	0.490393	0.229718	(
	JUL	-0.016240	-0.051642	0.016235	0.097334	0.268097	0.332283	0.741285	1.000000	0.686662	0.513067	0.299221	0.042671	-(
	AUG	0.006442	0.011952	0.072159	0.135071	0.256168	0.329499	0.655142	0.686662	1.000000	0.497037	0.250600	0.017488	(
	SEP	-0.006670	0.024289	0.080148	0.178904	0.382525	0.492378	0.551890	0.513067	0.497037	1.000000	0.384138	0.153465	(
	ост	0.002406	0.012374	-0.004581	0.086187	0.368886	0.529342	0.490393	0.299221	0.250600	0.384138	1.000000	0.477503	(
	NOV	-0.018776	0.067281	-0.023413	0.008814	0.165642	0.351931	0.229718	0.042671	0.017488	0.153465	0.477503	1.000000	(
	DEC	-0.019139	0.219701	0.132570	0.136328	0.132892	0.250112	0.088782	-0.019427	0.001648	0.109457	0.281172	0.451407	1
	ANNUAL_RAIN	-0.008041	0.105697	0.181561	0.322201	0.577574	0.698014	0.891302	0.812279	0.759303	0.715133	0.587066	0.308771	(

localhost:8888/notebooks/rainfall_all.ipynb





In [42]: data4['swm']=data4.apply(lambda row: row.JUN + row.JUL + row.AUG + row.SEP,axis=1)

In [43]: data4

\sim			F 4 ~ 7	
<i>1</i> 1		-	1 /1 2	
.,	u		14)	
•	•	-		

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL_RAIN	swm
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	3373.2	1696.3
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	3520.7	2185.9
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	2957.4	1874.0
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	3079.6	1977.6
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	2566.7	1624.9
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	1533.7	1013.0
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	1405.5	1119.5
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	1426.3	1057.0
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	1395.0	958.5
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	1642.9	860.9

4116 rows × 16 columns

In [44]: data4['nem']=data4.apply(lambda row: row.OCT + row.NOV + row.DEC,axis=1)

In [45]: data4

Out[45]:

	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL_	_RAIN	swm	nem
0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6		3373.2	1696.3	980.3
1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5		3520.7	2185.9	716.7
2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0		2957.4	1874.0	690.6
3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1		3079.6	1977.6	571.0
4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7		2566.7	1624.9	630.8
4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9		1533.7	1013.0	316.6
4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8		1405.5	1119.5	167.1
4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7		1426.3	1057.0	177.6
4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3		1395.0	958.5	290.5
4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0		1642.9	860.9	555.4

4116 rows × 17 columns

In [65]: data5

Out[65]:

	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL_RAIN	swm	nem
0	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5	558.2	33.6	3373.2	1696.3	980.3
1	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2	359.0	160.5	3520.7	2185.9	716.7
2	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2	284.4	225.0	2957.4	1874.0	690.6
3	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2	308.7	40.1	3079.6	1977.6	571.0
4	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7	25.4	344.7	2566.7	1624.9	630.8
4111	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	1533.7	1013.0	316.6
4112	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	1405.5	1119.5	167.1
4113	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	1426.3	1057.0	177.6
4114	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	1395.0	958.5	290.5
4115	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	1642.9	860.9	555.4

4116 rows × 16 columns

Out[69]:

	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	ANNUAL_RAIN	swm	nem
4002	1901	22.6	86.4	114.8	263.8	37.3	459.0	0.0	0.0	46.7	183.7	229.9	15.0	1459.2	505.7	428.6
4003	1902	99.3	9.6	32.6	40.4	179.1	374.2	413.3	170.0	214.3	384.2	192.8	49.0	2158.8	1171.8	626.0
4004	1903	63.5	95.0	0.0	29.5	144.1	212.4	261.8	202.0	292.1	79.1	NaN	NaN	NaN	968.3	NaN
4005	1904	0.0	0.0	13.5	13.2	143.3	261.3	256.0	38.9	219.9	153.6	8.3	68.9	1176.9	776.1	230.8
4006	1905	62.4	0.0	0.0	0.0	166.7	400.7	68.7	377.5	107.5	232.1	159.3	0.0	1574.9	954.4	391.4
4111	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4	184.3	14.9	1533.7	1013.0	316.6
4112	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9	12.4	8.8	1405.5	1119.5	167.1
4113	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8	78.1	26.7	1426.3	1057.0	177.6
4114	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2	59.0	62.3	1395.0	958.5	290.5
4115	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4	231.0	159.0	1642.9	860.9	555.4

114 rows × 16 columns

In [70]: cor=data5.corr()
cor

Out[70]:

:		YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV
	YEAR	1.000000	-0.221386	-0.171214	-0.167095	-0.134579	-0.089644	-0.035273	0.121937	0.179659	0.056410	-0.227759	-0.089207
	JAN	-0.221386	1.000000	0.244925	0.123067	0.197028	0.082065	0.003458	-0.023560	-0.062492	-0.133707	0.104302	0.027715
	FEB	-0.171214	0.244925	1.000000	0.303461	0.346077	0.059576	-0.095160	-0.035392	-0.248189	0.005316	0.001568	0.175395
	MAR	-0.167095	0.123067	0.303461	1.000000	0.172803	-0.003305	0.063451	-0.020767	-0.263402	-0.130730	0.145636	0.057674
	APR	-0.134579	0.197028	0.346077	0.172803	1.000000	-0.026462	-0.016603	-0.013194	0.015588	0.099266	-0.071145	0.047730
	MAY	-0.089644	0.082065	0.059576	-0.003305	-0.026462	1.000000	-0.088017	-0.009059	0.034942	0.203772	-0.069690	-0.022231
	JUN	-0.035273	0.003458	-0.095160	0.063451	-0.016603	-0.088017	1.000000	0.033000	-0.078297	0.053150	0.078626	0.023431
	JUL	0.121937	-0.023560	-0.035392	-0.020767	-0.013194	-0.009059	0.033000	1.000000	-0.090644	0.167725	-0.026667	0.011299
	AUG	0.179659	-0.062492	-0.248189	-0.263402	0.015588	0.034942	-0.078297	-0.090644	1.000000	-0.049386	-0.172086	-0.197811
	SEP	0.056410	-0.133707	0.005316	-0.130730	0.099266	0.203772	0.053150	0.167725	-0.049386	1.000000	-0.177732	-0.076565
	ОСТ	-0.227759	0.104302	0.001568	0.145636	-0.071145	-0.069690	0.078626	-0.026667	-0.172086	-0.177732	1.000000	0.193467
	NOV	-0.089207	0.027715	0.175395	0.057674	0.047730	-0.022231	0.023431	0.011299	-0.197811	-0.076565	0.193467	1.000000
	DEC	-0.100995	-0.078601	-0.105551	0.025653	-0.115538	-0.080510	-0.036196	-0.024711	0.091793	-0.069336	0.030696	0.033393
ANN	UAL_RAIN	-0.094726	0.161123	0.126739	0.093302	0.258889	0.425435	0.334486	0.469788	0.201459	0.412772	0.221960	0.248057
	swm	0.151992	-0.082809	-0.188009	-0.159348	0.039371	0.067095	0.482788	0.601416	0.372871	0.558937	-0.140636	-0.113824
	nem	-0.252148	0.038730	0.077146	0.132553	-0.071720	-0.068758	0.037319	0.003744	-0.181060	-0.167582	0.703341	0.681494

localhost:8888/notebooks/rainfall_all.ipynb

In [71]: import seaborn as sns


```
sns.heatmap(cor,vmax=1,vmin=-1,annot=True,linewidth=.5,cmap='bwr')
Out[71]: <Axes: >
                                                                                                         1.00
                                  1-0.2-20.1-70.1-70.1-30.999.035<mark>,120.16</mark>,05-6.263.08-90.-30.090<mark>5,15</mark>0.25
                           JAN -0.22 1 0.240.120.20.08.200-850-204060.130.10.02080709.1-6.0803039
                                                                                                        - 0.75
                           FEB -0.170.24 1 0.30.350.0-6.0-9050365.2050005630106180.110.130.109.077
                          MAR -0.10.120.3 1 0.107.0003.0 603.020.260.103.16.05080.20609-0.16.13
                                                                                                        - 0.50
                          APR -0.130.20.350.17 1-0.0-2060-2070 1030 1060 909 0 7010 48.120.26.0309 0 72
                          MAY -0.09082.006093302 51-0.983009.03 50.2-0.907.02020801.46.0607.069
                                                                                                        - 0.25
                           JUN-0.03 50-350 950 603 0-2070 8 8 1 0.0 303 0 7080 5080 7090 203 0 305 3 30.40.0 3 7
                           JUL -0.1-20.0-2040-3050-2010-01-300-03-03-3-1-0.09-01-1-70.02070-1-01.02-5-470.0.0037
                                                                                                        -0.00
                          AUG -0.1-0.0602.2-50.205010503050-7080911-0.0409.170.10.0920.20.3-70.18
                           SEP 9.056.03005081080990.20.056.1-0.0491-0.168.0-070609410.560.17
                                                                                                         - -0.25
                          OCT -0.230.0.0010616.070.007.0709.0207.170.18 1 0.19.030.220.140.7
                          NOV-9.0809028.18.05080408020202030110.20.0707.19 10.036.250.10.68
                                                                                                          -0.50
                          DEC --0.-D.079.10.02-6.10.08010-3060250902.06903010331 0.1-9.015
              ANNUAL RAIN-0.0905.160.105.0905.260.430.339.470.20.410.220.250.19 1 0.70.35
                                                                                                          -0.75
                          swm -0.1-5.083,1-50.1050309060.480.60.370.560.1-5.101.010.7
                          nem -0.205.03090707.1-0.0-702060906.700307.1-60.170.70.68
                                                                                                          -1.00
                                                         N
                                                 APR
                                                             耳
                                                                  AUG
                                                                      SEP
                                                     MAY
                                                                                      ANNUAL
```

```
In [72]: data6=data5.drop(['YEAR','JAN','FEB','MAR','APR','MAY','JUN','JUL','AUG','SEP','OCT','NOV','DEC'],axis=1)
In [73]: cor=data6.corr()
         cor
Out[73]:
                        ANNUAL_RAIN
                                         swm
                                                  nem
           ANNUAL_RAIN
                                              0.353221
                              1.000000
                                      0.699801
                              0.699801
                                      1.000000 -0.142851
                   swm
                              0.353221 -0.142851 1.000000
```

nem

```
In [74]: import seaborn as sns
sns.heatmap(cor,vmax=1,vmin=-1,annot=True,linewidth=.5,cmap='bwr')
```

Out[74]: <Axes: >



In []: