


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Country dropDown	6.043 s	1	0	1	0	3	2	1	0
Visa Confirmation steps	17.357 s	3	0	3	0	28	19	3	6

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Country dropDown	Verify the following country available in country dropdown list
2	Visa Confirmation steps	An Australian Coming To UK For Tourism
3		A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months
4		A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@author_Naren	4	0	4	0	2	0	2	0
@smoke	2	0	2	0	2	0	2	0
@regression	4	0	4	0	2	0	2	0
@sanity	3	0	3	0	2	0	2	0



#	Feature Name	T	P	F	S	Duration
1	Country dropDown	1	0	1	0	6.043 s
2	<u>Visa Confirmation steps</u>	3	0	3	0	17.357 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country dropDown	Verify the following country available in country dropdown list	3	2	1	0	6.040 s
2	Visa Confirmation steps	An Australian Coming To UK For Tourism	8	7	1	0	6.026 s
3		A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months	11	6	1	4	5.641 s
4		A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card	9	6	1	2	5.680 s

DETAILED SECTION -- 7 --

Country dropDown



Verify the following country available in country dropdown list



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	When I click on start button	PASSED	0.200 s
3	Then I can see following country into dropdown	FAILED	0.005 s
	albania bhutan british-protected-person haiti kazakhstan mozambique norway portugal russia zambia io.cucumber.core.exception.CucumberException: Could not convert arguments for step [I can see following country into dropdown] defined at 'gov.uk.check.visa.steps.CountryDropdownSteps.iCanSeeFollowingCountryIntoDropdown(java.lang.String)'. at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:112) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:56)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	Caused by: io.cucumber.datatable.CucumberDataTableException: Can't convert DataTable to java.lang.String. The table contained more then		
	one item: [albania, bhutan, british-protected-person, haiti, kazakhstan, mozambique, norway, portugal, russia, zambia]		

#	Step / Hook Details	Status	Duration
	at io.cucumber.datatable.CucumberDataTableException.cantConvertTo(CucumberDataTableException.java:22) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.toSingleton(DataTableTypeRegistryTableConverter.java:124) at io.cucumber.datatable.DataTableTypeRegistryTableConverter.convert(DataTableTypeRegistryTableConverter.java:91) at io.cucumber.datatable.DataTable.convert(DataTable.java:478) at io.cucumber.core.stepexpression.StepExpressionFactory.lambda\$createExpression\$0(StepExpressionFactory.java:66) at io.cucumber.core.stepexpression.DataTableArgument.getValue(DataTableArgument.java:20) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:47)		

Visa Confirmation steps

FAILED	DURATION - 17.357 s	Scenarios		Steps	
		Total - 3		Total - 28	
/ 8:50:20.132 am // 8:	50:37.489 am /	Pass - 0	3	Pass - 19	28
		Fail - 3	, , , , , , , , , , , , , , , , , , ,	Fail - 3	
		Skip - 0		Skip - 6	
		Skip - 0		Skip - 6	

An Australian Coming To UK For Tourism




#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.000 s
2	When I accept additional cookies	PASSED	0.056 s
3	Then Click on start button	PASSED	0.423 s
4	And Select a Nationality 'Australia'	PASSED	0.062 s
5	And Click on Continue button	PASSED	0.202 s
6	And Select reason 'Tourism'	PASSED	2.055 s
7	And Click on Continue button	PASSED	0.211 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
8	And verify result 'You will not need a visa to come to the UK'	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [verify result {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps. VisaConfirmationSteps.verifyResultYouWillNotNeedAVisaToComeToTheUK()'. However, the gherkin step has 1 arguments: * 'You will not		
	need a visa to come to the UK' Step text: verify result 'You will not need a visa to come to the UK'		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		

A Chilean Coming To The UK For Work And Plans On Staying For Longer Than Six Months




#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.000 s
2	When Click on start button	PASSED	0.181 s
3	Then Select a Nationality 'Chile'	PASSED	0.060 s
4	And Click on Continue button	PASSED	0.183 s
5	And Select reason 'Work, academic visit or business'	PASSED	2.043 s
6	And Click on Continue button	PASSED	0.197 s
7	And Select intended to stay for 'longer than 6 months'	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Could not invoke step [Select intended to stay for {string}] defined at 'gov.uk.check.visa.steps. VisaConfirmationSteps.selectIntendedToStayForLongerThanMonths(int)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.String) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:75) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		

	Step / Hook Details	Status	Duration
at io.c	ucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
at io.c	ucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
at io.c	ucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
at io.c	ucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
at java	.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java	.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java	.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java	.base/java.lang.reflect.Method.invoke(Method.java:568)		
at org.	testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
at org.	testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
at org.	testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
at org.	testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
at org.	testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
at org.	testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
at org.	testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
at org.	testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	testng.TestRunner.privateRun(TestRunner.java:848)		
	testng.TestRunner.run(TestRunner.java:621)		
	testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
_	testng.SuiteRunner.run(SuiteRunner.java:336)		
	testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
_	testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
_	testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	testng.TestNG.runSuites(TestNG.java:1114)		
_	testng.TestNG.run(TestNG.java:1082)		
_	ı.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
1	ı.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void gov.uk.check.visa.steps.		
	irmationSteps.selectIntendedToStayForLongerThanMonths(int) throws java.lang.InterruptedException		
1	ucumber.java.Invoker.doInvoke(Invoker.java:68)		
	ucumber.java.Invoker.invoke(Invoker.java:24)		
1	ucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	ucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
1	ucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	ucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
1	nore Caused by: java.lang.IllegalArgumentException: argument type mismatch		
	.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
8	And Click on Continue button	SKIPPED	0.000 s
9	And Select have planning to work for 'Health and care professional'	SKIPPED	0.001 s
10	And Click on Continue button	SKIPPED	0.000 s
11	And verify result 'You need a visa to work in health and care'	SKIPPED	0.000 s

A Columbian National Coming To The UK To Join A Partner For A LongStay They Do Have An Article10Or20Card



#	Step / Hook Details	Status	Duration
1	Given I am on Homepage	PASSED	0.000 s
2	When Click on start button	PASSED	0.237 s
3	Then Select a Nationality 'Colombia'	PASSED	0.059 s
4	And Click on Continue button	PASSED	0.223 s
5	And Select reason 'Join partner or family for a long stay'	PASSED	2.052 s
6	And Click on Continue button	PASSED	0.191 s
7	And Select state My partner of family member have uk immigration status 'yes'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [Select state My partner of family member have uk immigration status {string}] is defined with 0 parameters at 'gov.uk.check.visa.steps.VisaConfirmationSteps.selectStateMyPartnerOfFamilyMemberHaveUkImmigrationStatusYes()'. However, the gherkin step has 1 arguments: * 'yes' Step text: Select state My partner of family member have uk immigration status 'yes' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And Click on Continue button	SKIPPED	0.001 s
9	And verify result 'You'll need a visa to join your family or partner in the UK'	SKIPPED	0.000 s