

# Cucumber Report

17 Dec 2023, 18:36:24

Start : Dec 17, 6:35:24.144 pm

End : Dec 17, 6:36:20.590 pm

Duration : 56.446 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 4  
SKIPPED - 0

PASSED - 42  
FAILED - 4  
SKIPPED - 74




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify user login and logout successfully</u>	27.179 s	4	4	0	0	22	22	0	0
<u>Admin should create user, search for user, delete a user and verify no record found for deleted user.</u>	29.238 s	4	0	4	0	98	20	4	74

#	Feature Name	Scenario Name
1	<u>Admin should create user, search for user, delete a user and verify no record found for deleted user.</u>	<u>Admin should add user successfully</u>
2		<u>Admin should search the user created and verify it</u>
3		<u>Admin should delete user successfully</u>
4		<u>Admin should serach for deleted user and verify no record found</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Smoke	2	1	1	0	2	1	1	0
@regression	8	4	4	0	2	1	1	0
@Sanity	3	1	2	0	2	1	1	0
@Regression	6	2	4	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Verify user login and logout successfully</u>	4	4	0	0	27.179 s
2	<u>Admin should create user, search for user, delete a user and verify no record found for deleted user.</u>	4	0	4	0	29.238 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify user login and logout successfully</u>	<u>Verify user should login successfully</u>	5	5	0	0	6.859 s
2		<u>Verify the Orange HRM logo is displayed</u>	6	6	0	0	7.946 s
3		<u>Verify user logout successfully</u>	7	7	0	0	6.908 s
4		<u>Verify error message with invalid credentials</u>	4	4	0	0	5.397 s
5	<u>Admin should create user, search for user, delete a user and verify no rec *</u>	<u>Admin should add user successfully</u>	16	5	1	10	5.644 s
6		<u>Admin should search the user created and verify it</u>	23	5	1	17	6.765 s
7		<u>Admin should delete user successfully</u>	27	5	1	21	8.399 s
8		<u>Admin should serach for deleted user and verify no record found</u>	32	5	1	26	8.369 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

**Verify user login and logout successfully**



<b>PASSED</b>	DURATION - 27.179 s	Scenarios		Steps	
/ 6:35:24.144 pm // 6:35:51.323 pm /		Total - 4		Total - 22	
		Pass - 4		Pass - 22	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Verify user should login successfully**

<b>PASSED</b>	DURATION - 6.859 s		Steps	
/ 6:35:24.160 pm // 6:35:31.019 pm /			Total - 5	
Verify user login and logout successfully			Pass - 5	
@Smoke @regression			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User enter the username to login <"Admin">	PASSED	0.002 s
3	And User enter password to login <"admin123">	PASSED	0.001 s
4	And User click on login button	PASSED	0.001 s
5	Then User should verify welcome text	PASSED	0.000 s

**Verify the Orange HRM logo is displayed**

<b>PASSED</b>	DURATION - 7.946 s		Steps	
/ 6:35:31.036 pm // 6:35:38.982 pm /			Total - 6	
Verify user login and logout successfully			Pass - 6	
@Sanity @regression @Regression			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User enter the username to login <"Admin">	PASSED	0.000 s
3	And User enter password to login <"admin123">	PASSED	0.001 s
4	And User click on login button	PASSED	0.000 s
5	And User should verify welcome text	PASSED	0.000 s
6	Then User should verify that Orange HRM logo is displayed	PASSED	0.000 s

### Verify user logout successfully

PASSED	DURATION - 6.908 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:35:39.001 pm // 6:35:45.909 pm /				
Verify user login and logout successfully				
@regression @Regression				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User enter the username to login <"Admin">	PASSED	0.000 s
3	And User enter password to login <"admin123">	PASSED	0.000 s
4	And User click on login button	PASSED	0.000 s
5	And User should verify welcome text	PASSED	0.001 s
6	And User click on logout	PASSED	0.000 s
7	Then User should logout successfully <"LOGIN Panel">	PASSED	0.000 s

### Verify error message with invalid credentials



<b>PASSED</b>	DURATION - 5.397 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:35:45.926 pm // 6:35:51.323 pm /				
Verify user login and logout successfully				
@regression				

#	Step / Hook Details	Status	Duration
1	Given User enters username "1"	PASSED	0.000 s
2	And User enters password "test123@gmail.com"	PASSED	0.000 s
3	When User clicks on login button	PASSED	0.001 s
4	Then Verify error message "Required"	PASSED	0.000 s

**Admin should create user, search for user, delete a user and verify no record found for deleted user.**


<b>FAILED</b>	DURATION - 29.238 s	<b>Scenarios</b> Total - 4 Pass - 0 Fail - 4 Skip - 0		<b>Steps</b> Total - 98 Pass - 20 Fail - 4 Skip - 74	
/ 6:35:51.352 pm // 6:36:20.590 pm /					

**Admin should add user successfully**

<b>FAILED</b>	DURATION - 5.644 s		<b>Steps</b> Total - 16 Pass - 5 Fail - 1 Skip - 10	
/ 6:35:51.352 pm // 6:35:56.996 pm /				
Admin should create user, search for user, delete a user and verify no record found for deleted user.				
@Smoke @regression @Regression				

#	Step / Hook Details	Status	Duration
1	Given Admin is on homepage	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
2	When User enter the username to login <"Admin">	PASSED	0.000 s
3	And User enter password to login <"admin123">	PASSED	0.001 s
4	And User click on login button	PASSED	0.001 s
5	And I click on the "Admin" tab	PASSED	0.001 s
6	<p>And Admin verify 'system users' text</p> <p>io.cucumber.core.exception.CucumberException: Step [Admin verify {string} text] is defined with 0 parameters at 'com.orangehrmlive.demo.steps.UserTestSteps.adminVerifySystemUsersText()'. However, the gherkin step has 1 arguments: * 'system users' Step text: Admin verify 'system users' text</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p>	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
7	And Admin click on 'add' button	SKIPPED	0.000 s
8	And Admin verify 'add user' text	SKIPPED	0.000 s
9	And Admin select user role <"Admin">	SKIPPED	0.000 s
10	And Admin enter employee name<"Ananya Dash">	SKIPPED	0.000 s
11	And Admin enter user name<"AnanyaDash20">	SKIPPED	0.000 s
12	And Admin select status <"Disabled">	SKIPPED	0.000 s
13	And Admin enter password <"anayapassword123">	SKIPPED	0.000 s
14	And Admin enter confirm password<"anayapassword123">	SKIPPED	0.000 s
15	And Admin click on 'save' button	SKIPPED	0.000 s
16	Then Admin verify 'successfully saved' message	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.347 s
	Admin should add user successfully		
			

**Admin should search the user created and verify it**



<b>FAILED</b>	<b>DURATION - 6.765 s</b>		<b>Steps</b> Total - 23 Pass - 5 Fail - 1 Skip - 17	
/ 6:35:57.025 pm // 6:36:03.790 pm /				
Admin should create user, search for user, delete a user and verify no record found for deleted user.				
@Sanity @regression @Regression				

#	Step / Hook Details	Status	Duration
1	Given Admin is on homepage	PASSED	0.000 s
2	When User enter the username to login <"Admin">	PASSED	0.002 s
3	And User enter password to login <"admin123">	PASSED	0.001 s
4	And User click on login button	PASSED	0.000 s
5	And I click on the "Admin" tab	PASSED	0.000 s
6	And Admin verify 'system users' text	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [Admin verify {string} text] is defined with 0 parameters at 'com.orangehrmlive.demo.steps.UserTestSteps.adminVerifySystemUsersText()'. However, the gherkin step has 1 arguments: * 'system users' Step text: Admin verify 'system users' text at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
7	And Admin click on 'add' button	SKIPPED	0.000 s
8	And Admin verify 'add user' text	SKIPPED	0.000 s
9	And Admin select user role <"Admin">	SKIPPED	0.000 s
10	And Admin enter employee name<"Ananya Dash">	SKIPPED	0.000 s
11	And Admin enter user name<"AnanyaDash20">	SKIPPED	0.000 s
12	And Admin select status <"Disabled">	SKIPPED	0.000 s
13	And Admin enter password <"anayapassword123">	SKIPPED	0.000 s
14	And Admin enter confirm password<"anayapassword123">	SKIPPED	0.000 s
15	And Admin click on 'save' button	SKIPPED	0.000 s
16	And Admin verify 'successfully saved' message	SKIPPED	0.000 s
17	And Admin clicks on 'admin' tab	SKIPPED	0.001 s
18	And Admin verify 'system users' text from view system users page	SKIPPED	0.000 s
19	And Admin search for username <"AnanyaDash20">	SKIPPED	0.000 s
20	And Admin search for user role <"Admin">	SKIPPED	0.000 s
21	And Admin search for user status <"Disabled">	SKIPPED	0.000 s
22	And Admin click on 'search' button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
23	Then Admin should verify user found successfully	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.379 s
	Admin should search the user created and verify it		

### Admin should delete user successfully



FAILED	DURATION - 8.399 s		Steps Total - 27 Pass - 5 Fail - 1 Skip - 21	
/ 6:36:03.804 pm // 6:36:12.203 pm /				
Admin should create user, search for user, delete a user and verify no record found for deleted user.				
@Sanity @regression @Regression				

#	Step / Hook Details	Status	Duration
1	Given Admin is on homepage	PASSED	0.001 s
2	When User enter the username to login <"Admin">	PASSED	0.000 s
3	And User enter password to login <"admin123">	PASSED	0.000 s
4	And User click on login button	PASSED	0.000 s
5	And I click on the "Admin" tab	PASSED	0.000 s
6	And Admin verify 'system users' text	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [Admin verify {string} text] is defined with 0 parameters at 'com.orangehrmlive.demo.steps.UserTestSteps.adminVerifySystemUsersText()'. However, the gherkin step has 1 arguments: * 'system users' Step text: Admin verify 'system users' text at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
7	And Admin click on 'add' button	SKIPPED	0.000 s
8	And Admin verify 'add user' text	SKIPPED	0.000 s
9	And Admin select user role <"Admin">	SKIPPED	0.000 s
10	And Admin enter employee name<"Ananya Dash">	SKIPPED	0.000 s
11	And Admin enter user name<"AnanyaDash20">	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	And Admin select status <"Disabled">	SKIPPED	0.000 s
13	And Admin enter password <"anayapassword123">	SKIPPED	0.000 s
14	And Admin enter confirm password<"anayapassword123">	SKIPPED	0.001 s
15	And Admin click on 'save' button	SKIPPED	0.000 s
16	And Admin verify 'successfully saved' message	SKIPPED	0.000 s
17	And Admin clicks on 'admin' tab	SKIPPED	0.001 s
18	And Admin verify 'system users' text from view system users page	SKIPPED	0.001 s
19	And Admin search for username <"AnanyaDash20">	SKIPPED	0.000 s
20	And Admin search for user role <"Admin">	SKIPPED	0.000 s
21	And Admin search for user status <"Disabled">	SKIPPED	0.000 s
22	And Admin click on 'search' button	SKIPPED	0.000 s
23	And Admin should verify user found successfully	SKIPPED	0.000 s
24	And Admin click on the checkbox	SKIPPED	0.000 s
25	And Admin click on 'delete' button	SKIPPED	0.001 s
26	And Admin click on 'OK' delete	SKIPPED	0.000 s
27	Then Admin verify user deleted text	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.948 s
	Admin should delete user successfully		

### Admin should serach for deleted user and verify no record found

FAILED		DURATION - 8.369 s			<div>Steps</div> <div>Total - 32</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 26</div>	
/ 6:36:12.221 pm // 6:36:20.590 pm /						
Admin should create user, search for user, delete a user and verify no record found for deleted user.						
@regression @Regression						



#	Step / Hook Details	Status	Duration
1	Given Admin is on homepage	PASSED	0.000 s
2	When User enter the username to login <"Admin">	PASSED	0.000 s
3	And User enter password to login <"admin123">	PASSED	0.000 s
4	And User click on login button	PASSED	0.001 s
5	And I click on the "Admin" tab	PASSED	0.000 s
6	And Admin verify 'system users' text  io.cucumber.core.exception.CucumberException: Step [Admin verify {string} text] is defined with 0 parameters at 'com.orangehrmlive.demo.steps.UserTestSteps.adminVerifySystemUsersText()'. However, the gherkin step has 1 arguments: * 'system users' Step text: Admin verify 'system users' text at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
7	And Admin click on 'add' button	SKIPPED	0.000 s
8	And Admin verify 'add user' text	SKIPPED	0.001 s
9	And Admin select user role <"Admin">	SKIPPED	0.000 s
10	And Admin enter employee name<"Ananya Dash">	SKIPPED	0.000 s
11	And Admin enter user name<"AnanyaDash20">	SKIPPED	0.000 s
12	And Admin select status <"Disabled">	SKIPPED	0.000 s
13	And Admin enter password <"anayapassword123">	SKIPPED	0.000 s
14	And Admin enter confirm password<"anayapassword123">	SKIPPED	0.000 s
15	And Admin click on 'save' button	SKIPPED	0.000 s
16	And Admin verify 'successfully saved' message	SKIPPED	0.000 s
17	And Admin clicks on 'admin' tab	SKIPPED	0.000 s
18	And Admin verify 'system users' text from view system users page	SKIPPED	0.000 s
19	And Admin search for username <"AnanyaDash20">	SKIPPED	0.000 s
20	And Admin search for user role <"Admin">	SKIPPED	0.000 s
21	And Admin search for user status <"Disabled">	SKIPPED	0.000 s
22	And Admin click on 'search' button	SKIPPED	0.000 s
23	And Admin should verify user found successfully	SKIPPED	0.000 s
24	And Admin click on the checkbox	SKIPPED	0.001 s
25	And Admin click on 'delete' button	SKIPPED	0.000 s
26	And Admin click on 'OK' delete	SKIPPED	0.000 s
27	And Admin verify user deleted text	SKIPPED	0.000 s
28	And Admin search for user role <"AnanyaDash20">	SKIPPED	0.000 s
29	And Admin search for user role <"Admin">	SKIPPED	0.001 s
30	And Admin search for user status <"Disabled">	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
31	And Admin click on 'search' button	SKIPPED	0.000 s
32	Then Admin should verify <"No Records Found">	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.348 s
	Admin should serach for deleted user and verify no record found		
	