

Cucumber Report

17 Dec 2023, 20:33:35

Start : Dec 17, 8:32:16.560 pm

End : Dec 17, 8:33:31.448 pm

Duration : 1 m 14.888 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 19
FAILED - 2
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Verify user login and logout successfully</u>	1 m 14.888 s	4	2	2	0	22	19	2	1

#	Feature Name	Scenario Name
1	<u>Verify user login and logout successfully</u>	<u>Verify the Orange HRM logo is displayed</u>
2		<u>Verify error message with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	1	1	0	0	1	0	1	0
@regression	4	2	2	0	1	0	1	0
@Sanity	1	0	1	0	1	0	1	0
@Regression	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Verify user login and logout successfully</u>	4	2	2	0	1 m 14.888 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify user login and logout successfully</u>	<u>Verify user should login successfully</u>	5	5	0	0	11.325 s
2		<u>Verify the Orange HRM logo is displayed</u>	6	5	1	0	8.969 s
3		<u>Verify user logout successfully</u>	7	7	0	0	6.919 s
4		<u>Verify error message with invalid credentials</u>	4	2	1	1	47.544 s

Verify user login and logout successfully



FAILED	DURATION - 1 m 14.888 s	Scenarios		Steps	
/ 8:32:16.560 pm // 8:33:31.448 pm /		Total - 4	4	Total - 22	22
		Pass - 2		Pass - 19	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

Verify user should login successfully


PASSED	DURATION - 11.325 s		Steps	
/ 8:32:16.575 pm // 8:32:27.900 pm /			Total - 5	
Verify user login and logout successfully			Pass - 5	
@Smoke @regression			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User enter the username to login <"Admin">	PASSED	0.002 s
3	And User enter password to login <"admin123">	PASSED	0.002 s
4	And User click on login button	PASSED	0.001 s
5	Then User should verify welcome text	PASSED	0.001 s



Verify the Orange HRM logo is displayed

FAILED	DURATION - 8.969 s		Steps	
/ 8:32:27.951 pm // 8:32:36.920 pm /			Total - 6	
Verify user login and logout successfully			Pass - 5	
@Sanity @regression @Regression			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.001 s
2	When User enter the username to login <"Admin">	PASSED	0.001 s
3	And User enter password to login <"admin123">	PASSED	0.000 s
4	And User click on login button	PASSED	0.000 s
5	And User should verify welcome text	PASSED	0.002 s
6	Then User should verify that Orange HRM logo is displayed	FAILED	0.044 s
<p>io.cucumber.core.exception.CucumberException: Step [User should verify that Orange HRM logo is displayed] is defined with 1 parameters at 'com.orangehrmlive.demo.steps.LoginTestSteps.userShouldVerifyThatOrangeHRMLogosDisplayed(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should verify that Orange HRM logo is displayed</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p>			

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.429 s
	Verify the Orange HRM logo is displayed		
			



Verify user logout successfully

PASSED	DURATION - 6.919 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 8:32:36.967 pm // 8:32:43.886 pm /				
Verify user login and logout successfully				
@regression @Regression				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.000 s
2	When User enter the username to login <"Admin">	PASSED	0.000 s
3	And User enter password to login <"admin123">	PASSED	0.003 s
4	And User click on login button	PASSED	0.001 s
5	And User should verify welcome text	PASSED	0.000 s
6	And User click on logout	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
7	Then User should logout successfully <"LOGIN Panel">	PASSED	0.001 s

Verify error message with invalid credentials

FAILED DURATION - 47.544 s / 8:32:43.904 pm // 8:33:31.448 pm / Verify user login and logout successfully @regression		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User enters username "1"	PASSED	0.000 s
2	And User enters password "test123@gmail.com"	PASSED	0.001 s
3	When User clicks on login button org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='btnLogin']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c6ffc190e8f5d2dc8851abf8e6f825c, findElement {using=xpath, value=//input[@id='btnLogin']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\hask\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64952}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64952/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5c6ffc190e8f5d2dc8851abf8e6f825c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)	FAILED	40.154 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at com.orangehrmlive.demo.utility.Utility.clickOnElement(Utility.java:50) at com.orangehrmlive.demo.pages.LoginPage.clickOnTheLoginButton(LoginPage.java:42) at com.orangehrmlive.demo.steps.LoginTestSteps.userClicksOnLoginButton(LoginTestSteps.java:44) at ?.User clicks on login button(file:///C:/Users/bhask/IdeaProjects/orange-hrm-sw6/src/test/resources/features/logintest.feature:34) * Not displayable characters are replaced by '?'. </pre>		
4	Then Verify error message "Required"	SKIPPED	0.001 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.853 s
	Verify error message with invalid credentials		
	