

Cucumber Report

11-Jul-2023, 4:31:42 PM

Start : Jul 11, 4:30:39.984 PM

End : Jul 11, 4:31:40.646 PM

Duration : 1 m 0.662 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 3

SKIPPED - 0

PASSED - 1


FAILED - 3

SKIPPED - 0

PASSED - 13

FAILED - 3


SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to LMS</u>	1 m 0.440 s	1	1	0	0	4	4	0	0
<u>Retrieve the Booking</u>	0.049 s	1	0	1	0	6	5	1	0
<u>BL preview and save pdf</u>	0.038 s	1	0	1	0	6	1	1	4
<u>send the email</u>	0.038 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>Retrieve the Booking</u>	<u>Navigate to Booking Inquiry page and retrieve the booking</u>
2	<u>BL preview and save pdf</u>	<u>Click the BL preview and save the BL print as PDF</u>
3	<u>send the email</u>	<u>send the email to the given mail id</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	1	1	0	0	1	1	0	0
@BookingInquiry	1	0	1	0	1	0	1	0
@BLPreview	1	0	1	0	1	0	1	0
@emailsend	1	0	1	0	1	0	1	0



#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Login to LMS</u>	1	1	0	0	1 m 0.440 s
2	<u>Retrieve the Booking</u>	1	0	1	0	0.049 s
3	<u>BL preview and save pdf</u>	1	0	1	0	0.038 s
4	<u>send the email</u>	1	0	1	0	0.038 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to LMS</u>	<u>Login to LMSTEST with valid credentials</u>	4	4	0	0	1 m 0.407 s
2	<u>Retrieve the Booking</u>	<u>Navigate to Booking Inquiry page and retrieve the booking</u>	6	5	1	0	0.049 s
3	<u>BL preview and save pdf</u>	<u>Click the BL preview and save the BL print as PDF</u>	6	1	1	4	0.038 s
4	<u>send the email</u>	<u>send the email to the given mail id</u>	4	3	1	0	0.038 s

Login to LMS



<div>PASSED</div>	<div>DURATION - 1 m 0.440 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>
<div>/ 4:30:39.984 PM // 4:31:40.424 PM /</div>					

Login to LMSTEST with valid credentials



<div>PASSED</div>	<div>DURATION - 1 m 0.407 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:30:40.017 PM // 4:31:40.424 PM /</div>				
<div>Login to LMS</div>				
<div>@Login</div>				

#	Step / Hook Details	Status	Duration
1	Given User need to load the LMSTEST environment	PASSED	24.369 s
2	When user enter the valid username and password	PASSED	0.002 s
3	And click on the login button	PASSED	0.001 s
4	Then user should see the mainpage of the LMSTEST environment	PASSED	0.092 s

Retrieve the Booking

<div>FAILED</div> <div>DURATION - 0.049 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>	
/ 4:31:40.433 PM // 4:31:40.482 PM /									



Navigate to Booking Inquiry page and retrieve the booking

<div>FAILED</div>	<div>DURATION - 0.049 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:31:40.433 PM // 4:31:40.482 PM /</div>				
<div>Retrieve the Booking</div>				
<div>@BookingInquiry</div>				



#	Step / Hook Details	Status	Duration
1	Given Select the office code	PASSED	0.001 s
2	When click on the Booking & Documentation under service management	PASSED	0.001 s
3	And click the Booking Inquiry tab	PASSED	0.001 s
4	Then user should see the Booking Inquiry page	PASSED	0.001 s
5	And enter the booking number in BKG NO field and click retrieve	PASSED	0.000 s
6	And user should see the booking information org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, findElement {using=name, value=bkg_no}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NARMAN\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53661}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53661/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at StepDefinitions.Booking_Inquiry_retrieve.user_should_see_the_booking_information(Booking_Inquiry_retrieve.java:124) at ?.user should see the booking information(file:///D:/testing/Automation/eclipse_workspace/LMSusingCucumber/src/test/java/Features/2.Booking_Inquiry.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
	AFTER_STEP - StepDefinitions.CommonStepdefinitions.takescreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.1', revision:		

#	Step / Hook Details	Status	Duration
	'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NARMAN\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53661}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53661/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.CommonStepdefinitions.takescreenshot(CommonStepdefinitions.java:81)		

BL preview and save pdf

FAILED	DURATION - 0.038 s	Scenarios		Steps	
/ 4:31:40.563 PM // 4:31:40.601 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



Click the BL preview and save the BL print as PDF

<div>FAILED</div> <div>DURATION - 0.038 s</div>		<div></div>	Steps	<div></div>
<div>/ 4:31:40.563 PM // 4:31:40.601 PM /</div>			Total - 6	
<div>BL preview and save pdf</div>			Pass - 1	
<div>@BLPreview</div>			Fail - 1	
			Skip - 4	



#	Step / Hook Details	Status	Duration
1	Given Click on the BL preview	PASSED	0.002 s
2	When user should see the BL print preview page	FAILED	0.002 s
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, getWindowHandles {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NARMAN\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53661}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53661/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandles(RemoteWebDriver.java:454) at CommonUtils.commonUtils.windowhandling(commonUtils.java:103) at StepDefinitions.BLpreview_save.user_should_see_the_bl_print_preview_page(BLpreview_save.java:50) at ?.user should see the BL print preview page(file:///D:/testing/Automation/eclipse_workspace/LMSUsingCucumber/src/test/java/Features/3.BLpreview_and_Save.feature:6) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - StepDefinitions.CommonStepdefinitions.takescreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NARMAN\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53661}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53661/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.CommonStepdefinitions.takescreenshot(CommonStepdefinitions.java:81) </p>		

#	Step / Hook Details	Status	Duration
3	And click on the charge type as all	SKIPPED	0.001 s
4	Then click on the print button	SKIPPED	0.000 s
5	And system should take the screenshot	SKIPPED	0.000 s
6	And cancel the print page	SKIPPED	0.000 s

send the email

FAILED	DURATION - 0.038 s	Scenarios		Steps	
/ 4:31:40.608 PM // 4:31:40.646 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

send the email to the given mail id

FAILED	DURATION - 0.038 s		Steps	
/ 4:31:40.608 PM // 4:31:40.646 PM /				
send the email				
@emailsend				

#	Step / Hook Details	Status	Duration
1	Given Click on the email button	PASSED	0.001 s
2	When enter the valid email id	PASSED	0.001 s
3	And click on the send button	PASSED	0.002 s
4	Then accept the email sent alert	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NARMAN\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53661}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53661/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		

#	Step / Hook Details	Status	Duration
	<pre> true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1079) at StepDefinitions.email_Send.accept_the_email_sent_alert(email_Send.java:75) at ?.accept the email sent alert(file:///D:/testing/Automation/eclipse_workspace/LMSusingCucumber/src/test/java/Features/4.email_send. feature:8) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - StepDefinitions.CommonStepdefinitions.takescreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.9.1', revision: 'eb2032df7f' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\NARMAN\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:53661}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53661/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at StepDefinitions.CommonStepdefinitions.takescreenshot(CommonStepdefinitions.java:81) </pre>	FAILED	0.002 s