

React Multiple Choice Questions for College Intern Evaluation

Table of Contents

Beginner Level	1
Medium Level	2

Beginner Level

1. What is React?

a) A database b) A JavaScript library for building user interfaces c) A web server d) An operating system

1. Which company developed React?

a) Google b) Microsoft c) Facebook d) Oracle

1. What is JSX in React?

a) A database language b) A CSS framework c) A syntax extension that allows writing HTML-like code in JavaScript d) A testing tool

1. Which command is commonly used to create a React application?

a) create-react-app myapp b) react-create myapp c) npm-react myapp d) react init myapp

1. What is a React component?

a) A database table b) A reusable piece of UI c) A CSS file d) A web server

1. Which of the following is used to pass data from a parent component to a child component?

a) State b) Props c) Event d) Hook

1. What is the correct way to display a JavaScript variable in JSX?

a) `<p>name</p>` b) `<p>(name)</p>` c) `<p>{name}</p>` d) `<p>[name]</p>`

1. Which hook is used to manage state in a functional component?

a) useEffect b) useState c) useRef d) useMemo

1. What is the default file used as the entry point in most React applications?

a) index.js b) app.js c) home.js d) start.js

1. Which attribute is used instead of "class" in JSX?

a) styleClass b) cssClass c) className d) class

1. React applications are primarily written using:

a) Java b) Python c) JavaScript d) SQL

1. Which symbol is used to embed JavaScript expressions in JSX?

a) () b) [] c) {} d) <>

1. What is the purpose of state in React?

a) To store component data b) To create routes c) To style components d) To connect databases

1. Which file usually contains the root React component?

a) package.json b) App.js c) index.html d) styles.css

1. Which function is used to render a React application?

a) React.render() b) renderApp() c) createRoot().render() d) startReact()

Medium Level

1. What is the purpose of the useEffect hook?

a) To create components b) To manage state c) To perform side effects d) To create routes

1. Which hook is used to reference a DOM element directly?

a) useState b) useEffect c) useRef d) useContext

1. What is the purpose of the key prop in React lists?

a) To style elements b) To uniquely identify elements c) To pass data d) To create state

1. Which method is commonly used to render a list of items in React?

a) forEach() b) map() c) filter() d) reduce()

1. What will happen when state is updated in a React component?

a) The application restarts b) The component re-renders c) The component is deleted d) The browser refreshes

1. Which hook is used to share data globally without passing props through multiple levels?

a) useState b) useRef c) useContext d) useMemo

1. What is the purpose of React Fragment?

a) To create routes b) To group multiple elements without adding extra DOM nodes c) To store state
d) To create hooks

1. Which hook is used to optimize expensive calculations by memoizing values?

a) useEffect b) useContext c) useMemo d) useRef

1. What is a controlled component in React?

a) A component managed by React state b) A component managed by CSS c) A component managed by the browser only d) A component managed by Redux

1. Which hook is used to store mutable values that do not cause re-renders?

a) useState b) useRef c) useEffect d) useContext

1. What is the purpose of dependency arrays in useEffect?

a) To store component state b) To control when the effect runs c) To define routes d) To create props

1. What is the virtual DOM?

a) A copy of the real DOM maintained by React b) A database c) A browser extension d) A CSS framework

1. Which of the following best describes props?

a) Mutable data within a component b) Read-only data passed to a component c) Database records
d) Event handlers

1. What is React Router primarily used for?

a) Database connectivity b) Styling c) Navigation between pages/views d) Form validation

1. Why should keys be unique when rendering lists?

a) To improve React's rendering and reconciliation process b) To increase CSS performance c) To enable routing d) To prevent JavaScript errors