


# Html Structure And Tags

**HTML:-** HTML stands for (HYPER TEXT MARKUP LANGUAGE). The following are the general structure of html. This is mainly used to interact with the browser.

- Father of internet and html is **TIM BERNERS LEE.**



## 1.1. STRUCTURE OF HTML

- Now we discuss deeply about the structure and tags of html.

HTML is mainly used for how to display the content, including formatting style, and images.

- There are generally two types of tags are there in HTML.
- They are
  1. Paired Tags
  2. Empty Tags
- Now we discuss about these two tags

**1.Paired Tags:-** These tags come in pairs i.e. they have both opening(<>) and closed (</>) tags.

**2.Empty Tags:-** These tags are self closing tags. And do not require a closing tag.

EX:- <!DOCTYPE html>

```
<html>

    <head>

        <tittle>-----</tittle>

    </head>

    <body>

        <p>-----</p>

    </body>

</html>
```

**1.<!DOCTYPE html> :-** This statement is used for the browser using the which version of HTML. And the latest version of html is html-5.

**2.HTML :-** HTML tag is used to define the document is html file. And it starts with <html> and ends with </html> tags.

**3.HEAD:-** Head tag is used for the purpose of define the head part of html. This part will start with <head> and ends with </head> tags.

**4.BODY:-** Body tag is used to write the content of the document. And it defines the body part of the document. This part will be start with <body> and ends with </body> tags.

**5. HEADING TAGS:-** Heading tags are used for define heading of the document. There is more then one heading. These following are the heading tags used in html. They are <h1>,<h2>,<h3>,<h4>,<h5>,<h6> these are generally used heading tags.

**6.PARAGRAPH TAGS:-** Paragraph tags are used to write the content of the document in paragraphs. These paragraph tags are starts with <p> and ends with </p> tags.

**7. LINE BREAK TAGS:-** Line break tags are generally used for break the text in the line where you want in the document. And the line break tag is starts with <br> and end with </br> tags.

**8. BOLD TAG:-** This bold tag is used in html for define the content of the document in bold format. And bold tag starts with <b> and ends with </b> tags.

**9.ITALIC TAG:-** this italic tag is used in html for the purpose of defining the content of document in italic format. And italic tag starts with <i> and ends with </i> tags.