

# Indian Institute of Technology Hyderabad

## Deep Learning (AI2100/AI5100): Assignment-2

Topic: Convolutional Neural Networks

Assigned on: 13<sup>th</sup> February, 2023

Deadline: 27<sup>th</sup> February, 2023

Maximum Marks: 40

## 1 Instructions

- Answer all questions. We encourage best coding practices by not penalizing (i.e. you may not get full marks if you make it difficult for us to understand. Hence, use intuitive names for the variables, and comment your code liberally. You may use the text cells in the notebook for briefly explaining the objective of a code cell.)
- It is **expected** that you work on these problems individually. If you have any doubts please contact the TA or the instructor no later than 2 days prior to the deadline.
- You may use built-in implementations only for the basic functions such as `sqrt`, `log`, etc. from libraries such as `numpy` or `PyTorch`. Other high-level functionalities are expected to be implemented by the students. (Individual problem statements will make this clear.)
- For plots, you may use `matplotlib` and generate clear plots that are complete and easy to understand.
- You are expected to submit the Python Notebooks saved as `<your-roll-number>.ipynb`
- If you are asked to report your observations, use the mark down text cells in the notebook.

## 2 Problems

1. **Convolution function:** It accepts an image input, a filter kernel, stride, padding and the non-linear function. The function must convolve the input image (after padding if specified) with the kernel (at the specified stride size) and generate an output activation after applying the specified non-linearity. Verify with the standard options for the non-linear activation functions - sigmoid, tanh, ReLU, Parametric ReLU (PReLU). Display the input image (e.g. small image of the IITH logo), the filter kernel and the output activation map. Ensure that your function can accept multi-channel input and a corresponding kernel volume. (6)
2. **Pooling function:** It accepts as input the activation map output from the convolution function, a pooling function, and stride. The function must output the appropriately pooled activation map. Display the input activation map and the pooled output. (3)
3. **Convolution layer function:** It accepts as input a volume (image or activation maps), number of filters, kernel dimensions, stride, padding and the non-linear function. The function must convolve the input volume (after padding if specified) with each of the kernels (at the specified stride size) and generates an output activation volume after applying the specified non-linearity. Display the input image or activation maps, the filter kernels and the output activation maps. Verify that the output of this function does indeed have the expected size ( $W \times H \times C$ ) as discussed in class. (3)
4. **Pooling layer function:** It accepts as input the activation map volume, the pooling function, stride, and generates a pooled output volume. Display the input and output volumes. A special case for performing Global Average Pooling should also be provided. (4)
5. **Flattening** (unraveling) function: It accepts as input the activation map volume output by the pooling layer and generates a vector of a specified size. It is important to note that this function has a weight matrix associated with it whose size is chosen such that the input and desired output sizes are matched. (2)

6. **Multilayer Perceptron (MLP) function:** It accepts as input a vector, the number of hidden layers, the size of each hidden layer, the non-linear function, and the size of the output layer. This function should generate an output vector of the specified size. Generate the output with and without the softmax function applied to the output layer. (5)
7. **Feed-forward path:** Finally, use the functions you have written to implement a CNN with the following architecture. The CNN must accept an image input and output a vector of appropriate dimension. In other words, the function must effectively implement the feed-forward path in a CNN. (12)
- Input image of size  $32 \times 32 \times 3$ . Use images from the CIFAR-10 dataset.
  - Convolution layer with 16 kernels of size  $3 \times 3$  spatial dimensions and sigmoid activation.
  - Max pooling layer of size  $2 \times 2$  with a stride of 2 along each dimension.
  - Convolution layer with 8 kernels of spatial size  $3 \times 3$  and sigmoid activation.
  - Max pooling layer of size  $2 \times 2$  with a stride of 2 along each dimension.
  - A Global Average Pooling (GAP) layer.
  - An MLP with one hidden layer (size same as input) that accepts as input the previous layer's output and maps it to 10 output nodes. Use sigmoid activation for the MLP (softmax in the o/p layer).

Verify that your composition of function accepts and image input and outputs a vector.

8. (a) Choose an image from each of the 10 classes and display the output vector for each case. Do you see any trend in the output vectors? (2)
- (b) Does a randomly initialized network show any discriminability? Visualize (plot) the bottleneck layer (output of flattening layer) using PCA (builtin function) in 2D. Choose three images per class from CIFAR-10. (3)