



# SHASHI CORPORATION

Shashi Corporation international market  
by materializing on their strength and  
experience by exporting Fibres, Yarn  
and Fabric Since 1979.

KHANDELWAL TRADERS  
VISHAKHA ENTERPRISES  
KHANDELWAL POLYESTER PVT LTD  
SHREE SHYAM TRADING CO

## About Us

Shashi Corporation was founded in 1979 by Rajgopal Khandelwal under the trade name of “Khandelwal Traders” with an initial focus on yarns and gradually expanding domestically into fibres and fabrics.

Under the able leadership of Mr. Rajgopal Khandelwal, Shashi Corporation ventured into the international markets in 2000 by leveraging their core strength and experience in Fibres, Yarn and Fabrics. The company further grew and new companies were set up to focus on various business lines are as.

KHANDELWAL TRADERS  
VISHAKHA ENTERPRISES  
KHANDELWAL POLYESTER PVT LTD  
SHREE SHYAM TRADING CO

## Our Experienced Team

Name	Designation In Company
RAJGOPAL KHANDELWAL	FOUNDER & CHAIRMAN OF SHASHI CORPORATION GROUP COMPANIES
NARESH KHANDELWAL	CO-FOUNDER OF SHASHI CORPORATION GROUP COMPANIES
RAHUL KHANDELWAL	OPERATIONS AND SALES, PARTNER IN GROUP COMPANIES
HIMANSHU GANDHI	CEO of VISHAKHA ENTERPRISES
SUSHIL DEORA	CEO OF SHREE SHYAM TRADING COMPANY
RONAK DEORA	OPERATIONS AND SALES, PARTNER IN SHREE SHYAM TRADING COMPANY
KAMAL DIXIT	HEAD OF EXPORTS, SHASHI CORPORATION





## Product Range

### FIBERS

COTTON  
COMBER NOIL  
VISCOSE  
POLYESTER  
ACRYLIC

### YARNS

100% COTTON  
BLENDED  
ORGANIC  
MICRO MODAL  
ZERO TWIST  
BAMBOO  
FLEX  
CORE SPUN  
RECYCLED  
ELI TWIST  
NYLON  
HANK  
SYNTHETIC RING SPUN  
SEWING THREAD  
DYED & MELANGE  
FILAMENT & TEXTURIZED  
GASSED & MERCERIZED  
BETTER COTTON INITIATIVE  
BULK CONTINUOUS FILAMENT  
100% COTTON CONTAMINATION FREE


### FABRICS

KNITTED  
WOVEN  
ORGANIC

## Infrastructure

Today, Shashi Corporation is manufacturing Yarns & Fabric by blending Reliability – Honesty - Integrity and is present across the globe with a strong foothold on China, Bangladesh, Egypt, Kenya, Pakistan, Portugal, Spain, Mauritius, Morocco, Thailand, Vietnam, Sri Lanka, Peru, Mexico, Brazil and so on.

The production and quality control functions are located out of Silvassa, Daman, Gujrat, Andhra Pradesh and Tamil Nadu in India and the company boasts of a whopping 1,10,000 spindles running day in, day out on commission spinning.



# Fibre

## Polyester Staple Fiber

Polyester Staple Fiber (PSF) is somewhat Polyester Fiber made directly from PTA and MEG or PET Chips or from Recycled PET Bottle Flakes. PSF produced using PTA and MEG or PET Chips is known as Virgin PSF and PSF produced using Recycled PET Flakes is called Recycled PSF. 100% virgin PSF is typically unreasonable than recycled PSF and is also more hygienic. Polyester Staple Fiber is generally used in spinning, weaving non-woven.

### Type

Virgin Solid SD RW  
Virgin Solid SD Dope Dyed Black  
Virgin Hollow Conjugate Silicone  
Recycle Solid SD RW  
Recycle Solid SD Black  
Recycle Solid SD Dope Dyed Colors  
Recycle Hollow Conjugate Silicone  
Recycle Hollow Conjugate Non-Silicone  
Semi Virgin Hollow Silicone  
Semi Virgin Hollow Non-Silicone  
Low Melt Fiber

SD – SEMIDULL

HCS – HOLLOW CONJUGATE SILICONISED

SDOB – SEMIDULL OPTICAL BRIGHT

HCNS – HOLLOW CONJUGATE NON SILICONISED

### Denier

1.2, 1.4, 1.5  
1.2, 1.4, 1.5  
6D – 15D  
1.4 – 15D  
1.4 – 15D  
1.4 – 15D  
6D – 15D  
6D – 15D  
6D – 15D  
6D – 15D  
4D



## Raw Cotton

### Variety

### Grade

### General Specifications

Shankar – 6 (S-6)

Midling to good midling

Staple Length 28 – 30 mm  
UR 48 – 49  
Micronaire 3.8 – 4.3  
Strength 28 – 30 GPT  
Trash % 2.5

MECH

Lower to midling

Staple Length 28 – 30 mm  
UR 47 – 48  
Micronaire 3.5 – 4.3  
Strength 27 – 28 GPT  
Trash % 3.0

MCU-5

Midling to good midling

Staple Length 32 – 33 mm  
UR 48 – 49  
Micronaire 3.5 – 4.0  
Strength 3.0 – 31 GPT  
Trash % 3.0

BUNNY


Midling to good midling

Staple Length 29 – 31 mm  
UR 48 – 49  
Micronaire 3.5 – 4.3  
Strength 29 – 30 GPT  
Trash % 3.0

J-34

Midling to good midling

Staple Length 27 – 28 mm  
UR 47 – 48  
Micronaire 3.9 – 4.6  
Strength 27 – 29 GPT  
Trash % 3.5-4.5





## Imported Raw Cotton

African Raw Cotton

West African Raw Cotton

We offer all varieties of West African Raw Cottons namely :

Mali/Jvllis Raw Cotton

Burkinafaso Raw Cotton

Ivory Coast Raw Cotton

Nigeria Raw Cotton

EAS- Tanzania Mozambique

DCHAD Raw Cotton

Benin

Cameroon

Togo

Zimbabwe

Brazil

1-3-32" / 1-1-8" from Matto Grosso, Bahia & Goais

U.S.A

Pima, SJV Acala, SJV Ultima, C/A, MOT, Memphis/Eastern in specified length & grade.







## Cotton Waste

### Comber Noil (Bleached & Unbleached)

#### Quality Parameters Of Comber Noil


2.5% SL	19.00
50% SL	8.20
UR%	45.24
SFI	24.11
MIC	3.40
TRASH %	0.28

We provide one of the finest qualities Comber Noil. Comber Noil is a by-product of the yarn spinning process, produced when cotton is combed in comber machine to remove short fibers. Because of comber noil being trash free, it can be used for a number of purposes like, manufacturing of pharmaceutical and surgical cotton. Besides this comber noil is also be used in yarn production.

We can also offer you Bleached Comber Noil. It is ideal for making cotton balls, cotton buds and cotton pads. It is manly used in cosmetic field. It is highly hygiene and therefore is appreciated by our clients.

All waste is collected by pneumatic waste collection system and converted into bales. As all preparatory machine used in all th four spinning mills is state of the art, the quality of comber noil is very good.

We are producing world class quality yarn that matches with USTER 5% LEVEL. It is mainly due to best variety of cotton. No doubt we are taking special care of contamination during selection of cotton. For your guidance parameters of Comber Noil are as under :



## Flat (Upper Carded Waste)

Cotton flat is also a by-product of the yarn spinning process, produced in first carding machine. This fiber length is usually longer but has higher trash as compared to comber noil.

Products	Length	Micronaire	Strength	Trash
Flat(A)	20-26 mm	3.0-4.0	22+	4-6%
Falt(B)	20-26 mm	3.0-4.0	22+	8-11%
Flat	20-26 mm	3.0-4.0	22+	15%

## Dropping (Lower Carding Waste)

Droppings or lower carding waste are high in trash. Cotton dropping is obtained during yarn manufacturing. Its low cost and less fiber content makes it ideal for spinning low count yarn.

Products	Length	Micronaire	Trash
Dropping	15-16 mm	3.0-3.5	25%

## Clean Licker-in

Products	Length	Micronaire	Trash
licker-in	19-20 mm	3.0-3.5	16%

## Cotton Yarn Hard Waste

We are the leading Cotton Yarn Waste Suppliers in India. We can offer wide range of cotton yarn that is widely acknowledged for its innumerable uses.

## Cotton Hard / Cotton Yarn Waste / Cotton Thread Waste

COUNTS : 20 TO 50's

## Cotton Hard / Cotton Yarn Waste / Cotton Thread Waste

MOQ: 25 TONS  
QUALITY: SUPERIOR  
DELIVERY: 15 DAYS



## Acrylic Fibre

### Fibre Grey / Dyed

#### Micro Denier

0.9,1.2,1.5 D

#### Normal Denier

2.0 to 5.0 D

#### Coarse Denier

6.0 to 15.0 D

Packing details: 25 metric tons per 40 FT GP Container, Total number of bales in 1 container: 80, Weight per bale: 325 Kg +/- 20 Kg

### Normal Bright Staple Fibre

#### Property

15.0D\*BRT 10.0D\*BRT 9.0D\*BRT 8.0D\*BRT 7.0D\*BRT

#### Denier

15.0 ± 1.5 10.0 ± 1.0 9.0 ± 0.9 8.0 ± 0.8 7.0 ± 0.7

#### Tenacity (gm./dn)

1.5 ± 0.3 2.2 ± 0.3 2.2 ± 0.3 2.8 ± 0.3 3.0 ± 0.3

#### Elongation %

70 ± 10 60 ± 10 65 ± 10 55 ± 10 55 ± 10

### Normal Bright Staple Fibre (Shrinkable)

#### Property

0.90D\*BRT 1.5D\*BRT 2.0D\*BRT 3.0D\*BRT 5.0D\*BRT 6.0D\*BRT

#### Denier

0.90 ± 1.5 1.5 ± 0.20 2.0 ± 0.20 3.0 ± 0.30 5.0 ± 0.50 6.0 ± 0.60

#### Tenacity (gm./dn)

3.3 ± 0.3 3.3 ± 0.3 2.9 ± 0.3 2.8 ± 0.3 3.3 ± 0.3 2.2 ± 0.3

#### Elongation %

20 ± 6 30 ± 6 30 ± 6 34 ± 6 20 ± 6 50 ± 6

## Acrylic Fibre

### Semi Dull Luster Staple Fibre (Non Shrinkable)

Property	15.0D*SD	10.0D*SD	9.0D*SD	8.0D*SD	7.0D*SD
Denier	$15.0 \pm 1.5$	$10.0 \pm 1.0$	$9.0 \pm 0.9$	$8.0 \pm 0.8$	$7.0 \pm 0.7$
Tenacity (gm./dn)	$1.5 \pm 0.3$	$2.2 \pm 0.3$	$2.2 \pm 0.3$	$2.7 \pm 0.3$	$3.0 \pm 0.3$
Elongation %	$60 \pm 10$	$60 \pm 10$	$60 \pm 10$	$50 \pm 10$	$50 \pm 10$

### Normal Bright Staple Fibre (Non Shrinkable)

Property	0.90D*Brt	1.2D*B3rt	1.5D*Brt	2.0D*T	3.0D*T
Denier	$0.90 \pm 1.5$	$1.2 \pm 0.15$	$1.5 \pm 0.2$	$2.0 \pm 0.2$	$3.0 \pm 0.3$
Tenacity (gm./dn)	$3.3 \pm 0.3$	$3.3 \pm 0.3$	$3.3 \pm 0.3$	$2.9 \pm 0.3$	$2.8 \pm 0.3$
Elongation %	$30 \pm 6$	$30 \pm 6$	$32 \pm 6$	$36 \pm 6$	$40 \pm 6$

## Yarn - Raw White & Dyed

We Have Being Marketing Finest Quality Cotton And Yarn  
& Have Reached Across The Border Many Nation Around The GLOBE

### 100% Cotton Yarns

Type Of Yarn	Count Range	Type	Application
Compact Spun Yarn	Ne 20/1 to Ne 120/1	Single / Multifold	Weaving & Knitting
Combed Ring Spun Yarn	Ne 12/1 to Ne 100/1	Single / Multifold	Weaving & Knitting
Carded Ring Spun Yarn	Ne 6/1 to Ne 40/1	Single / Multifold	Weaving & Knitting
Open End Yarns	Ne 6/1 to Ne 24/1	Single / Multifold	Weaving & Knitting
Speciality Cotton Yarns (Gassed & Mercerized)	Ne 20/1 to 100/1	Single / Multifold	Weaving & Knitting

### Blended Yarns

Type Of Yarn	Count Range	Blend	Blend %	Type	Application
CARDED RING YARN	Ne 10/1 to Ne 40/1	PV, PC , CVC , Cotton / Viscose , Cotton	52-48, 50-50, 65-35, 60-40, 80-20	Single / Multifold	Weaving & Knitting
COMBED RING YARN	Ne 12/1 to Ne 40/1	PV, PC , CVC , COTTON VISCOSE , COTTON / SPANDEX	2-48, 50-50, 65-35, 60-40, 80-20	Single / Multifold	Weaving & Knitting
OPEN END YARN	Ne 6/1 to 24/1	PC , CP , CVC	80-20, 52-48, 65-35, 60-40, 50-50	Single	Weaving & Knitting



## Synthetic Ring Spun Yarns

Type Of Yarn	Count Range	Type	Application
100% Polyester ( Virgin / Close Virgin)	Ne 20/1 to 40/1	Single / Multifold	Weaving & Knitting
100% Viscose / Rayon	Ne 20/1 to Ne 40/1	Single / Multifold	Weaving & Knitting

## Filament And Texturized Yarns

Type Of Yarn	Count Range	Type	Application
Poylester Texturized Yarns (DTY)	75D to 600D in various lusters- Semi Dull, Full Dull, Bright and Dope Dyed.	Single / Multifold	Weaving & Knitting
FDY	75D to 400D in various lusters- Semi Dull, Full Dull, Bright and Dope Dyed.	Single / Multifold	Weaving & Knitting
POY	50D to 700D in various lusters- Semi Dull, Full Dull, Bright and Dope Dyed.	Single / Multifold	Weaving & Knitting





## Dyed & Melange Yarns

Type Of Yarn	Count Range	Type	Application
Melange Yarns in 100% Cotton & blends of Viscose / Polyester / Acrylic / Modal	Ne 20/1 to Ne 40/1 Combed, Carded & Compact.	Single / Multifold	Weaving & Knitting
Dyed Yarns	Ne 20/1 to Ne 40/1 Combed, Carded & Compact	Single / Multifold	Weaving & Knitting

## Bamboo Yarns

Type Of Yarn	Count Range	Type	Application
100% Bamboo Yarns	Ne 20/1 to Ne 40/1.	Single / Multifold	Weaving & Knitting

## Core spun Yarns

Type Of Yarn	Count Range	Type	Application
Cotton Yarn with Spandex	Ne 20/1 to Ne 40/1 in various Denier Spandex (Carded & Combed).	Single	Weaving & Knitting

## Flex Yarns

Type Of Yarn	Count Range	Type	Application
Cotton Linen Ring Spun Yarns	Ne 16/1 to Ne 40/1	Single / Multifold	Weaving & Knitting



## Recycle Yarns

Type Of Yarn	Count Range	Type	Application
Recycled Open End Yarns (Invarious colours)	Ne 10/1 to Ne 30/1	Single / Multifold	Weaving

## Eli Twist Yarns

Type Of Yarn	Count Range	Type	Application
Eli Twist in Cotton, Polyester &Viscose	Ne 20/1 to Ne 100/1	Multifold	Weaving & Knitting

## Nylon Yarns

Nylon Yarn	Denier	Type	Application
Nylon 6	Ne 400 - 2200	Single / Multifold	Weaving & Knitting
Nylon 6.6	Ne 400 - Ne 2200	Single / Multifold	Weaving & Knitting





## Our Range Of Niche & Special Yarns

### Organic Yarn

Type Of Yarn	Count Range	Type	Application
Carded	Ne 16/1 to Ne 40/1	Single	Weaving & Knitting
Combed	Ne 16/1 to Ne 40/1	Single	Weaving & Knitting

### Better Cotton Initiative

Type Of Yarn	Count Range	Type	Application
BCI Carded	Ne 16/1 to Ne 40/1	Single	Weaving & Knitting
BCI Combed	Ne 16/1 to Ne 40/1	Single	Weaving & Knitting

### GASSED & MERCERIZED YARN

Type Of Yarn	Count Range	Type	Application
GASSED & MERCERIZED YARN	Ne 20/1 to Ne 100	Single / Multifold	Weaving & Knitting

### BAMBOO YARN

Type Of Yarn	Count Range	Type	Application
100% BAMBOO YARN	Ne 20/1 to Ne 40/1	Single / Multifold	Weaving & Knitting

## Our Range Of Niche & Special Yarns

100% cotton Contamination free

Type Of Yarn	Count Range	Type	Application
GIZA combed compact	Ne 40/1 to Ne 100/1	Single	Weaving & Knitting
SUPIMA combed compac	Ne 30/1 to Ne 160/1	Single	Weaving & Knitting
AUSTARLIAN combed compact	Ne 30/1 to 60/1	Single	Weaving & Knitting
OE yarn	Ne 6/1 to 60/1	Single / Multifold	Weaving & Knitting

## BULK CONTINUOUS FILAMENT

POLYMER	DENIER RANGE	FILAMENT RANGE	VARIANTS	CROSS SECTIONIANTS
PET	900-3000	Ne 120/1 to Ne 360/1	SD,SB	CONCAVE TRILOBAL
PP	900-3000	Ne 144/1 to Ne 240/1	SD	CONCAVE DELTA TRILOBAL
PA6	900-3000	Ne 68/1 to Ne240/1	SD,SB	TRILOBAL



## MICRO MODAL Yarn

Type Of Yarn	Count Range	Type	Application
100% MICRO MODAL Yarn	Ne 20/1 to Ne 40/1	Single / Multifold	Weaving & Knitting

## Hank Yarn

Type Of Yarn	Count Range	Type	Application
Hank Yarn	Ne 6/1 to Ne 100/1	Single / Multifold	Weaving & Knitting

## Zero Twist Yarn

Type Of Yarn	Count Range	Type	Application
Zero Twist Yarn	Ne 10/1 to Ne 24/1	Single	Weaving

## Sewing Thread

Type Of Yarn	Count Range	Type	Application
SEWING THREAD (Bright,SemiDull,Optical)	Ne 10/1 to Ne 80/1	Multifold	Weaving & Knitting





# Fabrics

## Wooven Fabrics

### TYPES OF FABRIC

100% COTTON  
100% RAYON / VISCOSE  
100% MODAL

### TYPE OF LOOM USED

AIRJET, SUZLER , WATERJET

### YARN COUNT IN WARP & WEFT

OE 6/1 TO OE 24/1  
CARDED 12/1 TO CARDED 40/1  
COMBED 20/1 TO COMBED 60/1  
COMPACT 30/1 TO COMPACT 140/1

### WIDTH

48" TO 128"

### PACKING

ROLLS & BALES

### WEAVES

NUMBERED DUCKS  
PLAIN  
Twill  
SATIN  
POPLINS  
DROP CLOTHS  
SHEETINGS

### END USE OF PRODUCT

SHIRTS  
TROUSERS  
BED SHEETS  
QUILTS  
PILLOWS  
HOME TEXTILES



# Fabrics

## KNITTED FABRICS

### TYPES OF FABRIC

100% COTTON WITH/WITHOUT SPANDEX.

### TYPES OF KNITTING MACHINE USED.

MAYER & CIE  
TERROT

### YARN COUNT

CARDED 16/1 – 40/1  
COMBED 20/1 – 50/1  
COMPACT 20/1 – 60/1

### LYCRA & SPANDEX

ALL FEEDER  
ALTERNATE FEEDER

### KNIT

SINGLE JERSEY  
INTERBLOCK  
1 X 1  
2 X 1  
2 X 2

### END USE OF PRODUCT

END USE OF PRODUCT  
MENS WEAR  
LADIES WEAR  
BABY WEAR  
SPORTS WEAR

## DENIM FABRICS

### TYPES OF FABRIC

100% COTTON (WITH OR WITHOUT SPANDEX)

### YARN COUNT IN WARP & WEFT

OE X OE COUNTS 7/1 – 20/1

### WEIGHT

AS PER BUYERS REQUEST.

### PACKING

ROLLS

### END USE OF PRODUCT

DENIM JEANS  
DENIM SHIRTS  
OTHER DENIM PRODUCTS



Shashi Corporation international market by materializing on their strength and experience by exporting Fibres, Yarn and Fabric Since 1979.

Address: 107, Morya Classic 1st Floor, Near Infiniti Mall, Off Link Road,  
Andheri West, Maharashtra 400053

Phone: +91 93214 24422

Mail US : [info@shashicorporation.in](mailto:info@shashicorporation.in)