

[HOME](#) [TOP](#) [CATALOG](#) [CONTESTS](#) [GYM](#) [PROBLEMSET](#) [GROUPS](#) [RATING](#) [EDU](#) [API](#) [CALENDAR](#) [HELP](#)
[PROBLEMS](#) [SUBMIT CODE](#) [MY SUBMISSIONS](#) [STATUS](#) [STANDINGS](#) [CUSTOM INVOCATION](#)

B. Count the Inversion Revisited

time limit per test: 1 second

memory limit per test: 256 megabytes

Forbidden Keywords for the Quiz: open, file, creat(, fstream, thread, process, system(, exec(

You are given an array A of N integers. Find the number of pairs of indexes (i, j) such that $i < j$ and $A[i] > A[j]^2$.

Input

The first line contains an integer N ($1 \leq N \leq 10^5$) — denoting the length of the list.

In the next line, there will be N integers $a_1, a_2, a_3 \dots a_n$ ($-10^6 \leq a_i \leq 10^6$) separated by spaces.

Output

Output a single integer - number of such pairs.

Examples

input	Copy
6 10 2 5 1 -2 25	
output	Copy
6	
input	Copy
5 5 4 3 -2 -1	
output	Copy
4	

CSE221 Assignment 03 Summer 2026

Contest is running

3 days

Contestant



→ Submit?

Language: Java 21 64bit

Choose file: Choose File No file chosen



Success!



Submit

Codeforces (c) Copyright 2010-2026 Mike Mirzayanov

The only programming contests Web 2.0 platform

Server time: Jul/09/2026 14:46:35^{UTC+6} (11).

Desktop version, switch to [mobile version](#).

[Privacy Policy](#) | [Terms and Conditions](#)

Supported by

