

[HOME](#) [TOP](#) [CATALOG](#) [CONTESTS](#) [GYM](#) [PROBLEMSET](#) [GROUPS](#) [RATING](#) [EDU](#) [API](#) [CALENDAR](#) [HELP](#)
[PROBLEMS](#) [SUBMIT CODE](#) [MY SUBMISSIONS](#) [STATUS](#) [STANDINGS](#) [CUSTOM INVOCATION](#)

D. Longest Subarray Sum

time limit per test: 1 second

memory limit per test: 256 megabytes

Forbidden Keywords for the Quiz: open, file, creat(, fstream, thread, process, system(, exec(

You are given an array of N integers and an integer K . Your task is to find the length of the longest contiguous subarray whose sum is less than or equal to K .

Input

The first line contains two integers N ($1 \leq N \leq 10^5$) and K ($1 \leq K \leq 10^9$) — the size of the array and the maximum allowed sum.

The second line contains N space-separated integers $a_1, a_2, a_3 \dots a_n$ ($1 \leq a_i \leq 10^6$) — the elements of the array.

Output

Print a single integer — the length of the longest contiguous subarray whose sum is less than or equal to K .

Examples

input	Copy
5 4 4 1 2 1 5	
output	Copy
3	
input	Copy
5 5 1 1 1 1 1	
output	Copy
5	
input	Copy
3 1 2 3 4	
output	Copy
0	
input	Copy
10 12 1 2 6 4 3 2 3 1 4 2	
output	Copy
5	

Note

In the first example, possible subarrays with sum less than or equal to 4 are $[4]$, $[1]$, $[2]$, $[1]$, $[1, 2]$, $[2, 1]$, $[1, 2, 1]$. Among them, the longest size is 3.

CSE221 Assignment 02 Summer 2026

Contest is running

42:21:47

Contestant



→ Submit?

Language: Java 21 64bit

Choose file:

[Choose File](#)

No file chosen



Success!

[Submit](#)

In the second example, sum of the entire array is 5. Hence, we can take the whole array.

In the third example, no subarray has sum less than or equal to 1. Hence, the answer is 0.

[Codeforces](#) (c) Copyright 2010-2026 Mike Mirzayanov
The only programming contests Web 2.0 platform
Server time: Jul/03/2026 19:37:54^{UTC+6} (11).
Desktop version, switch to [mobile version](#).
[Privacy Policy](#) | [Terms and Conditions](#)

Supported by

