Light

GCSE Computer Science - Programming Fundamentals (Set 3)

Over **1,100,000+ marks** of exam-aligned content across **67 qualifications**. 4,200+ auto-marked assessments & long-answer practice. No login required.

GCSE • OCR J277 • Grades 3—9 | Topic test | 30 min | 55 marks | Answered: 0 / 30

00:00 Start Pause Reset ← Back to Programming Fundamentals

Multiple-choice topic test for **GCSE Computer Science (OCR J277)**. You may skip questions. When you submit, you'll see your score, a grade estimate, and worked explanations. **Tip:** use the stopwatch above to time yourself.

Q1 (1 mark)

What is the value of result?

```
word = "PYTHON"
result = word.lower
```

- A. "PYTHON"
- B. 6
- C. "Python"
- D. "python"

Q2 (1 mark)

What does the >= operator check?

- ○ **A.** If the left value is strictly greater than the right value
- ○ **B.** If the left value is less than the right value
- ○ **C.** If the left value is greater than or equal to the right value
- ○ **D.** If the values are exactly equal

Q3 (1 mark)

What does ASC('A') return?

- ○ **A.** The letter 'A'
- ○ **B.** An error
- ○ **C.** The string "ASC"
- ○ **D.** The ASCII code 65

Q4 (1 mark)

What does CHR(97) return?

- ○ **A.** 'a'
- ○ **B.** 'A'
- ○ **C.** 97
- ○ **D.** '97'

Q5 (1 mark)

What is a record used for in programming?

- ○ **A.** To store a single value of one data type
- ○ **B.** To store a collection of related data items of different types
- ○ **C.** To repeat a section of code multiple times
- ○ **D.** To define a mathematical formula

Q6 (1 mark)

Which type of error prevents a program from running at all?

- ○ **A.** Logic error
- ○ **B.** Runtime error
- ○ **C.** Syntax error
- ○ **D.** Semantic error

Q7 (1 mark)

A program runs without crashing but produces the wrong answer. What type of error is this?

- ○ **A.** Syntax error
- ○ **B.** Type error
- ○ **C.** Compilation error

- **D.** Logic error

Q8 (1 mark)

What does the = operator do in the statement: score = score + 10?

- **A.** Checks if score equals score + 10
- **B.** Declares a new variable called score
- **C.** Assigns the value of score + 10 to score
- **D.** Compares two values for equality

Q9 (1 mark)

In OCR Exam Reference Language, how many values does i take in: for i = 1 to 5?

- **A.** 4 values
- **B.** It depends on the step
- **C.** 6 values
- **D.** 5 values

Q10 (1 mark)

What is the length of an empty string ""?

- **A.** 0

- B. 1
- C. Null
- D. Undefined

Q11 (1 mark)

What is returned when a procedure finishes executing?

- A. The last calculated value
- B. Nothing - procedures do not return values
- C. True or False
- D. The procedure's name

Q12 (1 mark)

What are the only two values a Boolean variable can hold?

- A. True and False
- B. 0 and 1
- C. Yes and No
- D. On and Off

Q13 (2 marks)

A program needs to store a temperature reading of 36.7 degrees. Which data type is most appropriate?

- ○ **A.** Integer
- ○ **B.** String
- ○ **C.** Boolean
- ○ **D.** Real

Q14 (2 marks)

What is the value of result?

```
result = 23 MOD 7
```

- ○ **A.** 3
- ○ **B.** 2
- ○ **C.** 16
- ○ **D.** 7

Q15 (2 marks)

How many times does the inner print statement execute?

```
for row = 1 to 2
    for col = 1 to 3
        print("*")
    next col
next row
```

- A. 5
- B. 2
- C. 3
- D. 6

Q16 (2 marks)

What is output by this code?

```
first = "Hello"
second = "World"
print(first + " " + second)
```

- A. HelloWorld
- B. Hello World
- C. first second
- D. Hello + World

Q17 (2 marks)

What is output when x = 15 and y = 10?

```
if x > 10 then
    if y > 10 then
        print("A")
    else
        print("B")
    endif
else
```

```
    print("C")
endif
```

- A. A
- B. C
- C. B
- D. Nothing is output

Q18 (2 marks)

How many times will "Loop" be printed?

```
count = 3
while count > 0
    print("Loop")
    count = count - 1
endwhile
```

- A. 2
- B. Infinite
- C. 4
- D. 3

Q19 (2 marks)

What is output by this code?

```
function double(num)
    return num * 2
endfunction
```

```
print(double(7))
```

- A. 14
- B. 7
- C. double
- D. num * 2

Q20 (2 marks)

What is output by this code?

```
array items = ["pen", "paper", "ruler", "eraser"]
print(items[0])
```

- A. "pen"
- B. "paper"
- C. 0
- D. "eraser"

Q21 (2 marks)

What is the value of result?

```
result = 50 DIV 8
```

- A. 6.25

- B. 8
- C. 2
- D. 6

Q22 (2 marks)

Which SQL statement retrieves only the name and age columns from the Students table where age is greater than 16?

- A. SELECT * FROM Students WHERE age > 16
- B. SELECT name, age FROM Students WHERE age > 16
- C. GET name, age FROM Students IF age > 16
- D. SELECT name AND age FROM Students WHERE age > 16

Q23 (2 marks)

What range of values can be produced by random(5, 15)?

- A. 5 to 14
- B. 6 to 15
- C. 5 to 15 inclusive
- D. 0 to 15

Q24 (3 marks)

What is the value of result?

```
function triple(n)
    return n * 3
endfunction

result = triple(4) + triple(5)
```

- A. 27
- B. 12
- C. 15
- D. 9

Q25 (3 marks)

What is the value of result?

```
num = 37
result = (num DIV 10) + (num MOD 10)
```

- A. 10
- B. 37
- C. 7
- D. 3

Q26 (3 marks)

What is output by this code?

```
array table[3,3]
table[0,0] = 1
```

```
table[0,1] = 2
table[0,2] = 3
table[1,0] = 4
table[1,1] = 5
table[1,2] = 6
table[2,0] = 7
table[2,1] = 8
table[2,2] = 9

print(table[1,2] + table[2,0])
```

- ○ **A.** 11
- ○ **B.** 13
- ○ **C.** 15
- ○ **D.** 10

Q27 (3 marks)

What is the value of result?

```
a = True
b = False
c = True
result = (a AND b) OR c
```

- ○ **A.** True
- ○ **B.** False
- ○ **C.** a AND b
- ○ **D.** Error

Q28 (3 marks)

What is the correct sequence of operations to create a new file, write data to it, and close it?

- ○ **A.** open, writeLine, close
- ○ **B.** newFile, open, writeLine, close
- ○ **C.** writeLine, newFile, close
- ○ **D.** close, newFile, writeLine

Q29 (3 marks)

What value of x causes this loop to terminate?

```
x = 1
do
    x = x + 2
until x > 10
```

- ○ **A.** 10
- ○ **B.** 11
- ○ **C.** 12
- ○ **D.** 9

Q30 (3 marks)

A database table 'Products' has columns: name, category, price, stock. Which SQL statement correctly finds all products in the 'Electronics' category with a price under £100 and stock greater than 0?

- ○ **A.** SELECT * FROM Products WHERE category = "Electronics" OR price < 100 OR stock > 0
- ○ **B.** SELECT * FROM Products WHERE category = "Electronics", price < 100, stock > 0
- ○ **C.** SELECT * FROM Products WHERE category = "Electronics" AND price < 100 AND stock > 0
- ○ **D.** GET Products WHERE Electronics AND price < 100 AND stock > 0

Total: **55** marks • Time: **30 min**

↑ Back to top

Submit answers

Williams Physics Education — over **1,100,000+ marks** of exam-aligned content and **4,200+ auto-marked assessments** across 67 qualifications at GCSE, A-Level, AP & Professional Qualifications. Free to use, no login required.

About & Contact • Privacy • Terms • Accessibility • Copyright • DMCA • YouTube

WPE is free for everyone. If our resources help you or your students, you can support the project here.

© 2026 Williams Physics Education. All rights reserved.