Voice-over Script · Review – II

NASH Dhabha & Bakes: Masala Mitra (Final)

Presenter	N Mailesh · CB.EN.U4ARE23025
Course	25ARE471 Introduction to Generative AI
Guided by	Prof. Rakesh Kumar
Slides	46
Estimated time	24:29 min at ~145 words per minute


Delivery tips

Speak slightly slower than normal and pause briefly at each slide change. The same text is in each slide's speaker notes (Presenter View). On the demo-video slide, click the video to play it, then continue.

SLIDE 1

0:00 – 0:26 · ~26 s

Title



Good morning. I'm N Mailesh, and my project for Introduction to Generative AI is Masala Mitra: a voice-enabled, retrieval-augmented chatbot that works like a waiter for NASH Dhabha and Bakes. It suggests dishes for your mood, answers menu questions from the real menu, takes chef notes by voice, and carries the order all the way to the bill.

SLIDE 2

0:26 – 0:51 · ~25 s

Agenda




Here is the plan. I'll start with the problem and my objectives, explain how the retrieval-augmented pipeline is formulated, compare it with the traditional workflow, and list the GenAI tools I used. Then I'll walk through the implementation, the evaluation metrics and results, the innovations, and finish with the demo video and future work.

SLIDE 3

0:51 – 1:21 · ~30 s

Motivation / Pain Points




Why build this? In a busy dhaba, waiters are stretched, so guests wait just to ask simple questions. A printed or QR menu can't answer: is this spicy, is it veg, is it dry or gravy, what fits my budget? Special requests like less oil or no onion often never reach the kitchen. And a general-purpose chatbot may sound fluent but invent dishes or prices that don't exist.

SLIDE 4

1:21 – 1:47 · ~26 s

Problem Definition / Objectives




So the problem is: customers need a waiter-like assistant that understands natural, mixed-language requests by text or voice, answers only from the real menu, and handles the whole order. My five objectives were to understand requests properly, stay grounded in the menu, support voice, close the full ordering loop, and prove all of it with measured, repeatable tests.

SLIDE 5

1:47 – 2:22 · ~35 s

Solution Formulation: RAG Pipeline




Here is the pipeline. A message arrives as text or voice; voice goes through speech-to-text. The text is normalised for chat-speak, Indian spellings and typos. The system then understands the request: diet, dry or gravy, spice, price, course. Step five retrieves only the matching dishes from the knowledge base. Step six generates the reply, with Google Gemini or the built-in writer. Step seven validates it, and step eight shows the reply with dish cards and an offer to add it.

SLIDE 6

2:22 – 2:59 · ~37 s

Solution Formulation – Explanation




Retrieval first parses the request into filters, such as diet, protein, texture, spice and price, and filters the 78 dishes using fourteen structured facts each. A TF-IDF cosine search covers anything left over. Generation sends only those retrieved dishes to Gemini, with a strict role, rules and a JSON output schema. Then validation rejects any unknown dish, any price not on the menu, or any dish outside the retrieved set. For example, 'dry non veg' becomes non-veg plus dry, which retrieves exactly four starters.

SLIDE 7

2:59 – 3:30 · ~31 s

Traditional Workflow vs GenAI Workflow




Compare the two workflows. Traditionally, you wait for a waiter to ask about a dish, scan the whole menu yourself, and hope your special request reaches the kitchen. With Masala Mitra, you ask anytime in your own words, get exact matches like dry non-veg or biryani under 250, your chef notes appear on the kitchen ticket, and you see live order updates, the bill and payment right in the chat.

SLIDE 8

3:30 – 4:05 · ~35 s

Usage of Gen AI Tools




These are the GenAI tools. The retrieval engine, TF-IDF plus structured dish facts, is the R in RAG. Google Gemini 2.5 Flash is the G: it writes replies from the retrieved dishes in a fixed JSON format. The Web Speech API does speech-to-text, MediaRecorder captures voice notes, and Kokoro, an open-source text-to-speech model, produced the Indian-accent voiceover for my video. I also used Claude Code as an AI coding assistant, which is the AI-augmented workflow from Unit 3.

SLIDE 9

4:05 – 4:40 · ~35 s

System Architecture




The architecture has three layers. The browser hosts the chat, menu, checkout and kitchen display, plus the voice features. The Express backend manages sessions, transcripts, cart, chef notes, voice uploads and orders, and stores them in a JSON store. Both use the same shared engine for retrieval, dialogue and billing. A Gemini connector adds grounded generation when a key is present. If the server is unreachable, the same engine runs inside the browser, so the app keeps working.

SLIDE 10

4:40 – 5:11 · ~31 s

Implementation: Menu Knowledge Base




The knowledge base is the heart of the RAG. It has seventy-eight dishes in ten menu sections, plus fourteen house-information pages covering timings, payment, Jain food, GST, the washroom, drinking water and reception. Each dish carries fourteen facts: category, price, veg or non-veg, spice, dry or gravy, main ingredient, bestseller, what it goes with, and so on. These facts let the bot answer like a waiter instead of matching keywords.

SLIDE 11

5:11 – 5:46 · ~35 s

Implementation: Understanding the Request




This is how the bot understands requests. 'Dry non veg' becomes non-veg and dry, so only starters. 'Biryani under 250' adds a price limit. 'Is butter chicken spicy' is a question about one dish, so it answers 'It's mild'. Chat-speak like 'do u hv parota' is normalised to paratha. 'Sweet gravy' means the creamy makhani curries, not desserts. And messages that mix intents, like a greeting with a name, or 'add it also chef note', are handled in one go.

SLIDE 12

5:46 – 6:20 · ~34 s

Implementation: Conversation Flow




The conversation follows a waiter's flow: greet, take the name, ask the mood, suggest, add to the cart, take chef notes, check out, send to the kitchen, bring the bill, take payment and ask for feedback. On the left, the mood is spoken and transcribed, and the bot suggests comforting dishes. In the middle, 'dry non veg' returns four dry starters with a recommendation. On the right, a question about one dish is answered from its facts.

SLIDE 13

6:20 – 6:47 · ~27 s

Implementation: The Website




This is the website. The NASH Dhabha and Bakes name comes first, with Masala Mitra's chat right beside it, and a 'Direct me to menu' button below. The design is a clean white restaurant site that also works on phones. If the backend server is down, the same engine runs in the browser, so customers can still chat and order.

SLIDE 14

6:47 – 7:10 · ~23 s

Implementation: Menu and Voice Chef Notes




The menu shows all seventy-eight dishes with veg and non-veg marks, spice levels, search and a filter. Every dish has a Chef note button. You can type the note or record a voice note; your speech is transcribed live, and the audio is saved so the chef can play it.

SLIDE 15

7:10 – 7:30 · ~20 s

Implementation: Checkout and Kitchen Display




At checkout, the customer reviews dishes and chef notes, picks dine-in or takeaway, and sees the bill with CGST and SGST. Every order then appears on the kitchen display, with each note and a playable voice note, so special requests actually reach the chef.

SLIDE 16

7:30 – 7:53 · ~23 s

Implementation: Tracking, Bill and Payment in Chat




After the order is placed, Masala Mitra narrates every stage: sent to the chef with the notes, cooking, and ready. It then generates the bill with GST in the chat, takes payment by UPI, card or cash, and asks how the food was. Payment is a demo; no real money moves.

SLIDE 17

7:53 – 8:22 · ~29 s

Implementation: Chef Notes from the Chat




Chef notes also work straight from the chat. 'Add it also chief note', even misspelled, adds the dish being offered and asks what to tell the chef. 'Add chef note' uses the last dish you added. One-line notes are saved directly, whole-order notes are supported, and you can simply speak the note. This came from real user testing, where the first version missed it.

SLIDE 18

8:22 – 8:57 · ~35 s

Implementation: Gemini Integration and Guardrails




Gemini is connected as the answer writer. The prompt follows the Role, Task and Output-format pattern from the course: a friendly waiter, answering only from the retrieved menu context, returning JSON with the reply, the dish ids and the dish to offer. Before anything is shown, guardrails reject unknown dishes, wrong prices or dishes outside the retrieved set. On any error, it falls back to the rule-based answer. This screenshot is from a test run with a simulated Gemini response.

SLIDE 19

8:57 – 9:24 · ~27 s

Implementation: Voice Features




Voice is central to the project. Customers can speak to Masala Mitra; the Web Speech API transcribes live, in Indian English. Chef voice notes are recorded with MediaRecorder, uploaded and played on the kitchen ticket with their transcript. If a page can't use the microphone, it falls back to the phone's voice recorder. Replies can also be read aloud.

SLIDE 20

9:24 – 10:03 · ~39 s

AI Waiter: What Customers Can Ask




After the first review, I turned Masala Mitra from a menu chatbot into a full AI waiter. These are the six groups of questions it now handles. Greetings and general help. Menu questions like today's special, whether a dish is spicy, or Jain food. Orders: placing, tracking, changing and cancelling. Assistance, like calling the waiter to your table, an extra chair, or the washroom. Special needs and complaints, like a peanut allergy or cold food. And payment and feedback. Every one of these questions is a saved test case.

SLIDE 21

10:03 – 10:38 · ~35 s

Calling the Waiter to Your Table




Here's a key service feature: calling the waiter. The customer can type or say 'I want the waiter to come to my table', or 'waiter please', even in Hindi or Tamil. Masala Mitra creates a service request with the type, priority, table and time. If it doesn't know the table yet, it asks, and 'table 4' is attached to the request. The staff see it instantly on the Staff desk. The same flow handles water, chairs, spoons and seating.

SLIDE 22

10:38 – 11:15 · ~37 s

Never Guess: Verified Data and Staff Hand-off



The most important rule from the brief: the AI must never invent food ingredients, allergens, prices or order status. Every answer comes from verified data: prices from the menu database, allergens from the dish descriptions, order status from the live order record. If it isn't in the data, like 'do you have parking', Masala Mitra says it doesn't want to guess and offers a staff member. For a peanut allergy, it names the dishes that list peanuts and still asks the staff to confirm.

SLIDE 23

11:15 – 11:49 · ~34 s

Staff Desk and Customer Satisfaction Monitoring




Requests go to a new Staff desk. Each one has a priority: urgent for food safety or urgent help, high for complaints, allergies or asking for a human, and normal for the waiter call, water or a chair. Staff mark them done. On the right is customer-satisfaction monitoring: the average rating, the star distribution, the percentage of happy guests, complaints logged, and the latest reviews. It refreshes live and is also available through the REST API.

SLIDE 24

11:49 – 12:23 · ~34 s

Multilingual: English, Hindi and Tamil




Masala Mitra now speaks three languages. The customer taps the Hindi or Tamil button, or simply says 'hindi mein baat karo' or 'tamil la pesunga'. The microphone switches to Hindi or Tamil speech recognition, and replies are read aloud in that language. Hindi and Tamil words map to the same intents, so 'aaj ka special' or 'anna inga vaanga' work. Dish names and prices still come straight from the menu, so nothing is lost in translation.

SLIDE 25

12:23 – 12:58 · ~35 s

The Sample Conversation, Running Live




This is the sample conversation from the brief, running in the real app. Hello gets a welcome. Asking for a vegetarian dish gets Paneer Butter Masala with Butter Naan. 'Yes, also is it very spicy' gets the price and an honest answer: mild, and the kitchen can make it milder. 'Okay, I'll order it' adds it and offers to send it to the kitchen. Before this work, only one of these six turns passed. Now all six do.

SLIDE 26

12:58 – 13:31 · ~33 s

AI-Waiter Technology Stack




This is the technology behind each part of the AI waiter. Speech-to-text uses the Web Speech API in English, Hindi and Tamil. Understanding uses retrieval over dish facts and intent rules, with Gemini as an optional writer. Text-to-speech uses the browser's voices. The database holds the menu, orders, service requests and feedback, behind a REST API, with kitchen and staff screens. Wi-Fi or MQTT links to table buzzers or a service robot are future work.

SLIDE 27

13:31 – 14:06 · ~35 s

Implementation: How It Was Tested




I tested it like a real product. Playwright drives the actual website in a real browser against the live backend. The microphone is simulated with a real audio file. Held-out question sets were written after tuning and run once, for an honest score. Tough cases include XSS, prompt injection, a server crash and two customers at once. Every fix triggers a full regression run, and GitHub Actions runs the tests and all one hundred and seventy-nine questions on every push.

SLIDE 28

14:06 – 14:40 · ~34 s

Evaluation Metrics




These are my evaluation metrics. Answer accuracy checks each reply against the menu itself as ground truth. Held-out accuracy uses unseen questions. Grounding checks that no invented dish or price is ever shown. Task completion measures whether a customer can finish the whole order. Robustness covers typos, Hinglish and attacks. Voice success covers speech-to-action and notes reaching the kitchen. Latency measures speed. And human evaluation came from real user test rounds, whose screenshots drove the fixes.

SLIDE 29

14:40 – 15:15 · ~35 s

Evaluation – Test Data and Sample Size




Here is the test data. Fifty customer questions were used for tuning, with twenty-five held-out questions. Twenty-five chat-speak messages include the four real messages from user testing, plus fifteen held-out chat-speak messages. On top of that: forty-seven end-to-end scenario steps, thirty-one tough steps, and voice, chef-note and Gemini tests. After the first review I added the AI-waiter question bank: forty-seven questions, seventeen held-out, and the sample conversation, plus forty-one browser checks. That's three hundred and forty-seven automated checks in total.

SLIDE 30

15:15 – 15:44 · ~29 s

Results: Answer Accuracy




These are the accuracy results. Before waiter training, the bot answered only thirty-four percent of customer questions correctly, and thirty-six percent of chat-speak messages. After training, both reached one hundred percent. More importantly, held-out questions it had never seen scored twenty-five out of twenty-five on the first run, and held-out chat-speak scored fourteen out of fifteen. The validator accepted zero invented dishes or prices.

SLIDE 31

15:44 – 16:13 · ~29 s

Results: End-to-End Test Suites




On full journeys, the core scenarios went from forty-one of forty-seven steps on the first run to all forty-seven. The tough scenarios went from nineteen of thirty-one to all thirty-one. Voice, chef-note and Gemini tests all pass. It's also fast: the engine answers in half a millisecond, and a full API round trip takes under three milliseconds. With Gemini, that adds the model's response time.

SLIDE 32

16:13 – 16:49 · ~36 s

Results: AI-Waiter Question Bank




Here are the results for the AI-waiter questions. Before this work, Masala Mitra answered only 9 of 44 of the brief's questions correctly, and none of the assistance, complaint or language questions. After, all 47 pass, including three waiter-call cases. A held-out set of 17 new questions scored 15 on the first run, and 17 after one fix. The sample conversation went from one to six turns, and the browser tests pass on both the live backend and the single HTML file.

SLIDE 33

16:49 – 17:38 · ~49 s

Tough Scenarios: How They Were Evaluated




Next, the four tough scenarios, and how I evaluated them. A real browser drives the actual website against a backend the test starts itself, so it can even crash the server. Every step has one to four pass-fail checks, fifty-seven in total, for example the cart read back from the server, the chat reply, whether an injected script ran, or the HTTP status. A step passes only if all its checks pass. I rate each one: fits well if it passed on the first run, good if it failed first and was fixed, bad if it still fails. On the first run, nineteen of thirty-one steps passed. After fixes, all thirty-one pass.

SLIDE 34

17:38 – 18:13 · ~35 s

Tough Scenario 1: Multi-Intent Messages & Corrections




Scenario one tests real ordering talk: several requests in one message, then corrections. On the first run it failed all seven steps. That was a bad result: the commas were being stripped, so a three-dish order became one long name, and there was no replace or set-quantity command. After the fixes, all seven pass. It handles the name and mood together, three dishes in one line, replace, quantity changes, and the total with GST. Verdict: good, after fixing.

SLIDE 35

18:13 – 18:49 · ~36 s

Tough Scenario 2: Interruptions Mid-Order




Scenario two interrupts the flow the way real guests do. On the first run, six of nine passed, which rates as good. Three needed fixing: asking to pay before the bill was ready was mistaken for a dish name; adding a dessert after ordering didn't explain it becomes a new order; and 'great but slow' feedback was treated as only negative. Now all nine pass, including rejecting bitcoin and keeping the late dessert off the first bill. Verdict: good, after fixing.

SLIDE 36

18:49 – 19:30 · ~41 s

Tough Scenario 3: Adversarial & Out-of-Scope Input




Scenario three tries to break it. All the security checks fitted well from the very first run: prompt injection got nothing free, there was no made-up answer to an off-topic question, XSS in the chat and in a chef note never ran, and SQL-style text and long or emoji messages caused no harm. Two steps failed at first. Broken JSON returned a server error, which now returns a proper 400. And my rapid-fire check was itself wrong; the app was answering in order. Seven of nine passed first; now nine of nine. Verdict: good.

SLIDE 37

19:30 – 20:02 · ~32 s

Tough Scenario 4: Two Customers, Crash & Offline




Scenario four tests reliability. Two customers ordered at the same time and their carts and orders stayed separate. A page reload brought back the chat and the tracker. I killed the server mid-order, and after restart the order continued to the bill and payment worked. With the server switched off, the site moved to offline mode and kept working. Six of six passed on the first run, with no changes. Verdict: fits well.

SLIDE 38

20:02 – 20:30 · ~28 s

Results: What Failed and How It Was Fixed




Testing found real problems. User testing showed 'dry non veg' returning curries, which led to the waiter brain. A scenario test caught 'add biryani' adding Curd Rice. A held-out test caught my typo fixer turning 'meal' into 'meat', which would serve meat to a vegetarian. Each problem was fixed, and every suite was re-run to confirm the fix didn't break anything else.

SLIDE 39

20:30 – 21:04 · ~34 s

Results: Discussion and Known Limitations




What do the results show? Retrieval with structured dish facts is where the accuracy came from, and held-out sets passing on the first run show the gains generalise. Guardrails keep any AI writer honest. To be clear about limitations: real Gemini answers still need benchmarking with a live key, delivery and location questions go to a staff member rather than being answered, speech accuracy depends on the browser, and the vegan list needs confirmation from the kitchen.

SLIDE 40

21:04 – 21:32 · ~28 s

Customization / Innovation Components



Six things make this project different. The waiter brain uses dish facts and request filters, not keywords. Voice chef notes travel all the way to the kitchen ticket. It understands Indian chat-speak and spellings, with typo correction that is safe for diet words. Gemini's answers are validated against the menu. The app works offline. And the whole order loop happens inside one conversation.

SLIDE 41

21:32 – 22:04 · ~32 s

Responsible AI in Masala Mitra




Responsible AI is course outcome two, and it shaped the design. The bot never shows invented food or prices. Diet choices are respected, including egg and vegan. It never guesses: anything outside the verified data goes to a staff member. The human stays in control: the AI only suggests, and the customer confirms every cart and payment action. Keys and data stay private, and XSS and prompt-injection attacks are tested and blocked.

SLIDE 42

22:04 – 22:31 · ~27 s

Mapping to Course Outcomes




This maps the project to the course outcomes. CO1, GenAI concepts and tools, is covered by the RAG pipeline, vector similarity search, Gemini, text-to-speech and speech-to-text. CO2, ethics, is covered by grounding and the guardrails. CO3, applying GenAI, is the working restaurant assistant itself. And CO4, advanced concepts, includes human-AI interaction, the AI-assisted coding workflow, and continuous evaluation on every push.

SLIDE 43

22:31 – 23:04 · ~33 s

Working Demo (Screen Recording)




This is a real screen recording of the working app, end to end. I greet Masala Mitra with my name, say my mood by voice, ask for dry non-veg, ask whether butter chicken is spicy, and leave a voice chef note. Then you see the menu, checkout, live order tracking, the bill with GST, UPI payment, feedback, and finally the kitchen screen with my note on the ticket. The video plays automatically in the slideshow.

SLIDE 44

23:04 – 23:42 · ~38 s

Demo Video (LinkedIn Post)




This is my LinkedIn demo video, about seventy-five seconds long. It uses real footage of the app: a mood spoken by voice, dish suggestions, a voice chef note, live tracking, the bill and payment, then the AI-waiter features: calling the waiter, the staff hand-off, Hindi and Tamil, and the Staff desk. The narration is an Indian-accent voice generated with Kokoro, an open-source text-to-speech model, and the background music was synthesised in code. The QR code links to the full source on GitHub. It plays automatically now.

SLIDE 45

23:42 – 24:19 · ~37 s

Conclusion and Future Work



To conclude: Masala Mitra answers like a waiter, grounded in the real menu, supports voice for chatting and chef notes, and runs the full order loop in one conversation. It now works as a full AI waiter, with staff hand-off, Hindi and Tamil, and satisfaction monitoring, backed by three hundred and forty-seven automated checks. Next, I'd benchmark real Gemini answers, connect table buzzers or a service robot over MQTT, real UPI payments and cancellations, an owner dashboard, and a proper database for multiple branches.

SLIDE 46

24:19 – 24:29 · ~10 s

Thank You



Thank you for listening. I'm happy to take questions, and the full source code, tests and results are on GitHub.
