

NAME: **NASHRA ASIF KHAN**

APP ID: **2509399**

DIV: **A**

1. Display all employees' names and their job titles.

```
SQL> set pagesize 100
SQL> set linesize 200
SQL> SELECT ename, job
      2  FROM emp;
```

ENAME	JOB
KING	PRESIDENT
BLAKE	MANAGER
CLARK	MANAGER
JONES	MANAGER
MARTIN	SALESMAN
ALLEN	SALESMAN
TURNER	SALESMAN
JAMES	CLERK
WARD	SALESMAN
FORD	ANALYST
SMITH	CLERK
SCOTT	ANALYST
ADAMS	CLERK
MILLER	CLERK

```
14 rows selected.
SQL>
```

2. List employees who earn more than 2000.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE sal > 2000;
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20

6 rows selected.

```
SQL> _
```

3. Find employees working in department number 10 or 30.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE deptno IN (10,30);
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

9 rows selected.

```
SQL> _
```

4. Show employees whose salary is between 1000 and 3000.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE sal BETWEEN 1000 AND 3000;
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

11 rows selected.

```
SQL>
```

5. Display employees whose name starts with 'W' and job ends with 'MAN'.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE ename LIKE 'W%'
  4 AND job LIKE '%MAN';
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30

```
SQL> _
```

6. List employees not working in department 20 and working as 'CLERK' or earning less than 1200.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE deptno NOT IN (20)
  4 AND (job = 'CLERK' OR sal < 1200);
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

```
SQL> _
```

7. Show employees who are MANAGERS and earn more than 2500.

```
SQL> set pagesize 100
SQL> set linesize 200
SQL> SELECT mgr
  2 FROM emp
  3 WHERE sal > 2500;

      MGR
-----
      7839
      7839
      7566
      7566

SQL> _
```

8. Find employees hired before 01-JAN-81.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE hiredate < '01-JAN-81';

      EMPNO  ENAME      JOB              MGR HIREDATE          SAL          COMM          DEPTNO
-----
      7369  SMITH      CLERK              7902 17-DEC-80          800              20
SQL>
```

9. Display employees working in department 20 and earning more than 2500.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE deptno = (20) AND sal > (2500);

      EMPNO  ENAME      JOB              MGR HIREDATE          SAL          COMM          DEPTNO
-----
      7566  JONES      MANAGER           7839 02-APR-81          2975              20
      7902  FORD       ANALYST           7566 03-DEC-81          3000              20
      7788  SCOTT      ANALYST           7566 09-DEC-82          3000              20
SQL>
```

10. List employees not working as SALESMAN.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE job != ('SALESMAN');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

10 rows selected.

```
SQL>
```

11. Find SALESMAN whose commission is greater than 200.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE job = ('SALESMAN') AND comm > (200);
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30

```
SQL>
```

12. Show employees whose names contain the letter 'A'.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE ename LIKE '%A%';
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20

7 rows selected.

```
SQL>
```

13. Display employees from department 10 and 30 who earn more than 2000.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE deptno IN (10, 30) AND sal > 2500;
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30

```
SQL> _
```


14. Find employees who are not MANAGERS and not CLERKS.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE job NOT IN ('MANAGERS', 'CLERKS');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

14 rows selected.

```
SQL>
```

15. Display employees earning less than 1500 or working in department 30.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE sal < 1500 OR deptno != (30);
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20
7934	MILLER	CLERK	7782	23-JAN-82	1300		10

11 rows selected.

```
SQL> _
```

16. List employees whose names have exactly 5 letters.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE ename LIKE '_____';
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20

8 rows selected.

17. Show employees whose salary is not between 1000 and 2000.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE sal NOT BETWEEN 1000 AND 2000;
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7839	KING	PRESIDENT		17-NOV-81	5000		10
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7900	JAMES	CLERK	7698	03-DEC-81	950		30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7369	SMITH	CLERK	7902	17-DEC-80	800		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20

8 rows selected.

```
SQL> _
```

18. Display employees hired in the year 1981 and whose name contains 'LL'.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE hiredate BETWEEN '01-JAN-81' AND '31-DEC-81' AND ename LIKE '%LL%';
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30

```
SQL>
```


19. Show employees earning more than 1000 and not working in department 10.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE sal > (1000) AND deptno NOT IN (10);
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7566	JONES	MANAGER	7839	02-APR-81	2975		20
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20
7876	ADAMS	CLERK	7788	12-JAN-83	1100		20

9 rows selected.

```
SQL> _
```

20. Display employees whose job is ANALYST or salary is exactly 3000.

```
SQL> SELECT *
  2 FROM emp
  3 WHERE job = 'ANALYST' OR sal = (3000);
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7902	FORD	ANALYST	7566	03-DEC-81	3000		20
7788	SCOTT	ANALYST	7566	09-DEC-82	3000		20