

Name – Nashra Asif Khan

Division – Neuron

App ID – 2509399

1. List employees along with their department location.

```
SQL> SELECT staff_id_09399, full_name_09399, location_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399;
```

STAFF_ID_09399	FULL_NAME_09399	LOCATION_0
11	ELEVEN	Mumbai
1	ALEX	Chicago
3	ALLEN	Delhi
4	FOX	New York
5	LION	Boston
6	NASHRA	Mumbai
7	MADINAH	Delhi
8	KHADIJAH	Mumbai
9	TAIBA	New York
10	EAGLE	Mumbai
12	RIYA	Delhi

STAFF_ID_09399	FULL_NAME_09399	LOCATION_0
13	MAQ	Chicago
14	GAUSIYA	Pune
15	JOHN	Pune
17	ELON	Boston

15 rows selected.

```
SQL> _
```

2. Display all employees working in department SALES.

```
SQL> SELECT staff_id_09399, full_name_09399, dept_name_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND dept_name_09399 = ('Sales');
```

STAFF_ID_09399	FULL_NAME_09399	DEPT_NAME_0
5	LION	Sales
14	GAUSIYA	Sales
15	JOHN	Sales
17	ELON	Sales

```
SQL> _
```

3. Show employees of department number 10 along with department details.

```
SQL> set pagesize 100
SQL> set linesize 200
SQL> SELECT staff_id_09399, full_name_09399, s.dept_id_09399, location_09399, dept_name_09399
  2 FROM staff_09399 s, department_09399 d
  3 WHERE s.dept_id_09399 = d.dept_id_09399 AND s.dept_id_09399 = (11);
```

STAFF_ID_09399	FULL_NAME_09399	DEPT_ID_09399	LOCATION_0	DEPT_NAME_
11	ELEVEN	11	Mumbai	Finance
6	NASHRA	11	Mumbai	Finance

```
SQL>
```

4. Show ENAME, DNAME of employees who are CLERKs.

```
SQL> SELECT full_name_09399, dept_name_09399, job_title_09399
  2 FROM staff_09399 s, department_09399 d
  3 WHERE s.dept_id_09399 = d.dept_id_09399 AND job_title_09399 = 'CLERK';
```

FULL_NAME_09399	DEPT_NAME_	JOB_TITLE_09399
FOX	HR	CLERK
EAGLE	Marketing	CLERK
JOHN	Sales	CLERK

```
SQL>
```

5. Display employees along with department names where department number is not equal to 30.

```
SQL> SELECT full_name_09399, dept_name_09399, s.dept_id_09399
  2 FROM staff_09399 s, department_09399 d
  3 WHERE s.dept_id_09399 = d.dept_id_09399 AND s.dept_id_09399 != (30);
```

FULL_NAME_09399	DEPT_NAME_	DEPT_ID_09399
ELEVEN	Finance	11
ALEX	Marketing	17
ALLEN	HR	12
FOX	HR	7
LION	Sales	3
NASHRA	Finance	11
MADINAH	HR	12
KHADIJAH	Marketing	1
TAIBA	HR	7
EAGLE	Marketing	1
RIYA	HR	12
MAQ	Marketing	17
GAUSIYA	Sales	6
JOHN	Sales	6
ELON	Sales	3

15 rows selected.

```
SQL> _
```

6. Display employees whose salary is between 1000 and 2000 and also show their department.

```
SQL> SELECT staff_id_09399, full_name_09399, monthly_salary_09399, dept_name_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND monthly_salary_09399 BETWEEN (1000) AND (2000);
```

STAFF_ID_09399	FULL_NAME_09399	MONTHLY_SALARY_09399	DEPT_NAME_09399
1	ALEX	1000	Marketing
3	ALLEN	2000	HR
17	ELON	1100	Sales

```
SQL>
```

7. List employees who work in departments located in CHICAGO or NEW YORK.

```
SQL> SELECT staff_id_09399, full_name_09399, location_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND location_09399 IN ('Chicago', 'New York');
```

STAFF_ID_09399	FULL_NAME_09399	LOCATION_09399
1	ALEX	Chicago
4	FOX	New York
9	TAIBA	New York
13	MAQ	Chicago

```
SQL> _
```

8. List employees whose salary is greater than 1500 and department location is DALLAS.

```
SQL> set pagesize 100
SQL> set linesize 200
SQL> SELECT staff_id_09399, full_name_09399, monthly_salary_09399, location_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND monthly_salary_09399 > '1500' AND location_09399 = 'Mumbai';
```

STAFF_ID_09399	FULL_NAME_09399	MONTHLY_SALARY_09399	LOCATION_09399
11	ELEVEN	11111	Mumbai
6	NASHRA	6000	Mumbai
8	KHADIJAH	10000	Mumbai
10	EAGLE	70000	Mumbai

```
SQL>
```

9. Show employees who are SALESMAN or work in department 20.

```
SQL> SELECT staff_id_09399, full_name_09399, job_title_09399, s.dept_id_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND job_title_09399 = 'SALESMAN' OR s.dept_id_09399 = '17';
```

STAFF_ID_09399	FULL_NAME_09399	JOB_TITLE_09399	DEPT_ID_09399
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17
1	ALEX	SALESMAN	17
13	MAQ	MANAGER	17

14 rows selected.

10. List employees who do not belong to department RESEARCH.

```
SQL> SELECT staff_id_09399, full_name_09399, dept_name_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND dept_name_09399 = 'HR';
```

STAFF_ID_09399	FULL_NAME_09399	DEPT_NAME_09399
3	ALLEN	HR
4	FOX	HR
7	MADINAH	HR
9	TAIBA	HR
12	RIYA	HR

SQL> _

```
SQL> SELECT staff_id_09399, full_name_09399, date_hired_09399, dept_name_09399
  2 FROM staff_09399 s, department_09399 d
  3 WHERE s.dept_id_09399 = d.dept_id_09399 AND date_hired_09399 > ('01-JAN-1982');
```

STAFF_ID_09399	FULL_NAME_09399	DATE_HIRE	DEPT_NAME_
11	ELEVEN	11-NOV-11	Finance
1	ALEX	12-FEB-11	Marketing
3	ALLEN	10-MAR-12	HR
4	FOX	20-MAY-11	HR
5	LION	30-SEP-11	Sales
6	NASHRA	18-FEB-11	Finance
7	MADINAH	28-JAN-11	HR
8	KHADIJAH	10-OCT-11	Marketing
9	TAIBA	05-OCT-11	HR
10	EAGLE	15-AUG-11	Marketing
12	RIYA	25-APR-12	HR
13	MAQ	22-MAR-11	Marketing
14	GAUSIYA	05-FEB-11	Sales
15	JOHN	08-APR-11	Sales
17	ELON	16-SEP-11	Sales

```
15 rows selected.

SQL>
```

```
SQL> SELECT staff_id_09399, full_name_09399, dept_name_09399
2 FROM staff_09399 s, department_09399 d
3 WHERE s.dept_id_09399 = d.dept_id_09399 AND dept_name_09399 LIKE '%a%';

STAFF_ID_09399 FULL_NAME_09399 DEPT_NAME_
-----
11 ELEVEN Finance
1 ALEX Marketing
5 LION Sales
6 NASHRA Finance
8 KHADIJAH Marketing
10 EAGLE Marketing
13 MAQ Marketing
14 GAUSIYA Sales
15 JOHN Sales
17 ELON Sales

10 rows selected.

SQL> _
```

13. Show employees of department number 10 along with department details.

```
SQL> set pagesize 100
SQL> set linesize 200
SQL> SELECT staff_id_09399, full_name_09399, dept_name_09399, dept_name_09399, s.dept_id_09399
  2  FROM staff_09399 s, department_09399 d
  3  WHERE s.dept_id_09399 = d.dept_id_09399 AND s.dept_id_09399 = (11);
```

STAFF_ID_09399	FULL_NAME_09399	DEPT_NAME_	DEPT_NAME_	DEPT_ID_09399
11	ELEVEN	Finance	Finance	11
6	NASHRA	Finance	Finance	11

```
SQL>
```