

## MANLIFT

**JOB NO : WO-35175**

|                                                                                                                                                                        |                                  |                                               |                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------|--------------------------------|
| <b>MAXIMUM PLATFORM HEIGHT :</b><br>60 FT                                                                                                                              |                                  | <b>MAXIMUM HORIZONTAL REACH :</b><br>39.74 FT |                                |
| <b>SOURCE OF POWER :</b><br>DIESEL ENGINE / HYDRAULIC                                                                                                                  |                                  | <b>OUTRIGGER TYPE :</b><br>NA                 |                                |
| <b>SAFE WORKING LOAD (SWL) :</b><br>500 LBS                                                                                                                            | <b>TEST LOAD APPLIED :</b><br>NO |                                               | <b>PERSONS ALLOWED :</b><br>02 |
| <b>WORK PLATFORM DIMENSIONS :</b><br>NA                                                                                                                                |                                  | <b>EXPLOSION PROOFING :</b><br>NA             |                                |
| <b>RESULT :</b><br>SATISFACTORY - PASS                                                                                                                                 |                                  | <b>CHECKLIST NO :</b><br>51137                |                                |
| <b>REMARKS/RECOMMENDATION :</b><br>AT THE TIME OF INSPECTION, THE MAN LIFT WAS INSPECTED VISUALLY AND FUNCTIONALLY FOR ITS COMPLETE WORKING & FOUND IN GOOD CONDITION. |                                  |                                               |                                |

**Authorised Inspector : KEVIN ANASTHAS**



Note :This inspection certificate confirms that the inspected equipment comply with the specified requirements as per the inspection criteria. However, this document does not constitute a conformity certificate for SABER.

ملحوظة: تؤكد شهادة الفحص هذه أن المعدات التي تم فحصها تتوافق مع المتطلبات المحددة وفقاً لمعايير الفحص. مع ذلك، هذه الوثيقة لا تعتبر شهادة مطابقة لمنصة ساير.

THIS CERTIFICATE BECOMES INVALID, IF ANY ALTERATION/REPAIR OR MODIFICATION IS MADE TO THE EQUIPMENT

THE CONCERNED INSPECTOR OR REPRESENTATIVE HAS THOROUGHLY EXAMINED THE EQUIPMENT IN ACCORDANCE TO THE RELEVANT STANDARDS. EXAMINATION INDICATES THAT THE SAID EQUIPMENT HAS NO APPARENT DEFECTS OR DEFORMATION WHICH MAY PROVE DANGEROUS DURING NORMAL OPERATION. THE SAID EQUIPMENT IS FOUND TO BE SATISFACTORY FOR FURTHER USE. HOWEVER, THERE IS A MAINTENANCE AND OPERATIONAL CERTIFICATE OF THIS CERTIFICATE IS GRANTED SUBJECT TO THE CONDITION THAT IS AGREED. UNDERSTOOD HAS STANDARD ARABIA INSPECTION CO. TD.'S LIABILITY SHALL BE LIMITED. THE AC OF ITS EMPLOYEES ON PREMISES OF SUBCONTRACTORS, UNDER NO CIRCUMSTANCES WHATSOEVER SHALL STANDARD ARABIA INSPECTION CO. LTD. BE LIABLE FOR ANY INJURY OR DAMAGE TO ANY PERSON OR OCCURRING AS A RESULT OF NEGLIGENT OPERATION OR ANY DEFECT IN MATERIALS, MACHINERY, EQUIPMENT OR SYSTEMS OTHER THAN DEFECTS ASCERTAINABLE DURING ROUTINE INSPECTION. WE HEREBY REPORT THAT THE ALL PARTICULARS IN THIS REPORT ARE CORRECT AT THE TIME OF TEST / INSPECTION & OPERATIONAL MAINTENANCE IS THE SOLE RESPONSIBILITY OF THE EQUIPMENT OWNER.

THIS CERTIFICATE IS GENERATED AND AUTHORIZED ELECTRONICALLY AND CAN BE CONSIDERED AS ORIGINAL. TO VERIFY THE AUTHENTICITY OF THIS CERTIFICATE, PLEASE SCAN THE QR CODE.

## MANLIFT

**JOB NO : WO-35175**

|                                                                                                                                                                        |                                  |                                              |                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------------------|--------------------------------|
| <b>MAXIMUM PLATFORM HEIGHT :</b><br>20.46 M                                                                                                                            |                                  | <b>MAXIMUM HORIZONTAL REACH :</b><br>12.01 M |                                |
| <b>SOURCE OF POWER :</b><br>DIESEL ENGINE / HYDRAULIC                                                                                                                  |                                  | <b>OUTRIGGER TYPE :</b><br>NA                |                                |
| <b>SAFE WORKING LOAD (SWL) :</b><br>230 KGS                                                                                                                            | <b>TEST LOAD APPLIED :</b><br>NO |                                              | <b>PERSONS ALLOWED :</b><br>02 |
| <b>WORK PLATFORM DIMENSIONS :</b><br>NA                                                                                                                                |                                  | <b>EXPLOSION PROOFING :</b><br>NA            |                                |
| <b>RESULT :</b><br>SATISFACTORY - PASS                                                                                                                                 |                                  | <b>CHECKLIST NO :</b><br>51138               |                                |
| <b>REMARKS/RECOMMENDATION :</b><br>AT THE TIME OF INSPECTION, THE MAN LIFT WAS INSPECTED VISUALLY AND FUNCTIONALLY FOR ITS COMPLETE WORKING & FOUND IN GOOD CONDITION. |                                  |                                              |                                |

**Authorised Inspector : KEVIN ANASTHAS**



ملحوظة: تؤكد شهادة الفحص هذه أن المعدات التي تم فحصها تتوافق مع المتطلبات المحددة وفقاً لمعايير الفحص. مع ذلك، هذه الوثيقة لا تعتبر شهادة مطابقة لمنصة سابر.

THE CONCERNED INSPECTOR OR REPRESENTATIVE HAS THOROUGHLY EXAMINED THE EQUIPMENT IN ACCORDANCE TO THE RELEVANT STANDARDS. EXAMINATION INDICATES THAT THE SAID EQUIPMENT HAS NO APPARENT DEFECTS OR DEFORMATION WHICH MAY PROVE DANGEROUS DURING NORMAL OPERATION. THE SAID EQUIPMENT IS FOUND TO BE SATISFACTORY FOR FURTHER USE. HOWEVER, THERE IS A REMAINING RISK AND OPERATOR MUST BE CERTIFIED CERTO THIS CERTIFICATE IS GRANTED SUBJECT TO THE CONDITION THAT IS AGREED. UNDERSTOOD HAS STANDARD ARABIA INSPECTION CO. TD.'S LIABILITY SHALL BE LIMITED TO THE ACT OF ITS EMPLOYEES ON PREMISES OF SUBCONTRACTORS, UNDER NO CIRCUMSTANCES WHATSOEVER SHALL STANDARD ARABIA INSPECTION CO. LTD. BE LIABLE FOR ANY INJURY OR DAMAGE TO ANY PERSON OR OCCURRING AS A RESULT OF NEGLIGENT OPERATION OR ANY DEFECT IN MATERIALS, MACHINERY, EQUIPMENT OR SYSTEMS OTHER THAN DEFECTS ASCERTAINABLE DURING ROUTINE INSPECTION. WE HEREBY REPORT THAT THE ALL PARTICULARS IN THIS REPORT ARE CORRECT AT THE TIME OF TEST / INSPECTION & OPERATIONAL MAINTENANCE IS THE SOLE RESPONSIBILITY OF THE EQUIPMENT OWNER.

THIS CERTIFICATE IS GENERATED AND AUTHORIZED ELECTRONICALLY AND CAN BE CONSIDERED AS ORIGINAL. TO VERIFY THE AUTHENTICITY OF THIS CERTIFICATE, PLEASE SCAN THE QR CODE.



## CERTIFICATE OF THOROUGH EXAMINATION

MANLIFT

CERTIFICATE / REPORT NO : CRT-129224

STICKER NO : 101988

JOB NO : WO-35175

|                                                                              |                                       |                                                                 |                                    |
|------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------|------------------------------------|
| EQUIPMENT OWNER :<br>SUDHIR RENTALS                                          |                                       | TYPE OF INSPECTION :<br>PERIODIC VISUAL & FUNCTIONAL INSPECTION |                                    |
| LOCATION:<br>QIDDIYA                                                         | DATE OF INSPECTION :<br>13-Jul-2024   | Frequency<br>6 month                                            | Next Inspection Due<br>12-Jan-2025 |
| EQUIPMENT DESCRIPTION :<br>DIESEL ENGINE DRIVEN HYDRAULIC OPERATED, MAN LIFT |                                       |                                                                 |                                    |
| MANUFACTURER :<br>JLG                                                        | MODEL/ TYPE OF EQUIPMENT :<br>1200SJP | MANUFACTURED YEAR :<br>2015                                     |                                    |
| SERIAL NO :<br>300201684                                                     | OWNER ID / PLATE NO :<br>S38SJP-883   | WORK PROCEDURE NO :<br>SA-WP-04                                 |                                    |
| REFERENCE STANDARDS :<br>SASO GSO EN 280                                     | DATE OF PREVIOUS INSPECTION :         | PREVIOUS INSPECTION DETAILS:<br>NA                              |                                    |

|                                                                                                                                                                 |                           |                                               |                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------------------------|-------------------------|
| MAXIMUM PLATFORM HEIGHT :<br>120 FT / 36.58 M                                                                                                                   |                           | MAXIMUM HORIZONTAL REACH :<br>75 FT / 22.86 M |                         |
| SOURCE OF POWER :<br>DIESEL ENGINE / HYDRAULIC                                                                                                                  |                           | OUTRIGGER TYPE :<br>NA                        |                         |
| SAFE WORKING LOAD (SWL) :<br>500 LBS (226.80 KG)                                                                                                                | TEST LOAD APPLIED :<br>NO |                                               | PERSONS ALLOWED :<br>02 |
| WORK PLATFORM DIMENSIONS :<br>NA                                                                                                                                |                           | EXPLOSION PROOFING :<br>NA                    |                         |
| RESULT :<br>SATISFACTORY - PASS                                                                                                                                 |                           | CHECKLIST NO :<br>51147                       |                         |
| REMARKS/RECOMMENDATION :<br>AT THE TIME OF INSPECTION, THE MAN LIFT WAS INSPECTED VISUALLY AND FUNCTIONALLY FOR ITS COMPLETE WORKING & FOUND IN GOOD CONDITION. |                           |                                               |                         |

Reviewed By : MOHAMED ANWAR DEEN

Authorised Inspector : KEVIN ANASTHAS



Note : This inspection certificate confirms that the inspected equipment comply with the specified requirements as per the inspection criteria. However, this document does not constitute a conformity certificate for SABER.

ملحوظة: تؤكد شهادة الفحص هذه أن المعدات التي تم فحصها تتوافق مع المتطلبات المحددة وفقاً لمعايير الفحص. مع ذلك، هذه الوثيقة لا تعتبر شهادة مطابقة لمنصة سابير.

## THIS CERTIFICATE BECOMES INVALID, IF ANY ALTERATION/REPAIR OR MODIFICATION IS MADE TO THE EQUIPMENT

THE CONCERNED INSPECTOR OR REPRESENTATIVE HAS THOROUGHLY EXAMINED THE EQUIPMENT IN ACCORDANCE TO THE RELEVANT STANDARDS. EXAMINATION INDICATES THAT THE SAID EQUIPMENT HAS NO APPARENT DEFECTS OR DEFORMATION WHICH MAY PROVE DANGEROUS DURING NORMAL OPERATION. THE SAID EQUIPMENT IS FOUND TO BE SATISFACTORY FOR FURTHER USE, PROVIDED THERE IS REGULAR MAINTENANCE AND OPERATED BY A CERTIFIED OPERATOR. THIS CERTIFICATE IS GRANTED SUBJECT TO THE CONDITION THAT IS AGREED & UNDERSTOOD THAT STANDARD ARABIA INSPECTION CO. LTD.'S LIABILITY SHALL BE LIMITED TO THE ACTS OF ITS EMPLOYEES ON PREMISES OF SUBCONTRACTORS. UNDER NO CIRCUMSTANCES WHATSOEVER SHALL STANDARD ARABIA INSPECTION CO. LTD. BE LIABLE FOR ANY INJURY OR DAMAGE TO ANY PERSON OR OCCURRING AS A RESULT OF NEGLIGENT OPERATION OR ANY DEFECT IN MATERIALS, MACHINERY, EQUIPMENT OR SYSTEMS OTHER THAN DEFECTS ASCERTAINABLE DURING ROUTINE INSPECTION. WE HEREBY REPORT THAT THE ALL PARTICULARS IN THIS REPORT ARE CORRECT AT THE TIME OF TEST / INSPECTION & OPERATIONAL MAINTENANCE IS THE SOLE RESPONSIBILITY OF THE EQUIPMENT OWNER.

THIS CERTIFICATE IS GENERATED AND AUTHORIZED ELECTRONICALLY AND CAN BE CONSIDERED AS ORIGINAL. TO VERIFY THE AUTHENTICITY OF THIS CERTIFICATE, PLEASE SCAN THE QR CODE.