



CERTIFICATE OF THOROUGH EXAMINATION

MAN LIFT

CERTIFICATE / REPORT NO : CRT-112023

STICKER NO : 82285

JOB NO : WO-30634

EQUIPMENT OWNER : SUDHIR RENTALS		TYPE OF INSPECTION : PERIODIC VISUAL AND FUNCTIONAL TEST	
LOCATION: RIYADH	DATE OF INSPECTION : 28-Jan-2024	Frequency 6 month	Next Inspection Due 27-Jul-2024
EQUIPMENT DESCRIPTION : DIESEL ENGINE DRIVEN HYDRAULIC OPERATED TELESCOPIC BOOM LIFT OF RATED CAPACITY 600 LBS			
MANUFACTURER : JLG	MODEL/ TYPE OF EQUIPMENT : 460 SJ	MANUFACTURED YEAR : 2018	
SERIAL NO : 0300239593	OWNER ID / PLATE NO : S16SJ-018	WORK PROCEDURE NO : SA-WP-04	
REFERENCE STANDARDS : EN 280	DATE OF PREVIOUS INSPECTION : 24-Dec-2023	PREVIOUS INSPECTION DETAILS: UNIVERSAL INSPECTION - 123620	

MAXIMUM PLATFORM HEIGHT : 46.0 FT		MAXIMUM HORIZONTAL REACH : 39.5 FT	
SOURCE OF POWER : DIESEL / HYDRALIC		OUTRIGGER TYPE : NA	
SAFE WORKING LOAD (SWL) : 600 LBS	TEST LOAD APPLIED : NO		PERSONS ALLOWED : 2
WORK PLATFORM DIMENSIONS : NIL		EXPLOSION PROOFING :	
RESULT : SATISFACTORY		CHECKLIST NO : TS-46008	
REMARKS/RECOMMENDATION : AT THE TIME OF INSPECTION, THE MAN LIFT WAS FOUND TO BE IN SATISFACTORY WORKING CONDITION WITHOUT ANY IRREGULARITIES & HENCE SAFE FOR ITS INTENDED USE.			

Reviewed By : MOHAMED ANWAR DEEN

Authorised Inspector : ALI AHMED AL-MUTAWA



SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593
 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593
 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593
 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593
 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593 VALID TILL : 27-Jul-2024 Report No: CRT-112023 SERIAL NO: 0300239593

THIS CERTIFICATE BECOMES INVALID, IF ANY ALTERATION/REPAIR OR MODIFICATION IS MADE TO THE EQUIPMENT

THE CONCERNED INSPECTOR OR REPRESENTATIVE HAS THOROUGHLY EXAMINED THE EQUIPMENT IN ACCORDANCE TO THE RELEVANT STANDARDS. EXAMINATION INDICATES THAT THE SAID EQUIPMENT HAS NO APPARENT DEFECTS OR DEFORMATION WHICH MAY PROVE DANGEROUS DURING NORMAL OPERATION. THE SAID EQUIPMENT IS FOUND TO BE SATISFACTORY FOR FURTHER USE, PROVIDED THERE IS REGULAR MAINTENANCE AND OPERATED BY A CERTIFIED OPERATOR. THIS CERTIFICATE IS GRANTED SUBJECT TO THE CONDITION THAT IS AGREED & UNDERSTOOD THAT STANDARD ARABIA INSPECTION CO. LTD.'S LIABILITY SHALL BE LIMITED TO THE ACTS OF ITS EMPLOYEES ON PREMISES OF SUBCONTRACTORS. UNDER NO CIRCUMSTANCES WHATSOEVER SHALL STANDARD ARABIA INSPECTION CO. LTD. BE LIABLE FOR ANY INJURY OR DAMAGE TO ANY PERSON OR OCCURRING AS A RESULT OF NEGLIGENCE OPERATION OR ANY DEFECT IN MATERIALS, MACHINERY, EQUIPMENT OR SYSTEMS OTHER THAN DEFECTS ASCERTAINABLE DURING ROUTINE INSPECTION. WE HEREBY REPORT THAT THE ALL PARTICULARS IN THIS REPORT ARE CORRECT AT THE TIME OF TEST / INSPECTION & OPERATIONAL MAINTENANCE IS THE SOLE RESPONSIBILITY OF THE EQUIPMENT OWNER.

THIS CERTIFICATE IS GENERATED AND AUTHORIZED ELECTRONICALLY AND CAN BE CONSIDERED AS ORIGINAL. TO VERIFY THE AUTHENTICITY OF THIS CERTIFICATE, PLEASE SCAN THE QR CODE.



CERTIFICATE OF THOROUGH EXAMINATION

SCISSOR LIFT

CERTIFICATE / REPORT NO : CRT-112026

STICKER NO : 82286

JOB NO : WO-30634

EQUIPMENT OWNER : SUDHIR RENTALS		TYPE OF INSPECTION : PERIODIC VISUAL AND FUNCTIONAL TEST	
LOCATION: RIYADH	DATE OF INSPECTION : 28-Jan-2024	Frequency 6 month	Next Inspection Due 27-Jul-2024
EQUIPMENT DESCRIPTION : ELECTRICALLY OPERATED SCISSOR LIFT			
MANUFACTURER : GENIE	MODEL/ TYPE OF EQUIPMENT : GS-3246	MANUFACTURED YEAR : 2015	
SERIAL NO : GS4615D-2039	OWNER ID / PLATE NO : SG12ESL-938	WORK PROCEDURE NO : SA-WP-04	
REFERENCE STANDARDS : ANSI A92.6 2006 R 2014	DATE OF PREVIOUS INSPECTION :	PREVIOUS INSPECTION DETAILS: NA	

MAXIMUM PLATFORM HEIGHT : 9.75 M		MAXIMUM HORIZONTAL REACH : NA	
SOURCE OF POWER : BATTERY / HYDRAULIC		OUTRIGGER TYPE : NA	
SAFE WORKING LOAD (SWL) : 318 KGS	TEST LOAD APPLIED : NO		PERSONS ALLOWED : 2
WORK PLATFORM DIMENSIONS : NA		EXPLOSION PROOFING : NA	
RESULT : SATISFACTORY		CHECKLIST NO : TS-46008	
REMARKS/RECOMMENDATION : AT THE TIME OF INSPECTION, THE SCISSOR LIFT WAS THOROUGHLY EXAMINED IN ACCORDANCE WITH THE APPROPRIATE PROVISION/STANDARD. EMERGENCY STOP, WHEELS, LIGHTS, HORN, ACCESS, ETC., WERE IN GOOD CONDITION AND HENCE FOUND SATISFACTORY FOR CONTINUED USE.			

Reviewed By : MOHAMED ANWAR DEEN

Authorised Inspector : ALI AHMED AL-MUTAWA



Chapman

THIS CERTIFICATE BECOMES INVALID, IF ANY ALTERATION/REPAIR OR MODIFICATION IS MADE TO THE EQUIPMENT

THE CONCERNED INSPECTOR OR REPRESENTATIVE HAS THOROUGHLY EXAMINED THE EQUIPMENT IN ACCORDANCE TO THE RELEVANT STANDARDS. EXAMINATION INDICATES THAT THE SAID EQUIPMENT HAS NO APPARENT DEFECTS OR DEFORMATION WHICH MAY PROVE DANGEROUS DURING NORMAL OPERATION. THE SAID EQUIPMENT IS FOUND TO BE SATISFACTORY FOR FURTHER USE. PROVIDED THERE IS REGULAR MAINTENANCE AND OPERATED BY A CERTIFIED OPERATOR. THIS CERTIFICATE IS GRANTED SUBJECT TO THE FOLLOWING CONDITIONS: (1) THE UNDERSIGNED INSPECTOR OR REPRESENTATIVE SHALL BE LIABLE TO THE FACTORY OWNER FOR ANY INJURY OR DAMAGE TO PREMISES OF SUBCONTRACTORS, UNDER NO CIRCUMSTANCES WHATSOEVER. (2) STANDARD ARABIA INSPECTION CO. LTD. BE LIABLE FOR ANY INJURY OR DAMAGE TO ANY PERSON OR OCCURRING AS A RESULT OF NEGLIGENT OPERATION OR ANY DEFECT IN MATERIALS, MACHINERY, EQUIPMENT OR SYSTEMS OTHER THAN DEFECTS ASCERTAINABLE DURING ROUTINE INSPECTION. WE HEREBY REPORT THAT THE ALL PARTICULARS IN THIS REPORT ARE CORRECT AT THE TIME OF TEST / INSPECTION & OPERATIONAL MAINTENANCE IS THE SOLE RESPONSIBILITY OF THE EQUIPMENT OWNER.

THIS CERTIFICATE IS GENERATED AND AUTHORIZED ELECTRONICALLY AND CAN BE CONSIDERED AS ORIGINAL. TO VERIFY THE AUTHENTICITY OF THIS CERTIFICATE, PLEASE SCAN THE QR CODE.

CERTIFICATE OF THOROUGH EXAMINATION

SCISSOR LIFT

CERTIFICATE / REPORT NO : CRT-112028

STICKER NO : 82287

JOB NO : WO-30634

EQUIPMENT OWNER : SUDHIR RENTALS		TYPE OF INSPECTION : PERIODIC VISUAL AND FUNCTIONAL TEST.	
LOCATION: RIYADH	DATE OF INSPECTION : 28-Jan-2024	Frequency 6 month	Next Inspection Due 27-Jul-2024
EQUIPMENT DESCRIPTION : ENGINE POWERED HYDRAULIC OPERATED SCISSOR LIFT			
MANUFACTURER : JLG	MODEL/ TYPE OF EQUIPMENT : 3246ES	MANUFACTURED YEAR : 2020	
SERIAL NO : B200055702	OWNER ID / PLATE NO : SJ12ESL-268	WORK PROCEDURE NO : SA-WP-04	
REFERENCE STANDARDS : ANSI A92.6 2006 R 2014	DATE OF PREVIOUS INSPECTION : 13-Nov-2023	PREVIOUS INSPECTION DETAILS: SA STICKER # 82474	

MAXIMUM PLATFORM HEIGHT : 9.68 M		MAXIMUM HORIZONTAL REACH : NA	
SOURCE OF POWER : BATTERY / HYDRAULIC		OUTRIGGER TYPE : NA	
SAFE WORKING LOAD (SWL) : 317 KG	TEST LOAD APPLIED : NO		PERSONS ALLOWED : 2
WORK PLATFORM DIMENSIONS : NA		EXPLOSION PROOFING : NA	
RESULT : SATISFACTORY		CHECKLIST NO : TS-46008	
REMARKS/RECOMMENDATION : AT THE TIME OF INSPECTION, THE SCISSOR LIFT WAS FOUND TO BE IN SATISFACTORY WORKING CONDITION WITHOUT ANY IRREGULARITIES & HENCE SAFE FOR ITS INTENDED USE.			

Reviewed By : MOHAMED ANWAR DEEN

Authorised Inspector : ALI AHMED AL-MUTAWA



Clapulawa

THIS CERTIFICATE BECOMES INVALID, IF ANY ALTERATION/REPAIR OR MODIFICATION IS MADE TO THE EQUIPMENT

THE CONCERNED INSPECTOR OR REPRESENTATIVE HAS THOROUGHLY EXAMINED THE EQUIPMENT IN ACCORDANCE TO THE RELEVANT STANDARDS. EXAMINATION INDICATES THAT THE SAID EQUIPMENT HAS NO APPARENT DEFECTS OR DEFORMATION WHICH MAY PROVE DANGEROUS DURING NORMAL OPERATION. THE SAID EQUIPMENT IS FOUND TO BE SATISFACTORY AND IS GRANTED THE FOLLOWING: THERE IS NO HINDRANCE TO THE NORMAL OPERATION OF THE EQUIPMENT. THIS CERTIFICATE IS GRANTED SUBJECT TO THE CONDITION THAT IS AGREED & UNDERSTOOD THAT STANDARD ARABIA INSPECTION CO. LTD.'S LIABILITY SHALL BE LIMITED TO THE ACTS OF ITS EMPLOYEES ON PREMISES OF SUBCONTRACTORS. UNDER NO CIRCUMSTANCES WHATSOEVER SHALL STANDARD ARABIA INSPECTION CO. LTD. BE LIABLE FOR ANY INJURY OR DAMAGE TO ANY PERSON OR OCCURRING AS A RESULT OF NEGLIGENT OPERATION OR ANY DEFECT IN MATERIALS, MACHINERY, EQUIPMENT OR SYSTEMS OTHER THAN DEFECTS ASCERTAINABLE DURING ROUTINE INSPECTION. WE HEREBY REPORT THAT THE ALL PARTICULARS IN THIS REPORT ARE CORRECT AT THE TIME OF TEST / INSPECTION & OPERATIONAL MAINTENANCE IS THE SOLE RESPONSIBILITY OF THE EQUIPMENT OWNER.

THIS CERTIFICATE IS GENERATED AND AUTHORIZED ELECTRONICALLY AND CAN BE CONSIDERED AS ORIGINAL. TO VERIFY THE AUTHENTICITY OF THIS CERTIFICATE, PLEASE SCAN THE QR CODE.