



SGS INSPECTION SERVICES SAUDI ARABIA CO LTD

شركة اس جي اس لخدمات الفحص العربيّة السعوديّة المحدوده

P.O Box 0725, Jubail, Saudi Arabia - 31951
Tel : + 966133400044 / Fax : + 966133420212
Email : info@sgs.com

CUSTOMER SATISFACTION SURVEY

Blue Sticker Inspection	RFI No SGS-RFI-08915	Inspection date 01-Apr-2026
Client Sudhir Equipment Rental Co.	Report No SGS-2026-SA-259	Inspector Name Mikecle Araneta
WO No	CRM No NIL	RPO No NA

S.No	Questions	Answer	Remarks
1	Did the Service provider Co. provide the right inspector with a valid qualification card?	Yes	
2	Did the service provider Co. respond for inspection within the expected time frame?	Yes	
3	Was the inspector wearing the required personal protective equipment (PPE) during the inspection?	Yes	
4	Did the inspection conducted safely and in accordance with Aramco's standards?	Yes	

For any enquiry or concern, please contact: Inspection Dept. - ISSD Crane Inspection Unit (CIU)

InspectionDeptOIDCranelInspectionUnitCIU@Exchange.Aramco.com.sa

Client Rep Signature

Henry
Tejada..

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE JUAYMAH NGL PLANT	WBS/BI/JO NUMBER	INSPECTION COMPANY SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER S40SG-1169	EQUIPMENT DESCRIPTION/TYPE EWP-MANLIFT	SERIAL NO. SX125D-2821'	REPORT No.: SGS-2026-SA-259
CAPACITY (SWL) 300 KG	MANUFACTURER GENIE	FACILITY / LOCATION TANK #:605	
REQUESTED INSPECTION DATE 31-Mar-2026	RFI No SGS-RFI-08915	TASK COMPLETED DATE 01-Apr-2026	EQUIPMENT OWNER Sudhir Equipment Rental Co.

ITEM	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
1	GENERAL REQUIREMENTS:					
1.1	Equipment documentation is available	ANSI/SAIA A92.5, Sec: 4.16.1.1 G.I. 7.030	✓			
1.2	Previous inspection reports are checked	ANSI/SAIA A92.5, Sec: 5.11.1.3 G.I. 7.030	✓			
1.3	Daily pre-operational inspection checklists are checked (if applicable)	GI 7.030 Para: 5.1.2	✓			
1.4	Preventive Maintenance is established and updated records are maintained	ANSI/SAIA A92.5, Sec: 6.4.1	✓			
1.5	Equipment is operated by a qualified operator	ANSI/SAIA A92.5 Sec: 4.13.13	✓			
1.6	Warning notice, cautions or restrictions for safe operation and maintenance are clearly displayed and legible	ANSI/SAIA A92.5 Sec: 4.13.1	✓			
1.7	A sign is posted warning the operator not to rely solely on any automatic device as a substitute for safe operating practice	G.I. 7.030 Para: 5.6.2	✓			
1.8	Manufacturer name, address, serial number and model are clearly marked or tagged	ANSI/SAIA A92.5 Sec: 4.13.2	✓			
1.9	Safe working load and number of persons are clearly marked on the work platform	ANSI/SAIA A92.5, Sec: 4.13.3	✓			
1.10	Maximum platform height and reach are clearly marked	ANSI/SAIA A92.5 Sec: 4.13.4 & 5	✓			
1.11	Maximum travel height and travel directions are clearly marked	ANSI/SAIA A92.5 Sec: 4.13.9	✓			
1.12	Power rating are provided and marked (for AC and/or DC)	ANSI/SAIA A92.5 Sec: 4.13.6	✓			
1.13	Platform and guardrails electrical insulation data are provided	ANSI/SAIA A92.5 Sec: 4.13.10			✓	
2	INSPECTION POINTS:					
2.1	Platform surfaces are at least 18" (width & length) and are slip-resistant	ANSI/SAIA A92.5 4.12.1	✓			
2.2	Platform guardrails are provided and secure	ANSI/SAIA A92.5 4.12.2	✓			
2.3	Platform guardrails are 42" height (+/- 3")	ANSI/SAIA A92.5 Sec: 4.12.2.1	✓			
2.4	Platform toeboard is fitted and at least 4" high	ANSI/SAIA A92.5 Sec: 4.12.3	✓			
2.5	Moving parts are guarded	ANSI/SAIA A92.5 Sec: 4.11	✓			
2.6	Personnel on the platform is protected against the	ANSI/SAIA A92.5 Sec:	✓			

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE JUAYMAH NGL PLANT	WBS/BI/JO NUMBER	INSPECTION COMPANY SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER S40SG-1169	EQUIPMENT DESCRIPTION/TYPE EWP-MANLIFT	SERIAL NO. SX125D-2821'	REPORT No.: SGS-2026-SA-259
CAPACITY (SWL) 300 KG	MANUFACTURER GENIE	FACILITY / LOCATION TANK #:605	
REQUESTED INSPECTION DATE 31-Mar-2026	RFI No SGS-RFI-08915	TASK COMPLETED DATE 01-Apr-2026	EQUIPMENT OWNER Sudhir Equipment Rental Co.

ITEM	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
	hazards of moving parts of the aerial platforms.	7.10				
2.7	Access to the platform is provided	ANSI/SAIA A92.5 Sec: 4.12.4	✓			
2.8	Access gates or openings shall be properly closed per the manufacturer's instructions	ANSI/SAIA A92.5 Sec: 4.12.4	✓			
2.9	Electrical cables, wiring and components are undamaged	ANSI/SAIA A92.5 Sec:8.3	✓			
2.10	Safety harness anchorage is fitted in the platform	ANSI/SAIA A92.5 Sec: 4.12.5.1	✓			
2.11	Battery is secure, guarded and ventilated	ANSI/SAIA A92.5 Sec: 4.15.2	✓			
2.12	Outrigger position microswitches and interlocks are fully functional at their control panel	ANSI/SAIA A92.5 Sec: 4.7			✓	
2.13	Air, Hydraulic and fuel systems are not leaking	ANSI/SAIA A92.5 Sec: 6.6.5	✓			
2.14	Emergency stop button is available at ground control station	ANSI/SAIA A92.5 Sec: 4.6.3	✓			
2.15	There are no loose nuts, bolts, missing, worn or damaged parts around the structure	ANSI/SAIA A92.5 Sec: 6.6.2	✓			
2.16	The equipment is free of defective and/or corroded members/joints	ANSI/SAIA A92.5 Sec:6.4.3	✓			
2.17	Working environment is hazard free and machine can be safely operated	ANSI/SAIA A92.5 Sec:7.9	✓			
2.18	An hour meter is fitted	ANSI/SAIA A92.5 Sec:4.15.3	✓			
2.19	A fire extinguisher is fitted (type depends on operating location)	ANSI/SAIA A92.5 General	✓			
2.20	All moving parts are lubricated	ANSI/SAIA A92.5 Sec: 6.6.5	✓			
2.21	All fluid levels for oil, water and hydraulic are adequate	ANSI/SAIA A92.5 Sec: 6.6.5	✓			
2.22	Platform controls operate the machine correctly	ANSI/SAIA A92.5 Sec: 6.6.1	✓			
2.23	Platform controls are clearly marked with direction and mode of operation	ANSI/SAIA A92.5 Sec: 4.6.1.6	✓			
2.24	Platform controls accessible to the operator	ANSI/SAIA A92.5 Sec: 4.6.1.1	✓			
2.25	Platform controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5 Sec: 4.6.1.4	✓			
2.26	Platform controls are protected against	ANSI/SAIA A92.5 Sec:	✓			

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE	WBS/BI/JO NUMBER	INSPECTION COMPANY		
JUAYMAH NGL PLANT		SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.: SGS-2026-SA-259
S40SG-1169	EWP-MANLIFT	SX125D-2821'	
CAPACITY (SWL)	MANUFACTURER	FACILITY / LOCATION	
300 KG	GENIE	TANK #:605	
REQUESTED INSPECTION DATE	RFI No	TASK COMPLETED DATE	EQUIPMENT OWNER
31-Mar-2026	SGS-RFI-08915	01-Apr-2026	Sudhir Equipment Rental Co.

ITEM	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
	inadvertent operation	1.3				
2.27	Over-ride control for power functions is fitted at ground level control panel	ANSI/SAIA A92.5 Sec: 4.6.2.1	✓			
2.28	Lower controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5 Sec: 4.6.2.4	✓			
2.29	Lower controls are clearly marked for direction and mode of operation	ANSI/SAIA A92.5 Sec: 4.6.2.6	✓			
2.30	Lower controls do not include drive and steering functions	ANSI/SAIA A92.5 Sec: 4.6.2.2	✓			
2.31	Lower controls are protected against inadvertent operation	ANSI/SAIA A92.5 Sec: 4.6.2.5	✓			
2.32	Boom raise/extend is operable from platform and ground control	ANSI/SAIA A92.5 Sec: 4.6.2.2	✓			
2.33	Boom lower/retract is operable from platform and ground control	ANSI/SAIA A92.5 Sec: 4.6.2.2	✓			
2.34	Platform rotation is operable from both platform and ground controls	ANSI/SAIA A92.5 Sec:	✓			
2.35	Emergency stop button is operable from both platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.3	✓			
2.36	Auxiliary/emergency lowering is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	✓			
2.37	Auxiliary/emergency retracting is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	✓			
2.38	Auxiliary/emergency rotating is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	✓			
2.39	Hydraulic/Pneumatic systems are leak-free with platform raised	ANSI/SAIA A92.5 Sec: 4.10.2	✓			
2.40	Tilt alarm is operable (5 degrees out of level) (manually depress the edge of the tilt switch to cause alarm condition)	ANSI/SAIA A92.5 Sec: 4.7.3	✓			
2.41	Aerial platforms is fitted with a warning device at the platform which activates automatically when the aerial platform is at and beyond the slope	ANSI/SAIA A92.5 Sec: 4.6.6	✓			
2.42	Tilt alarm is not combined with boom raise cut-out (dependent on machine manufacturer)	ANSI/SAIA A92.5 Sec: 4.6.6	✓			
2.43	Steering is properly working when moving forward and in reverse directions	ANSI/SAIA A92.5 Sec: 6.6.3.1	✓			
2.44	Brakes are in good working condition and can hold the machine on any slope (parking and moving)	ANSI/SAIA A92.5 Sec: 4.14.1	✓			
2.45	Extendable axles function is satisfactory (where fitted)	ANSI/SAIA A92.5 Sec: 7.3.3.8	✓			

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM		SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE JUAYMAH NGL PLANT		WBS/BI/JO NUMBER	INSPECTION COMPANY SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER S40SG-1169	EQUIPMENT DESCRIPTION/TYPE EWP-MANLIFT	SERIAL NO. SX125D-2821'	REPORT No.: SGS-2026-SA-259
CAPACITY (SWL) 300 KG	MANUFACTURER GENIE	FACILITY / LOCATION TANK #:605	
REQUESTED INSPECTION DATE 31-Mar-2026	RFI No SGS-RFI-08915	TASK COMPLETED DATE 01-Apr-2026	EQUIPMENT OWNER Sudhir Equipment Rental Co.

ITEM	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
2.46	Outriggers (stabilizers) extension-retraction operation is satisfactory	ANSI/SAIA A92.5 Sec: 7.10.3			✓	
2.47	Extendable elevating assembly operation is satisfactory (retracted vs. extended)	ANSI/SAIA A92.5 Sec: 4.2.1	✓			
2.48	Elevating assembly operation is satisfactory (elevated vs. lowered)	ANSI/SAIA A92.5 sec: 4.2.1(c)	✓			
2.49	Wheels and tires are serviceable and undamaged	ANSI/SAIA A92.5 Sec: 7.3.3 (6)	✓			
2.50	Travel alarm is operable	ANSI/SAIA A92.5 Sec: 6.6 (4)	✓			
2.51	Platform lowering alarm is operable	ANSI/SAIA A92.5 Sec: 6.6 (4)	✓			
2.52	Auxiliary power source available (to use in event of primary power loss)	ANSI/SAIA A92.5 Sec: 4.15.2	✓			
2.53	Platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5 Sec: 4.6.3	✓			
2.54	Machine is safely drivable from the platform when raised (fast, slow, forward and reverse modes)	ANSI/SAIA A92.5 Sec: 6.6.3.1	✓			
2.55	The platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5 Sec: 4.6.3	✓			
2.56	Engine powered machines fuel lines are supported to minimize chafing	ANSI/SAIA A92.5 Sec: 4.15.1	✓			
2.57	Engine powered machines fuel lines are positioned to minimize exposure to engine and exhaust heat	ANSI/SAIA A92.5 Sec: 4.15.1	✓			
2.58	Engine powered machines exhaust system is provided with muffler	ANSI/SAIA A92.5 Sec: 4.15.1	✓			
2.59	Installation of Anti- Entrapment device on work platform	Letter No. CIU-L-019/2016	✓			

REFERENCE DOCUMENTS:
1.ANSI/SAIA A92.5 - 2014 Issue: Boom - Supported Elevating Work Platforms
2.SAES-B067 - 2020 Issue: Safety Identification and Safety Colors
3.SA GI 7.025 -2018 Issue: Heavy Equipment Operator and Rigger Testing and Certification
4.SA GI 7.030 - 2023 Issue: Inspection and Testing Requirements for Elevating/Lifting Equipment

Load Tested By (If Applicable):
Name Signature Date

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM		SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE JUAYMAH NGL PLANT		WBS/BI/JO NUMBER	INSPECTION COMPANY SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER S40SG-1169	EQUIPMENT DESCRIPTION/TYPE EWP-MANLIFT	SERIAL NO. SX125D-2821'	REPORT No.: SGS-2026-SA-259
CAPACITY (SWL) 300 KG	MANUFACTURER GENIE	FACILITY / LOCATION TANK #:605	
REQUESTED INSPECTION DATE 31-Mar-2026	RFI No SGS-RFI-08915	TASK COMPLETED DATE 01-Apr-2026	EQUIPMENT OWNER Sudhir Equipment Rental Co.

ITEM	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
------	---------------------	-----------	------	------	-----	--------------

--	--	--	--	--	--	--

√ Inspected ☐ Witnessed by 3rd Party Certified Inspector:		
Name	Signature	Certificate No. & Company:
Mikecle Araneta		80019274 & SGS Inspection Services Saudi Arabia Co Ltd

User Representative:		
Name	Signature	Date
Henry Tejada..		01-Apr-2026

**SGS**

شركة اس جي اس لخدمات الفحص العربية السعودية المحدودة

SGS Inspection Services Saudi Arabia Co Ltd

Address : P.O Box 0725, Jubail, Saudi Arabia - 31951

Tel : +966133400044 / Fax : + 966133420212

Website : www.sgs.com

STICKER N.O. : **SGS-PASS-5929**

EQUIP S.N. : **SX125D-2821'**

EQUIP.N.O. : **S40SG-1169**

EQUIP SWL : **300 KG**

INSPECTION DATE : **01-Apr-2026**

NEXT INSPECTION DATE : **30-Sep-2026**

INSPECTOR NAME : **Mikecle Araneta**

SAP # : **80019274**

"S.A. INSPECTION DEPARTMENT APPROVED CONTRACTOR AGENCY"

NOTE: "THIS STICKER IS INTENDED AND VALID FOR ARAMCO PREMISES AND PROJECTS ONLY"



SGS INSPECTION SERVICES SAUDI ARABIA CO LTD

شركة اس جي اس لخدمات الفحص العربيّة السعوديّة المحدوده

P.O Box 0725, Jubail, Saudi Arabia - 31951

Tel : + 966133400044 / Fax : + 966133420212

Email : info@sgs.com

Report No: SGS-2026-SA-259



LIFTING EQUIPMENT INSPECTION REPORT	RPO No NA	CRM No NIL	Inspection date 01-Apr-2026	Inspection time 09:30	Previous sticker No SGS-PASS-4748	Issued By SGS
Department / Contractor Sudhir Equipment Rental Co.	Equipment No. S40SG-1169	Equipment Location TANK #:605	Area JUAYMAH NGL PLANT	Inspection Result PASS	New Sticker No. SGS-PASS-5929	
Manufacturer GENIE	Model SX-125XC	Capacity 300 KG	Type EWP-MANLIFT	Equipment Serial Number SX125D-2821'	Sticker Expiration Date 30-Sep-2026	

Above Equipment was inspected by **SGS Inspection Services Saudi Arabia Co Ltd** in accordance with applicable Saudi Aramco GI's, ASME & API Standards. Deficiencies that require corrective actions are listed below. Specific repairs to correct each deficiency should be noted in the corrective action taken column.

No	NOTES / DEFICIENCIES	CORRECTIVE ACTION TAKEN
*	Periodic visual inspection and functional test been carried out as per G.I.7.030 & ANSI A92.5 and found OK at the time of inspection.	
*	All safety devices are operable during the inspection.	
*	Maximum working height :38.10 M.	
*	Maintain PM service as per OEM.	
*	Boom sections should be lubricated.	
*		

User Name	Badge No.	Telephone No.	Technical Reviewer Name	SGS Inspector Name	Certificate No.	Telephone No.
Henry Tejada..	15997	0555256821	aqeel hashmi	Mikecle Araneta	80019274	+966-566714453
						
Signature			Signature		Signature	

When re-inspection is requested, a complete copy of this report should be ready to be reviewed by the inspector.

Distribution: Original - Proponent, 1st copy - Inspection Agency, 2nd copy - Inspector

Control Report Number : SGS/JBL/M-26/292 WO:-