

## OWNERSHIP CERTIFICATE

### To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

|                           |                |
|---------------------------|----------------|
| <b>Equipment</b>          | Air Compressor |
| <b>Brand / Make</b>       | TEWATT         |
| <b>Asset ID</b>           | SAC-400-478    |
| <b>Model Number</b>       | TWT406D-10T    |
| <b>Serial Number</b>      | TWT001937      |
| <b>Engine Number</b>      | 93600291       |
| <b>Rating</b>             | 400 CFM        |
| <b>Manufacturing Year</b> | 2026           |

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities.

Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at: [Info@sudhirrentals.com](mailto:Info@sudhirrentals.com)

Sincerely,



**Rajesh Thakur**

Plant Manager

Sudhir Equipment Rental Company





## Certificate of Insurance

Policy Holder Name  
Policy Number  
Original Policy Period

Sudhir Equipment Rental Company  
5/EP/30425/0/18  
05/04/2026 to 04/04/2027

اسم حامل الوثيقة  
رقم الوثيقة  
فترة الوثيقة الأصلية

Gulf Insurance Group certifies that above client is holding Contractor's Plant & Machinery Insurance Policy for the below mentioned Equipment in accordance with the above mentioned Insurance Policy:

تشهد مجموعة الخليج للتأمين بأن العميل المذكور أعلاه يحمل وثيقة تأمين على معدات والآلات المقاولين للمعدة المذكورة أدناه، وذلك وفقا لشروط وثيقة التأمين المذكورة أعلاه:

Asset ID : SAC-400-478  
Brand : TEWATT  
Type : TWT406D-10T  
Model : Air Compressor  
Manufacturing Year : 2026  
Equipment Serial Number : TWT001937  
Insurance Effective Date : 24/06/2026

معرف الأصل  
العلامة التجارية  
النوع  
الطراز  
سنة الصنع  
الرقم التسلسلي للمعدة  
تاريخ سريان التأمين

This Certificate has been issued upon Insureds request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تم اصدار هذه الشهادة بناء على طلب المؤمن له وذلك حسب الشروط والاستثناءات والاشتراطات المذكورة في الوثيقة

Al Khobar : 01<sup>st</sup> April 2026

Signature of Insurer's Authorized Representative



PUBLIC

### Gulf Insurance Group

A Saudi joint stock company | Paid-up capital 500 Million Saudi Riyals  
Licensed by No (TMN/25/20101) | Commercial Registration No. 1010271203  
3528 King Abdullah Bin Abdulaziz Road, Al Nuzha District  
Unit No. 25 | Riyadh 12471 - 6378  
Toll free 8001160020 | Website [www.gig.sa](http://www.gig.sa)  
Regulated and Supervised by The Saudi Central Bank

### مجموعة الخليج للتأمين

شركة مساهمة سعودية | رأس المال 500,000,000 ريال سعودي  
مرخص لها برقم ترخيص (ت م ن/25/20101) | سجل تجاري رقم 1010271203  
3528 طريق الملك عبدالله بن عبدالعزيز، حي النزهة  
رقم الوحدة 25 | الرياض 12471 - 6378  
[www.gig.sa](http://www.gig.sa) الرقم المجاني 8001160020 | الموقع الإلكتروني  
خاضعة لرقابة وإشراف البنك المركزي السعودي



## REPORT OF INSPECTION

|                           |                                        |                               |
|---------------------------|----------------------------------------|-------------------------------|
| <b>Cert. No.:</b> 2275662 | <b>Date of Examination:</b> 21/07/2026 | <b>Sticker No.:</b> 01-100810 |
| Equipment Owner           | Sudhir Equipment Rental Company        |                               |
| Place of Inspection       | Dammam Yard.                           |                               |
| Equipment Type            | Air Compressor.                        |                               |
| Manufacturer Name         | HUBEI / TEWATT                         |                               |
| Owner ID                  | SAC-400-478                            |                               |
| Serial No.                | TWT001937                              |                               |
| Model                     | TWT406D-10T                            |                               |
| Rated Power               | 400 CFM                                |                               |
| Max. Operating Pressure   | 1.0 MPa                                |                               |
| Rated Speed               | N/A                                    |                               |

At the request of Sudhir Equipment Rental Company, Surveyor to BUREAU VERITAS, acting within the General Conditions of Services of the Society, attended on 21/07/2026 at Dammam Yard. to witness Test and/or to carry out Thorough Examination of the above-mentioned equipment as per EN 1012

### Inspection Activities:

Prior to commencing performance test, visual inspection of the equipment was carried out and no visible defects were observed. The equipment was then operated to all the functions to verify the performance of the equipment.

### Result of Inspection:

Based on the visual inspection of the Air Compressor. and upon post-performance test & thorough examination, the above mentioned equipment has been found free from damage and/or permanent deformation at the time of inspection & is considered to be safe for further use, subject to continuous maintenance being applied and qualified operator being employed.

### Remarks:


- Maintain regular maintenance.
- Maintain regular housekeeping.

### **Next Inspection Due on or before: 20/01/2027**

Issued at Al Khobar on 21/07/2026

Inspected by

Signature:



Name: Mohamed Elsabry  
Position: Inspector



Reviewed by  
Signature:



Name: Ahmed Elabady  
Position: Reviewer

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.


This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



### CHECKLIST OF TEST AND THOROUGH EXAMINATION

| <b>Inspection Sticker No.: 01-100810</b> |                                           | <b>Date of Examination: 21/07/2026</b> |
|------------------------------------------|-------------------------------------------|----------------------------------------|
| DESCRIPTION                              |                                           | CONDITION/REMARKS                      |
| 1.                                       | Physical condition of the compressor tank | Satisfactory                           |
| 2.                                       | Condition of the motor                    | Satisfactory                           |
| 3.                                       | Condition of the piston                   | Satisfactory                           |
| 4.                                       | Display panel / pressure gauges           | Satisfactory                           |
| 5.                                       | Safety valve                              | Satisfactory                           |
| 6.                                       | Condition of all valves                   | Satisfactory                           |
| 7.                                       | Protective covering                       | Satisfactory                           |
| 8.                                       | Any unnecessary vibration observed        | Satisfactory                           |
| 9.                                       | Grounding                                 | Satisfactory                           |
| 10.                                      | Ventilation condition                     | Satisfactory                           |
| 11.                                      | Markings & safety signage                 | Satisfactory                           |
| 12.                                      | Lifting points (if any)                   | Satisfactory                           |
| 13.                                      | Supporting legs / foundation structure    | Satisfactory                           |
| 14.                                      | Name plate                                | Satisfactory                           |
| <b>Remarks: -</b>                        |                                           |                                        |

Inspector to Bureau Veritas  
Signature:




Name: Mohamed Elsabry  
Position: Inspector

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



No. LFT-S.  
01 - 100810



BUREAU  
VERITAS  
Saudi Arabia

Tel: +966 13 882 1071  
Fax: +966 13 882 1072



EQUIP. NO. SAC-400-478

EQUIP. S N. TwT001937

S. W. L: N/A

DATE OF INSPECTION 21-Jul-2026

NEXT INSPECTION DUE ON 20-Jan-2027

INSPECTED BY Mohamed Lurky

This sticker is issued under Bureau veritas General  
Conditions of Service and is valid only in conjunction  
with hereafter inspection Report No.  
Report No. LFT-R



## CALIBRATION CERTIFICATE

### DETAILS OF CALIBRATION CERTIFICATE

|                             |                       |               |            |
|-----------------------------|-----------------------|---------------|------------|
| Certificate No              | GTEC/AJ/26/NS17930-01 | Date of Issue | 20.07.2026 |
| Date of Receipt             | 20.07.2026            |               |            |
| Calibration Date            | 20.07.2026            |               |            |
| Recommended Calibration Due | 19.01.2027            |               |            |

### DETAILS OF CUSTOMER

|                  |                                       |
|------------------|---------------------------------------|
| Customer Name    | M/s. Sudhir Equipment Rental Company. |
| Customer Address | Dammam, Kingdom of Saudi Arabia.      |

Glory Technology Calibration & Inspection Company (GTEC) certifies that the below described instrument has been calibrated and the measurements are traceable through an unbroken chain to National/International Standards and International System of Units (SI). This calibration certificate documents the traceability of the reference standards used and are available upon the request of customer. The calibration results are documented on the succeeding page/pages of this certificate. The customer is obliged to have the instruments calibrated at regular intervals.

### DETAILS OF UNIT UNDER CALIBRATION (UUC)

|                               |                          |
|-------------------------------|--------------------------|
| Description                   | Pressure Relief Valve    |
| Spring Range / Set Pressure   | 1.7 MPa / 17 bar         |
| Make / Model                  | AFS / AK28X-50T          |
| Serial No / Identification No | 6100003724 / SAC-400-478 |
| Physical Condition            | Satisfactory             |

### DETAILS OF REFERENCE EQUIPMENTS/STANDARDS

|                           |                                  |
|---------------------------|----------------------------------|
| Description               | Digital Pressure Gauge           |
| Model / Serial No         | CPG 1500 / 1A02N5D8M2C           |
| Certificate No / Validity | MTE-CC-SF66000451-4 / 22.10.2026 |
| Traceability              | MTE / IAS CL-248                 |

### DETAILS OF ENVIRONMENTAL CONDITIONS

|             |        |                   |         |
|-------------|--------|-------------------|---------|
| Temperature | 22.2°C | Relative Humidity | 43.2%RH |
|-------------|--------|-------------------|---------|

### DETAILS OF CALIBRATION PROCEDURE

|                                |                       |
|--------------------------------|-----------------------|
| Reference Procedure / Standard | GTEC/WI/013 / API 527 |
|--------------------------------|-----------------------|

Calibrated By



Sangeeth Sabu

Calibration Engineer



www.gtecgulf.com



Authorized By

C. Balasubramanian

C. Balasubramanian

Technical Manager

Page 1 of 2

Certificate No .

GTEC/AJ/26/NS17930-01

### CALIBRATION RESULTS

#### Test Result

|                         |        |                            |       |
|-------------------------|--------|----------------------------|-------|
| Set Pressure            | 17 bar | Test Medium                | Water |
| CDTP                    | 17 bar | Valve Inlet Size           | 1"    |
| Start to Leak Pressure  | 17 bar | Valve Outlet Size          | 1/4"  |
| Seat Leak Test Pressure | 15 bar | Pressure Setting Tolerance | ± 3 % |

#### Physical Inspection Result

| Sl. No | Description     | Condition | Remarks |
|--------|-----------------|-----------|---------|
| 1      | Valve Body      | Good      | -       |
| 2      | Bonnet          | Good      | -       |
| 3      | Cap             | Good      | -       |
| 4      | Stem            | Good      | -       |
| 5      | Adjusting Screw | Good      | -       |
| 6      | Seat            | Good      | -       |

#### Note.

1. The UUC was calibrated at Lab.
2. Calibration Certificate shall not be reproduced, expect in full, without written approval of GTEC.
3. Results reported are valid at the time and under stated environmental conditions of calibration.
4. This Certificate is relates only to the particular item calibrated.

\*\*\*\*\*End of Certificate\*\*\*\*\*

Calibrated By



Sangeeth Sabu

Calibration Engineer



Authorized By

C. Balasubramanian

C.Balasubramanian

Technical Manager

Page 2 of 2

www.gtecgulf.com

E-Mail: Jubail@Gtecgulf.Com


To,  
SUDHIR EQUIPMENT RENTAL COMPANY  
-  
(DAMMAM)

Date:21-07-2026

Date:20-07-2026

[illegible]

Signature By:



## AIR QUALITY TEST REPORT

### DETAILS OF TEST REPORT

|           |                       |               |            |
|-----------|-----------------------|---------------|------------|
| Report No | GTEC/AJ/26/NS13746-01 | Date of Issue | 21.07.2026 |
| Test Date | 21.07.2026            |               |            |

### DETAILS OF CUSTOMER

|                  |                                       |
|------------------|---------------------------------------|
| Customer Name    | M/s. Sudhir Equipment Rental Company. |
| Customer Address | Dammam, Kingdom of Saudi Arabia.      |

### DETAILS OF UNIT UNDER TEST (UUT)

|                               |                         |
|-------------------------------|-------------------------|
| Description                   | Breathing Air           |
| Source                        | Air Compressor          |
| Manufacturer                  | TEWATT                  |
| Model                         | TWT406D-10T             |
| Serial No / Identification No | TWT001937 / SAC-400-478 |

### MEASURING PRINCIPLE

The Air from the medium pressure compressor or air-line is reduced to atmospheric pressure and the required flow volume is set by the needle valve flow meter of the sampling device. The air flows through a specially calibrated detector tube for a specified time. The length of stain in the detector tube is an indication of the concentration of measured substance this can be read directly on the detector tube scale.

### TEST RESULTS

| Sl. No | TEST DESCRIPTION                  | UNIT              | RESULT       | EN 12021 LIMITS | CGA GRADE D LIMITS |
|--------|-----------------------------------|-------------------|--------------|-----------------|--------------------|
| 1      | Oxygen (O <sub>2</sub> )          | Vol. %            | 20.9         | 20 to 22        | 19.5 to 23.5       |
| 2      | Carbon Dioxide (CO <sub>2</sub> ) | ppm               | <104         | ≤ 500           | 1000               |
| 3      | Carbon Monoxide (CO)              | ppm               | <1.4         | ≤5              | 10                 |
| 4      | Oil Content (Vapor & Mist)        | mg/m <sup>3</sup> | < 0.3        | ≤ 0.5           | 5.0                |
| 5      | Odor                              | --                | Satisfactory | Satisfactory    | No Pronounced odor |

**Remarks.** The above test result of the compressed air complies with European Standard EN 12021 "RESPIRATORY PROTECTIVE DEVICES- COMPRESSED AIR FOR BREATHING APPARATUS"

#### **Note.**

1. Test Report relates only to the sample tested and shall not be reproduced, except in full, without written approval of GTEC.
2. Recommended to test the air compressor supplied breathing air on a quarterly basis (Three Month Once).
3. The above air quality test is equivalent to grade d test.

Tested By



Lab Chemist



Authorized By



Technical Manager