

## OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

|                           |                                |
|---------------------------|--------------------------------|
| <b>Equipment</b>          | <b>AWP</b>                     |
| <b>Brand / Make</b>       | <b>DINGLI</b>                  |
| <b>Asset ID</b>           | <b>S41AD-2599</b>              |
| <b>Model Number</b>       | <b>BA41RT</b>                  |
| <b>Serial Number</b>      | <b>BART025F00378</b>           |
| <b>Working Height</b>     | <b>41 Meter</b>                |
| <b>Type</b>               | <b>Diesel Articulated Boom</b> |
| <b>Manufacturing Year</b> | <b>2025</b>                    |

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at: [Info@sudhirrentals.com](mailto:Info@sudhirrentals.com)

sincerely,

Rajesh Thakur  
Plant Manager

Sudhir Equipment Rental Company





## Certificate of Insurance

Policy Holder Name  
Policy Number  
Original Policy Period

Sudhir Equipment Rental Company  
5/EP/30425/0/0  
05/04/2026 to 04/04/2027

اسم حامل الوثيقة  
رقم الوثيقة  
فترة الوثيقة الأصلية

Gulf Insurance Group certifies that above client is holding Contractor's Plant & Machinery Insurance Policy for the below mentioned Equipment in accordance with the above mentioned Insurance Policy:

تشهد مجموعة الخليج للتأمين بأن العميل المذكور أعلاه يحمل وثيقة تأمين على معدات والآلات المقاولين للمعدة المذكورة أدناه، وذلك وفقاً لشروط وثيقة التأمين المذكورة أعلاه:

|                          |   |               |   |                       |
|--------------------------|---|---------------|---|-----------------------|
| Asset ID                 | : | S41AD-2599    | : | معرف الأصل            |
| Brand                    | : | DINGLI        | : | العلامة التجارية      |
| Type                     | : | BA41RT        | : | النوع                 |
| Model                    | : | AWPS          | : | الطراز                |
| Manufacturing Year       | : | 2025          | : | سنة الصنع             |
| Equipment Serial Number  | : | BART025F00378 | : | الرقم التسلسلي للمعدة |
| Insurance Effective Date | : | 05/04/2026    | : | تاريخ سريان التأمين   |

This Certificate has been issued upon Insureds request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تم اصدار هذه الشهادة بناء على طلب المؤمن له وذلك حسب الشروط والاستثناءات والاشتراطات المذكورة في الوثيقة

Al Khobar : 01<sup>st</sup> April 2026

Signature of Insurer's Authorized Representative



PUBLIC

### Gulf Insurance Group

A Saudi joint stock company | Paid-up capital 500 Million Saudi Riyals  
Licensed by No (TMN/25/20101) | Commercial Registration No.1010271203  
3528 King Abdullah Bin Abdulaziz Road, Al Nuzha District  
Unit No. 25 | Riyadh 12471 - 6378  
Toll free 8001160020 | Website [www.gig.sa](http://www.gig.sa)  
Regulated and Supervised by The Saudi Central Bank

### مجموعة الخليج للتأمين

شركة مساهمة سعودية | رأس المال 500,000,000 ريال سعودي  
مرخص لها برقم ترخيص (ت م ن/25/20101) | سجل تجاري رقم 1010271203  
3528 طريق الملك عبدالله بن عبدالعزيز، حي النزهة  
رقم الوحدة 25 | الرياض 12471 - 6378  
[www.gig.sa](http://www.gig.sa) الرقم المجاني 8001160020 | الموقع الإلكتروني  
خاضعة لرقابة وإشراف البنك المركزي السعودي

**INSPECTION CERTIFICATE**

**MANLIFT**

|                                                                                                                                                                                                                                                                                                               |                                                                        |                                                                     |                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------|
| <b>CLIENT NAME :</b> SUDHIR EQUIPMENT RENTAL CO                                                                                                                                                                                                                                                               |                                                                        | <b>WORK ORDER :</b> WR-YAS-395                                      |                                                                     |
| <b>EQUIPMENT DESCRIPTION :</b> MANLIFT WITH ARTICULATING BOOM LENGTH OF 41.08 M WORKING HEIGHT                                                                                                                                                                                                                |                                                                        | <b>CERTIFICATE NO :</b> YAS-CRT-1656                                |                                                                     |
| <b>DATE OF INSPECTION :</b> 29-Jul-2026                                                                                                                                                                                                                                                                       |                                                                        | <b>STICKER NO :</b> 13327                                           |                                                                     |
| <b>PREVIOUS INSPECTION :</b>                                                                                                                                                                                                                                                                                  |                                                                        | <b>NEXT INSPECTION DUE :</b> 28-Jan-2027                            |                                                                     |
| <b>MANUFACTURER :</b> DINGLI                                                                                                                                                                                                                                                                                  |                                                                        | <b>PREVIOUS INSPECTION DETAILS :</b>                                |                                                                     |
| <b>SERIAL NO :</b> BART025F00378                                                                                                                                                                                                                                                                              |                                                                        | <b>MODEL/TYPE :</b> BA41RT                                          |                                                                     |
| <b>CHECKLIST NO. :</b> 1297                                                                                                                                                                                                                                                                                   |                                                                        | <b>OWNER ID :</b> S41AD-2599                                        |                                                                     |
| <b>TYPE OF INSPECTION :</b> PERIODIC AND FUNCTIONAL INSPECTION                                                                                                                                                                                                                                                |                                                                        | <b>MANUFACTURED YEAR :</b> 2025                                     |                                                                     |
| <b>REFERENCE STANDARDS :</b> BS EN 280-1:2022                                                                                                                                                                                                                                                                 |                                                                        | <b>LOCATION :</b> RIYADH                                            |                                                                     |
| <b>CAPACITY / SWL:</b>                                                                                                                                                                                                                                                                                        | 272 KG                                                                 |                                                                     |                                                                     |
| <b>NO OF PERSONS:</b>                                                                                                                                                                                                                                                                                         | 2 PERSONS                                                              |                                                                     |                                                                     |
| <b>TEST LOAD:</b>                                                                                                                                                                                                                                                                                             | N/A                                                                    |                                                                     |                                                                     |
| <b>MAX HORIZONTAL REACH:</b>                                                                                                                                                                                                                                                                                  | 18.8 M                                                                 |                                                                     |                                                                     |
| <b>PLATFORM HEIGHT:</b>                                                                                                                                                                                                                                                                                       | 39.08 M                                                                |                                                                     |                                                                     |
| <b>OUTRIGGER:</b>                                                                                                                                                                                                                                                                                             | N/A                                                                    |                                                                     |                                                                     |
| Is this the first examination after installation or assembly at a new site or location ?                                                                                                                                                                                                                      | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    | Within an interval of Months?                                       | <input checked="" type="checkbox"/> 6 <input type="checkbox"/> 12   |
| If the answer to the above question is YES has the equipment been installed correctly ?                                                                                                                                                                                                                       | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No    | In accordance with an examination scheme ?                          | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| After the occurrence of exceptional circumstances ?                                                                                                                                                                                                                                                           |                                                                        | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |                                                                     |
| Identification of any part found to have a defect which is or could become a danger to persons and a description of the defect: (If none state NONE)                                                                                                                                                          |                                                                        | NONE                                                                |                                                                     |
| Is the above a defect which is of immediate danger to persons                                                                                                                                                                                                                                                 |                                                                        | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |                                                                     |
| Is the above a defect which is not yet but could become a danger to persons:(If YES state the date by when)                                                                                                                                                                                                   |                                                                        | NONE                                                                |                                                                     |
| Particulars of any tests carried out as part of the examination: (If none state NONE)                                                                                                                                                                                                                         |                                                                        | NONE                                                                |                                                                     |
| <b>RESULT:</b>                                                                                                                                                                                                                                                                                                | <input checked="" type="checkbox"/> PASS <input type="checkbox"/> FAIL | <b>IS THIS EQUIPMENT FIT FOR PURPOSE?</b>                           | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| <b>REMARKS/RECOMMENDATION</b><br>THIS IS TO CERTIFY THAT THE MANLIFT HAS BEEN PERIODICALLY AND FUNCTIONALLY INSPECTED IN ACCORDANCE WITH INTERNATIONALLY RECOGNIZED STANDARDS ON THE INSPECTION DATE. THE EQUIPMENT IS FREE FROM EXTERNAL DAMAGE, AND THE EQUIPMENT IS FOUND TO BE IN SATISFACTORY CONDITION. |                                                                        |                                                                     |                                                                     |
| <b>Date Of Report:</b> 29/7/2026                                                                                                                                                                                                                                                                              |                                                                        |                                                                     |                                                                     |

**Approved By :** ABDUL HALEEM

**Authorized Inspector :** AHAMED

WORKORDER NO: 



WORKORDER NO: 

**Note :** This certificate becomes void if the equipment is altered, repaired, or modified without authorization. The equipment owner is solely responsible for safe operation and maintenance. The company accepts no liability for damages or failures arising from negligence, poor maintenance, or conditions not detectable during routine inspection.



Third Party Certificate No: 111-3654-25-67 Per Expired Date: 21/8/2026

|                                                                                |                                                                                |                                                                                                                             |                                                                                |
|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| <b>Jan</b><br>Date: <u>11/1/2026</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u> | <b>Feb</b><br>Date: <u>2026.2.1</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>  | <b>Mar</b><br>Date: <u>2026.3.1</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>                                               | <b>Apr</b><br>Date: <u>2026.4.1</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>  |
| <b>May</b><br>Date: <u>2026.5.1</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>  | <b>Jun</b><br>Date: <u>2026.6.1</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>  | <b>Jul</b><br>Date: <u>                    </u><br>Sign: <u>                    </u><br>Ope ID: <u>                    </u> | <b>Aug</b><br>Date: <u>15/8/2026</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u> |
| <b>Sep</b><br>Date: <u>1/9/2026</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>  | <b>Oct</b><br>Date: <u>1/10/2026</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u> | <b>Nov</b><br>Date: <u>1/11/2026</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u>                                              | <b>Dec</b><br>Date: <u>1/12/2026</u><br>Sign: <u>王存玉</u><br>Ope ID: <u>王存玉</u> |

**YASTRONICS** مختبر ياس ترونكس للفحص والمعايرة  
YASTRONICS LABORATORY FOR INSPECTION AND CALIBRATION

STICKER NO: **13327**

|                      |               |
|----------------------|---------------|
| EQUIPMENT NAME       | Man lift      |
| SWL                  | 272 kg        |
| EQUIPMENT NO         | S41AD-2599    |
| EQUIPMENT SERIAL NO  | BART025F00378 |
| DATE OF INSPECTION   | 29-07-26      |
| NEXT INSPECTION DATE | 28-01-27      |
| INSPECTED BY         | Ahamed.n      |

inspection@yastronics.net 920007296  
KSA, Riyadh, Jarir Dist, Abi Al Haram Al Katib St.

**LEEA** FULL MEMBER



P.N.13470.A