



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232642

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-001
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232643

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-002
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

21
Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ٣٣ ٩٦٦ / فاكس ٨٨٨١ ٣٣ ٩٦٦
هاتف ٠٥١٥ ٣٦٧ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232644

Customer	:	Sudhir Equipment Rental Company
Address	:	Dammam , Kingdom of Saudi Arabia.
Description	:	Low Pressure Hose
Make	:	York
ID No.	:	SCH6-003
Max. Working Pres.	:	10 bar
Hydro Test Pressure	:	15 bar
Hose Size	:	6 Inch
Length	:	6.5 m
Holding Time	:	½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

21

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤
هاتف ٠٥١٥ ٣٦٧ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



245
CERTIFIED
ISO 9001: 2015

CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232645

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-004
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

UIC
21

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص. ب ٢٠٧٢ ، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤ +٩٦٦
هاتف ٠٥١٥ ١٣ ٣٦٧ +٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232646

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-005
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232651

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-006
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤ +٩٦٦
هاتف ٠٥١٥ ١٣ ٣٦٧ +٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت. ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232647

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-007
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232648

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-008
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢ ، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤
هاتف ٠٥١٥ ١٣ ٣٦٧



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232649

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-009
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤
هاتف ٠٥١٥ ١٣ ٣٦٧



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232650

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-010
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	10/Jul/2023	09/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢ ، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٠٥١٥ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت. ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232667

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-011
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

21
Testing Engineer



Approved By:

K. King
QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب. ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٠٥١٥ ٣٦٧ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



245
CERTIFIED
ISO 9001: 2015

CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232668

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-012
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

UIC
21
Testing Engineer



Approved By:

K. M. J.
QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٠٥١٥ ٣٦٧ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت. ٢٠٥٥٠١١٦٤٣



245
CERTIFIED
ISO 9001: 2015

CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232669

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-013
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

UIC
21
Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب. ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤
هاتف ٠٥١٥ ٣٦٧ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232670

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-014
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

UIC
21

Testing Engineer



Approved By:

K. Muj
QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٥١٥ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232671

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-015
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

UIC
21
Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢ ، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٠٥١٥ ٣٦٧ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232672

Customer	:	Sudhir Equipment Rental Company
Address	:	Dammam , Kingdom of Saudi Arabia.
Description	:	Low Pressure Hose
Make	:	York
ID No.	:	SCH6-016
Max. Working Pres.	:	10 bar
Hydro Test Pressure	:	15 bar
Hose Size	:	6 Inch
Length	:	6.5 m
Holding Time	:	½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

21

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.

Tel.: +966 13 344 8882 / Fax: +966 13 344 8881

Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢ ، الجبيل ٣١٩٥١ - المملكة العربية السعودية

هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤ +٩٦٦

هاتف ٠٥١٥ ٣٦٧ ١٣ ٩٦٦ +



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232673

Customer	:	Sudhir Equipment Rental Company
Address	:	Dammam , Kingdom of Saudi Arabia.
Description	:	Low Pressure Hose
Make	:	York
ID No.	:	SCH6-017
Max. Working Pres.	:	10 bar
Hydro Test Pressure	:	15 bar
Hose Size	:	6 Inch
Length	:	6.5 m
Holding Time	:	½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

21

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ٣٤٤ ١٣ / فاكس ٨٨٨١ ٣٤٤ ١٣ +٩٦٦
هاتف ٠٥١٥ ٣٦٧ ١٣ +٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232674

Customer	:	Sudhir Equipment Rental Company
Address	:	Dammam , Kingdom of Saudi Arabia.
Description	:	Low Pressure Hose
Make	:	York
ID No.	:	SCH6-018
Max. Working Pres.	:	10 bar
Hydro Test Pressure	:	15 bar
Hose Size	:	6 Inch
Length	:	6.5 m
Holding Time	:	½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:



Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢ ، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤ +٩٦٦
هاتف ٠٥١٥ ١٣ ٣٦٧ +٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232675

Customer : Sudhir Equipment Rental Company
Address : Dammam , Kingdom of Saudi Arabia.
Description : Low Pressure Hose
Make : York
ID No. : SCH6-019
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٥١٥ ٣٦٧ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF THOROUGH EXAMINATION

Certificate No: UIC/DAM/20232676

Customer : **Sudhir Equipment Rental Company**
Address : Dammam , Kingdom of Saudi Arabia.
Description : **Low Pressure Hose**
Make : York
ID No. : SCH6-020
Max. Working Pres. : 10 bar
Hydro Test Pressure : 15 bar
Hose Size : 6 Inch
Length : 6.5 m
Holding Time : ½ Hour

We Confirm that the following Low Pressure Hose was hydro tested and inspected by a competent person and was found in good condition for service at the time of Testing.

Description of Test and Examination (1)	Hydro Test Pressure (2)	Safe Working Pressure (3)
Thorough Visual Examination and Hydro Test	As per the following Table	See the following Table

Testing Medium	Description	Max Working Pressure (bar)	Test Pressure (bar)	Date of Testing	Next Testing Due Date	Result of Examination
Water	High Pressure Hose	10 bar	15 bar	11/Jul/2023	10/Jul/2024	Passed

Remarks:

These items were subjected to the hydro test and found no leak, accepted.

Tested By:

UIC
21
Testing Engineer



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤
هاتف ٠٥١٥ ١٣ ٣٦٧ +٩٦٦