

## OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

|                           |                               |
|---------------------------|-------------------------------|
| <b>Equipment</b>          | <b>AWP</b>                    |
| <b>Brand / Make</b>       | <b>JLG</b>                    |
| <b>Asset ID</b>           | <b>S28SJ-1724</b>             |
| <b>Model Number</b>       | <b>860SJ</b>                  |
| <b>Serial Number</b>      | <b>B300027801</b>             |
| <b>Working Height</b>     | <b>28 Meter</b>               |
| <b>Type</b>               | <b>Diesel Telescopic Boom</b> |
| <b>Manufacturing Year</b> | <b>2024</b>                   |

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at : [Info@sudhirrentals.com](mailto:Info@sudhirrentals.com)

Sincerely,

Ajay Koul

General Manager

Sudhir Equipment Rental Company





بروج للتأمين التعاوني  
Buruj Cooperative Insurance

### شهادة التأمين - CERTIFICATE OF INSURANCE

|                                      |   |                                 |   |                      |
|--------------------------------------|---|---------------------------------|---|----------------------|
| Policy Holder Name                   | : | Sudhir Equipment Rental Company | : | اسم حامل الوثيقة     |
| Policy Number                        | : | 01/CPM/ 2025/000002             | : | رقم الوثيقة          |
| Policy Period                        | : | 05/04/2025 to 04/04/2026        | : | فترة الوثيقة         |
| Description of Machinery / Equipment | : | JLG-AWPS-860SJ                  | : | وصف المعدة/ال لة     |
| Chassis / Serial No.                 | : | B300027801                      | : | رقم الهيكل/ التسلسلي |
| Year of Manufacturing                | : | 2024                            | : | سنة الصنع            |
| Asset ID No.                         | : | S28SJ-1724                      | : | رقم ال صل            |
| Location                             | : | Kingdom of Saudi Arabia.        | : | الموقع               |

BURUJ Cooperative Insurance Company certifies that above client is holding a Machinery/Equipment Insurance Policy for the above-mentioned Equipment in accordance with the above-mentioned Insurance Policy.

**With effect from:** 05/04/2025 to 04/04/2026

This Certificate has been issued upon Insured's request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تشهد شركة بروج للتأمين التعاوني بأن السادة أعل ه مؤمنين لديها تأمين المكان/المعدات المذكورة أعل ه وذلك حسب وثيقة التأمين المذكورة أعل ه

والتي يبدأ تاريخ سريانها من ٢٠٢٥/٠٤/٠٥ إلى ٢٠٢٦/٠٤/٠٤

تم إصدار هذه الشهادة بناءً على طلب المؤمن له وذلك حسب الشروط وال استثناءات وال شتراطات المذكورة في الوثيقة.

#### Important Notices:

1. This Certificate does not pay any fines, penalties, bonds or cautions that may be imposed.
2. Original certificates are only accepted.
3. Due to the importance of correct information being stated in this certificate, kindly examine the document carefully and advise the Company of any difference.
4. In the event of changes in the above information, kindly contact +966-11-2938383

#### مل حظات هامة:

- ١) ل تطبق هذه الشهادة التأمين على الغرامات والعقوبات المالية بما في ذلك المخالفات أو الضمانات أو الكفالات التي قد تقرر.
- ٢) تقبل الشهادة ال صلية فقط.
- ٣) نظراً ل همية صحة البيانات الخاصة بكم في هذه الشهادة، الرجاء التأكد منها وإشعار الشركة في حالة وجود أي اختل فات.
- ٤) عند الحاجة إلى تعديل البيانات أعل ه يرجى ال اتصال على شركة بروج للتأمين التعاوني ٢٩٣٨٣٨٣-١١-٩٦٦+



**BURUJ Cooperative Insurance Company**

P.O. Box 51855, Riyadh 11553,

National Address 3385, Al Thomamah Road, An-Nada District.

800 124 0201 | burujinsurance.com

**Issue Date:** 3 April 2025




**NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)**, P.O. Box 3998, DAMMAM 32252, Kingdom of Saudi Arabia

Contacts: +966 (13) 340 7607 / +966 (12) 610 9014 / +966 (14) 325 1475 / +966 538400764

Report No - LIC-2025-1466

Email: info@fahss.com

| LIFTING EQUIPMENT INSPECTION REPORT                                                                                                                                                                                                                                                              |                                                                                                                                                                             | Area:          |                                                                                      | Inspection Date:      |               | Inspection Time:                                                                      |                | Previous Sticker:     |                         | Issued by:        |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|-----------------------|---------------|---------------------------------------------------------------------------------------|----------------|-----------------------|-------------------------|-------------------|--|
|                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                             | W.R            |                                                                                      | 19-Nov-2025           |               | 10:07 AM                                                                              |                | 24-3322               |                         | BV                |  |
| Department/Contractor:                                                                                                                                                                                                                                                                           |                                                                                                                                                                             | Equipment No.: |                                                                                      | Equipment Location:   |               | RPO NO.                                                                               |                | Inspection Result:    |                         | New Sticker No.:  |  |
| SUDHIR COMPANY FOR EQUIPMENTS RENTAL                                                                                                                                                                                                                                                             |                                                                                                                                                                             | S28SJ-1724     |                                                                                      | USFAN - SUDHIR YARD / |               | Fahss-25-830                                                                          |                | pass                  |                         | FAHSS-A-000130    |  |
| Manufacturer:                                                                                                                                                                                                                                                                                    |                                                                                                                                                                             | Model:         |                                                                                      | Capacity:             |               | Type:                                                                                 |                | Equipment Serial No.: |                         | Sticker Exp Date: |  |
| JLG                                                                                                                                                                                                                                                                                              |                                                                                                                                                                             | 860 SJ         |                                                                                      | 500 LBS               |               | MANLIFT                                                                               |                | B300027801            |                         | 18-May-2026       |  |
| <p>Above equipment was inspected by <b>FAHSS</b> in accordance with applicable Saudi Aramco GI's, ASME and API standards. Deficiencies that require corrective action are listed below. Specific repairs to correct each deficiency should be noted in the 'Corrective Action Taken' column.</p> |                                                                                                                                                                             |                |                                                                                      |                       |               |                                                                                       |                |                       |                         |                   |  |
| No                                                                                                                                                                                                                                                                                               | DEFICIENCIES                                                                                                                                                                |                |                                                                                      |                       |               |                                                                                       |                |                       | CORRECTIVE ACTION TAKEN |                   |  |
| *                                                                                                                                                                                                                                                                                                | PERIODIC INSPECTION                                                                                                                                                         |                |                                                                                      |                       |               |                                                                                       |                |                       | NONE                    |                   |  |
| *                                                                                                                                                                                                                                                                                                | A COMPREHENSIVE VISUAL INSPECTION AND FUNCTIONAL TEST WERE CONDUCTED AND FOUND TO BE SATISFACTORY AT TIME OF INSPECTION IN ACCORDANCE WITH ANSI/SAIA A92.5 AND SA. GI.7.030 |                |                                                                                      |                       |               |                                                                                       |                |                       |                         |                   |  |
| *                                                                                                                                                                                                                                                                                                | ANTI ENTRAPMENT DEVICE ( CABLE RESSURE SENSING)) TYPE WORKING SATISFACTORY                                                                                                  |                |                                                                                      |                       |               |                                                                                       |                |                       |                         |                   |  |
| RECIEVER                                                                                                                                                                                                                                                                                         |                                                                                                                                                                             |                | TECHNICAL REVIEWER                                                                   |                       |               | INSPECTOR                                                                             |                |                       |                         |                   |  |
| RECIEVER NAME                                                                                                                                                                                                                                                                                    | BADGE NO                                                                                                                                                                    | MOBILE No      | NAME                                                                                 | RECEIVED DATE         | REVIEWED DATE | NAME                                                                                  | CERTIFICATE NO | MOBILE No             |                         |                   |  |
| SHMIR                                                                                                                                                                                                                                                                                            |                                                                                                                                                                             | 0533326321     | Aqeel Aldarwish                                                                      | 19-11-2025            | 19-11-2025    | Yahya Khalid Yaseen Al-Khayri                                                         | 80024627       | 966592028020          |                         |                   |  |
|                                                                                                                                                                                                               |                                                                                                                                                                             |                |  |                       |               |  |                |                       |                         |                   |  |
| RECEIVER SIGNATURE                                                                                                                                                                                                                                                                               |                                                                                                                                                                             |                | TECHNICAL REVIEWER SIGNATURE                                                         |                       |               | INSPECTOR SIGNATURE                                                                   |                |                       |                         |                   |  |

*When re-inspection is requested, a complete copy of this report should be ready to be reviewed by the inspector.*

|                                               |  |                                         |                                                                              |                                    |
|-----------------------------------------------|--|-----------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                             | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                      | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>Fahss-25-830</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                               |                            |                                        |                                                             |                              |
|-------------------------------|----------------------------|----------------------------------------|-------------------------------------------------------------|------------------------------|
| EQUIPMENT ID NUMBER           | EQUIPMENT DESCRIPTION/TYPE |                                        | SERIAL NO.                                                  | REPORT No.:<br>LIC-2025-1466 |
|                               | MANLIFT                    |                                        | B300027801                                                  |                              |
| CAPACITY (SWL)<br><br>500 LBS | MANUFACTURER<br><br>JLG    |                                        | FACILITY / LOCATION<br><br>Onshore /                        |                              |
| REQUESTED INSPECTION DATE     | RFI No.                    | TASK COMPLETED DATE<br><br>19-Nov-2025 | EQUIPMENT OWNER<br><br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |                              |

| ITEM No. | ACCEPTANCE CRITERIA                                                                                                          | REFERENCE                                          | PASS                                | FAIL                     | N/A                                 | Remarks |
|----------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------------------|--------------------------|-------------------------------------|---------|
| <b>1</b> | <b>GENERAL REQUIREMENTS - BOOM SUPPORTED</b>                                                                                 |                                                    |                                     |                          |                                     |         |
| 1.1      | Equipment documentation is available                                                                                         | ANSI/SAIA<br>A92.5, Sec:<br>4.16.1.1 G.I.<br>7.030 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.2      | Previous inspection reports are checked                                                                                      | ANSI/SAIA<br>A92.5, Sec:<br>5.11.1.3 G.I.<br>7.030 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.3      | Daily pre-operational inspection checklists are checked (if applicable)                                                      | GI 7.030<br>Para: 5.1.2                            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.4      | Preventive Maintenance is established and updated records are maintained                                                     | ANSI/SAIA<br>A92.5, Sec:<br>6.4.1                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.5      | Equipment is operated by a qualified operator                                                                                | ANSI/SAIA<br>A92.5 Sec:<br>4.13.13                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.6      | Warning notice, cautions or restrictions for safe operation and maintenance are clearly displayed and legible                | ANSI/SAIA<br>A92.5 Sec:<br>4.13.1                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.7      | A sign is posted warning the operator not to rely solely on any automatic device as a substitute for safe operating practice | G.I. 7.030<br>Para: 5.6.2                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.8      | Manufacturer name, address, serial number and model are clearly marked or tagged                                             | ANSI/SAIA<br>A92.5 Sec:<br>4.13.2                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.9      | Safe working load and number of persons are clearly marked on the work platform                                              | ANSI/SAIA<br>A92.5, Sec:<br>4.13.3                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.10     | Maximum platform height and reach are clearly marked                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.13.4 & 5              | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.11     | Maximum travel height and travel directions are clearly marked                                                               | ANSI/SAIA<br>A92.5 Sec:<br>4.13.9                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.12     | Power rating are provided and marked (for AC and/or DC)                                                                      | ANSI/SAIA<br>A92.5 Sec:<br>4.13.6                  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 1.13     | Platform and guardrails electrical insulation data are provided                                                              | ANSI/SAIA<br>A92.5 Sec:<br>4.13.10                 | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| <b>2</b> | <b>INSPECTION POINTS - BOOM SUPPORTED</b>                                                                                    |                                                    |                                     |                          |                                     |         |
| 2.1      | Platform surfaces are at least 18" (width & length) and are slip-resestant                                                   | ANSI/SAIA<br>A92.5 4.12.1                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.2      | Platform guardrails are provided and secure                                                                                  | ANSI/SAIA<br>A92.5 4.12.2                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.3      | Platform guardrails are 42" height (+/- 3")                                                                                  | ANSI/SAIA<br>A92.5 Sec:<br>4.12.2.1                | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.4      | Platform toeboard is fitted and at least 4" high                                                                             | ANSI/SAIA<br>A92.5 Sec:<br>4.12.3                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.5      | Moving parts are guarded                                                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>4.11                    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |

|                                               |  |                                         |                                                                              |                                    |
|-----------------------------------------------|--|-----------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                             | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                      | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>Fahss-25-830</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                               |                            |                                        |                                                             |                              |
|-------------------------------|----------------------------|----------------------------------------|-------------------------------------------------------------|------------------------------|
| EQUIPMENT ID NUMBER           | EQUIPMENT DESCRIPTION/TYPE |                                        | SERIAL NO.                                                  | REPORT No.:<br>LIC-2025-1466 |
|                               | MANLIFT                    |                                        | B300027801                                                  |                              |
| CAPACITY (SWL)<br><br>500 LBS | MANUFACTURER<br><br>JLG    |                                        | FACILITY / LOCATION<br><br>Onshore /                        |                              |
| REQUESTED INSPECTION DATE     | RFI No.                    | TASK COMPLETED DATE<br><br>19-Nov-2025 | EQUIPMENT OWNER<br><br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |                              |

| ITEM No. | ACCEPTANCE CRITERIA                                                                                 | REFERENCE                           | PASS                                | FAIL                     | N/A                                 | Remarks |
|----------|-----------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|---------|
| 2.6      | Personnel on the platform is protected against the hazards of moving parts of the aerial platforms. | ANSI/SAIA<br>A92.5 Sec:<br>7.10     | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.7      | Access to the platform is provided                                                                  | ANSI/SAIA<br>A92.5 Sec:<br>4.12.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.8      | Access gates or openings shall be properly closed per the manufacturer's instructions               | ANSI/SAIA<br>A92.5 Sec:<br>4.12.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.9      | Electrical cables, wiring and components are undamaged                                              | ANSI/SAIA<br>A92.5 Sec:8.3          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.10     | Safety harness anchorage is fitted in the platform                                                  | ANSI/SAIA<br>A92.5 Sec:<br>4.12.5.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.11     | Battery is secure, guarded and ventilated                                                           | ANSI/SAIA<br>A92.5 Sec:<br>4.15.2   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.12     | Outrigger position microswitches and interlocks are fully functional at their control pane          | ANSI/SAIA<br>A92.5 Sec: 4.7         | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 2.13     | Air, Hydraulic and fuel systems are not leaking                                                     | ANSI/SAIA<br>A92.5 Sec:<br>6.6.5    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.14     | Emergency stop button is available at ground control station                                        | ANSI/SAIA<br>A92.5 Sec:<br>4.6.3    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.15     | There are no loose nuts, bolts, missing, worn or damaged parts around the structure                 | ANSI/SAIA<br>A92.5 Sec:<br>6.6.2    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.16     | The equipment is free of defective and/or corroded members/joints                                   | ANSI/SAIA<br>A92.5<br>Sec:6.4.3     | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.17     | Working environment is hazard free and machine can be safely operated                               | ANSI/SAIA<br>A92.5 Sec:7.9          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.18     | An hour meter is fitted                                                                             | ANSI/SAIA<br>A92.5<br>Sec:4.15.3    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.19     | A fire extinguisher is fitted (type depends on operating location)                                  | ANSI/SAIA<br>A92.5 General          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.20     | All moving parts are lubricated                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>6.6.5    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.21     | All fluid levels for oil, water and hydraulic are adequate                                          | ANSI/SAIA<br>A92.5 Sec:<br>6.6.5    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.22     | Platform controls operate the machine correctly                                                     | ANSI/SAIA<br>A92.5 Sec:<br>6.6.1    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.23     | Platform controls are clearly marked with direction and mode of operation                           | ANSI/SAIA<br>A92.5 Sec:<br>4.6.1.6  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.24     | Platform controls accessible to the operator                                                        | ANSI/SAIA<br>A92.5 Sec:<br>4.6.1.1  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.25     | Platform controls return to "off" or "neutral" position when released                               | ANSI/SAIA<br>A92.5 Sec:<br>4.6.1.4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |

|                                               |  |                                         |                                                                              |                                    |
|-----------------------------------------------|--|-----------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                             | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                      | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>Fahss-25-830</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                               |                            |                                        |                                                             |                              |
|-------------------------------|----------------------------|----------------------------------------|-------------------------------------------------------------|------------------------------|
| EQUIPMENT ID NUMBER           | EQUIPMENT DESCRIPTION/TYPE |                                        | SERIAL NO.                                                  | REPORT No.:<br>LIC-2025-1466 |
|                               | MANLIFT                    |                                        | B300027801                                                  |                              |
| CAPACITY (SWL)<br><br>500 LBS | MANUFACTURER<br><br>JLG    |                                        | FACILITY / LOCATION<br><br>Onshore /                        |                              |
| REQUESTED INSPECTION DATE     | RFI No.                    | TASK COMPLETED DATE<br><br>19-Nov-2025 | EQUIPMENT OWNER<br><br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |                              |

| ITEM No. | ACCEPTANCE CRITERIA                                                                                                                                | REFERENCE                          | PASS                                | FAIL                     | N/A                      | Remarks |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|--------------------------|--------------------------|---------|
| 2.26     | Platform controls are protected against inadvertent operation                                                                                      | ANSI/SAIA<br>A92.5 Sec: 1.3        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.27     | Over-ride control for power functions is fitted at ground level control panel                                                                      | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.28     | Lower controls return to "off" or "neutral" position when released                                                                                 | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.29     | Lower controls are clearly marked for direction and mode of operation                                                                              | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.30     | Lower controls do not include drive and steering functions                                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.31     | Lower controls are protected against inadvertent operation                                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.32     | Boom raise/extend is operable from platform and ground control                                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.33     | Boom lower/retract is operable from platform and ground control                                                                                    | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.34     | Platform rotation is operable from both platform and ground controls                                                                               | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.35     | Emergency stop button is operable from both platform and ground controls                                                                           | ANSI/SAIA<br>A92.5 Sec:<br>4.6.3   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.36     | Auxiliary/emergency lowering is operable from platform and ground controls                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.37     | Auxiliary/emergency retracting is operable from platform and ground controls                                                                       | ANSI/SAIA<br>A92.5 Sec:<br>4.6.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.38     | Auxiliary/emergency rotating is operable from platform and ground controls                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.39     | Hydraulic/Pneumatic systems are leak-free with platform raised                                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>4.10.2  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.40     | Tilt alarm is operable (5 degrees out of level) (manually depress the edge of the tilt switch to cause alarm condition)                            | ANSI/SAIA<br>A92.5 Sec:<br>4.7.3   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.41     | Aerial platforms is fitted with a warning device at the platform which activates automatically when the aerial platform is at and beyond the slope | ANSI/SAIA<br>A92.5 Sec:<br>4.6.6   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.42     | Tilt alarm is not combined with boom raise cut-out (dependent on machine manufacturer)                                                             | ANSI/SAIA<br>A92.5 Sec:<br>4.6.6   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.43     | Steering is properly working when moving forward and in reverse directions                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>6.6.3.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.44     | Brakes are in good working condition and can hold the machine on any slope (parking and moving)                                                    | ANSI/SAIA<br>A92.5 Sec:<br>4.14.1  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.45     | Extendable axles function is satisfactory (where fitted)                                                                                           | ANSI/SAIA<br>A92.5 Sec:<br>7.3.3.8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |

|                                               |  |                                         |                                                                              |                                    |
|-----------------------------------------------|--|-----------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                             | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                      | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>Fahss-25-830</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                           |                                       |                                    |                                                         |
|---------------------------|---------------------------------------|------------------------------------|---------------------------------------------------------|
| EQUIPMENT ID NUMBER       | EQUIPMENT DESCRIPTION/TYPE<br>MANLIFT | SERIAL NO.<br>B300027801           | REPORT No.:<br>LIC-2025-1466                            |
| CAPACITY (SWL)<br>500 LBS | MANUFACTURER<br>JLG                   | FACILITY / LOCATION<br>Onshore /   |                                                         |
| REQUESTED INSPECTION DATE | RFI No.                               | TASK COMPLETED DATE<br>19-Nov-2025 | EQUIPMENT OWNER<br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |


| ITEM No. | ACCEPTANCE CRITERIA                                                                               | REFERENCE                               | PASS                                | FAIL                     | N/A                                 | Remarks |
|----------|---------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------|--------------------------|-------------------------------------|---------|
| 2.46     | Outriggers (stabilizers) extension-retraction operation is satisfactory                           | ANSI/SAIA<br>A92.5 Sec:<br>7.10.3       | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 2.47     | Extendable elevating assembly operation is satisfactory (retracted vs. extended)                  | ANSI/SAIA<br>A92.5 Sec:<br>4.2.1        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.48     | Elevating assembly operation is satisfactory (elevated vs. lowered)                               | ANSI/SAIA<br>A92.5 sec:<br>4.2.1( c )   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.49     | Wheels and tires are serviceable and undamaged                                                    | ANSI/SAIA<br>A92.5 Sec:<br>7.3.3 (6)    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.50     | Travel alarm is operable                                                                          | ANSI/SAIA<br>A92.5 Sec:<br>6.6 (4)      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.51     | Platform lowering alarm is operable                                                               | ANSI/SAIA<br>A92.5 Sec:<br>6.6 (4)      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.52     | Auxiliary power source available (to use in event of primary power loss)                          | ANSI/SAIA<br>A92.5 Sec;<br>4.15.2       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.53     | Platform does not descend when in raised position and the power is off                            | ANSI/SAIA<br>A92.5 Sec:<br>4.6.3        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.54     | Machine is safely drivable from the platform when raised (fast, slow, forward and reverse modes)  | ANSI/SAIA<br>A92.5 Sec:<br>6.6.3.1      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.55     | The platform does not descend when in raised position and the power is off                        | off<br>ANSI/SAIA<br>A92.5 Sec:<br>4.6.3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.56     | Engine powered machines fuel lines are supported to minimize chafing                              | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.57     | Engine powered machines fuel lines are positioned to minimize exposure to engine and exhaust heat | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.58     | Engine powered machines exhaust system is provided with muffler                                   | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.59     | Installation of Anti- Entrapment device on work platform                                          | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |

REMARKS:

|                                               |  |                                         |                                                                              |                                    |
|-----------------------------------------------|--|-----------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                             | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                      | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>Fahss-25-830</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                                  |                                              |                                           |                                                                |
|----------------------------------|----------------------------------------------|-------------------------------------------|----------------------------------------------------------------|
| EQUIPMENT ID NUMBER              | EQUIPMENT DESCRIPTION/TYPE<br><b>MANLIFT</b> | SERIAL NO.<br><b>B300027801</b>           | REPORT No.:<br><b>LIC-2025-1466</b>                            |
| CAPACITY (SWL)<br><b>500 LBS</b> | MANUFACTURER<br><b>JLG</b>                   | FACILITY / LOCATION<br><b>Onshore /</b>   |                                                                |
| REQUESTED INSPECTION DATE        | RFI No.                                      | TASK COMPLETED DATE<br><b>19-Nov-2025</b> | EQUIPMENT OWNER<br><b>SUDHIR COMPANY FOR EQUIPMENTS RENTAL</b> |

|                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>REFERENCE DOCUMENTS:</b>                                                                                                                                                                                                                                                                                                                       |
| 1- ANSI/SAIA A92.5 - 2014 Issue: Boom - Supported Elevating Work Platforms<br>2- SAES-B067 - 2020 Issue: Safety Identification and Safety Colors<br>3- SA GI 7.025 -2018 Issue: Heavy Equipment Operator and Rigger Testing and Certification<br>4- SA GI 7.030 - 2023 Issue: Inspection and Testing Requirements for Elevating/Lifting Equipment |

|                                                                                                                      |                                                                                                                 |                                                                                                              |                                                                                      |
|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Load Tested By (If Applicable):</b>                                                                               |                                                                                                                 | Inspector Signature:<br> |  |
| Name :                                                                                                               | Date:                                                                                                           |                                                                                                              |                                                                                      |
| <input type="checkbox"/> Inspected by 3rd Party Certified Inspector/Inspected:                                       | <input type="checkbox"/> Witnessed by 3rd Party Certified Inspector/Witnessed by 3rd Party Certified Inspector: |                                                                                                              |                                                                                      |
| Name of Inspector : Yahya Khalid Yaseen Al-Khayri<br>Company: <b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> | Inspector ID: 80024627                                                                                          |                                                                                                              |                                                                                      |
| Client signature:<br>           |                                                                                                                 |                                                                                                              |                                                                                      |
| <b>User Representative:</b>                                                                                          |                                                                                                                 |                                                                                                              |                                                                                      |
| Name : SHMIR                                                                                                         | Date: 19-Nov-2025                                                                                               |                                                                                                              |                                                                                      |



# SATISFACTION SURVEY

Thank you for your feedback

| # | Question                                                                                                   | Answer | Remarks |
|---|------------------------------------------------------------------------------------------------------------|--------|---------|
| 1 | Did the Service provider Co. provide the right inspector with a valid qualification card?                  | Yes    |         |
| 2 | Did the service provider Co. respond for inspection within the expected time frame?                        | Yes    |         |
| 3 | Was the inspector wearing the required personal protective (Yes/No) equipment (PPE) during the inspection? | Yes    |         |
| 4 | Did the inspection conducted safely and in accordance with Aramco standard?                                | Yes    |         |



الشركة الوطنية للفحص والاختبار الفني

National Inspection & Technical Testing Company

TEL.: +966 (13) 340 7607 | +966 (12) 610 9014

+966 (14) 325 1475 | +966 538400764

**NO.: FAHSS-A-000130**

**EQUIP.NO.:** S28SJ-1724

**EQUIP. S.N.:** B300027801

**DATE INSPECTED:** 19-Nov-2025

**NEXT INSPECTION DATE:** 18-May-2026

**INSPECTED BY:** Yahya Khalid Yaseen Al-Khayri