

Ownership Certificate

To Whom It May Concern

This is to certify that the following equipment mentioned below are the sole owned by Sudhir Equipment Rental Company

Equipment	Air Compressor
Brand / Make	DOOSAN
Asset ID	SAC-350-004
Model Number	XATS350
Serial Number	WUX544123
Engine Model Number	4BTAA3.9-C125-II
Rating	350 CFM
Manufacturing Year	2022



Mansoor Ali
Branch Manager
Sudhir Equipment Rental Company
Dammam- KSA





Certificate of Insurance

Policy Holder Name
Policy Number
Original Policy Period

Sudhir Equipment Rental Company
5/EP/30425/0/0
05/04/2026 to 04/04/2027

اسم حامل الوثيقة
رقم الوثيقة
فترة الوثيقة الأصلية

Gulf Insurance Group certifies that above client is holding Contractor's Plant & Machinery Insurance Policy for the below mentioned Equipment in accordance with the above mentioned Insurance Policy:

تشهد مجموعة الخليج للتأمين بأن العميل المذكور أعلاه يحمل وثيقة تأمين على معدات والآلات المقاولين للمعدة المذكورة أدناه، وذلك وفقاً لشروط وثيقة التأمين المذكورة أعلاه:

Asset ID	:	SAC-350-004	:	معرف الأصل
Brand	:	ATLAS COPCO	:	العلامة التجارية
Type	:	XATS350	:	النوع
Model	:	Air Compressor	:	الطراز
Manufacturing Year	:	0	:	سنة الصنع
Equipment Serial Number	:	WUX544123	:	الرقم التسلسلي للمعدة
Insurance Effective Date	:	05/04/2026	:	تاريخ سريان التأمين

This Certificate has been issued upon Insureds request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تم اصدار هذه الشهادة بناء على طلب المؤمن له وذلك حسب الشروط والاستثناءات والاشتراطات المذكورة في الوثيقة

Al Khobar : 01st April 2026

Signature of Insurer's Authorized Representative



PUBLIC

Gulf Insurance Group

A Saudi joint stock company | Paid-up capital 500 Million Saudi Riyals
Licensed by No (TMN/25/20101) | Commercial Registration No.1010271203
3528 King Abdullah Bin Abdulaziz Road, Al Nuzha District
Unit No. 25 | Riyadh 12471 - 6378
Toll free 8001160020 | Website www.gig.sa
Regulated and Supervised by The Saudi Central Bank

مجموعة الخليج للتأمين

شركة مساهمة سعودية | رأس المال 500,000,000 ريال سعودي
مرخص لها برقم ترخيص (ت م ن/25/20101) | سجل تجاري رقم 1010271203
3528 طريق الملك عبدالله بن عبدالعزيز، حي النزهة
رقم الوحدة 25 | الرياض 12471 - 6378
www.gig.sa الرقم المجاني 8001160020 | الموقع الإلكتروني
خاضعة لرقابة وإشراف البنك المركزي السعودي



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No.2055011643

س.ت. ٢٠٥٥٠١١٦٤٣

AIR QUALITY TEST REPORT

REPORT NO: UIC/AIR/2026/0487

DATE OF REPORT: 18 MAR 2026

DATE OF TESTING: 18 MAR 2026

INTRODUCTION:

A cylinder containing breathing air was received from **M/S CONSOLIDATED CONTRACTORS COMPANY**, on 17th MAR 2026. It was requested by the client to carryout purity testing as per CGA Standard Grade "D" breathing air.

Customer Name : **CONSOLIDATED CONTRACTORS COMPANY,**
Location : **ZULUF, KSA.**
Sample Identification : **AIR COMPRESSOR**
Sticker Number : **AQT/00909**
Make : **ATLAS COPCO**
Model : **XATS350 T2 SQE**
SL.No : **WUX544123**
ID.No : **SAC-350-004.**

TEST PROCEDURE:

The major components of the air sample were determined by using gas chromatograph equipped with thermal conductivity and flame ionization detectors. The other impurities are analyzed by Chemical reaction method using detection tubes.

SPECIFICATIONS:

CGA Commodity Specification for Air, ANSI/CGA G-7.1-2018

RESULTS

Test Description	Unit	Results	CGA Grade - D Limits (Max)
Oxygen (O ₂)	(Vol. %)	20.79	19.5 – 23.5
Carbon Dioxide (CO ₂)	(Vol. %)	0.04	0.10
Carbon Monoxide (CO)	(ppm)	< 2.0	10.0
Oil Condensed	(mg/m ³)	< 1.0	< 5.0
Moisture Content	(ppm)	61	67.0
Odour	---	None	None

REMARKS:

The above test result of the air sample complies with the Compressed Gas Association Standard for Grade "D" Breathing Air for SCBA or Airline respirators. Further precautionary measure time to time, we would recommend to clean the filter tap prior to use in breathing purposes.

Tested By:

N. P. Ram

Materials Analysis Dept.

Approved By:

[Signature]
QA/QC Manager

UIC-AQT-RT-01/REV.NO:00

This report relates only to the sample tested and only shall be reproduced in full with written approval of UIC testing laboratory

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب. ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC / SAF / 104018

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer	Sudhir Equipment Rental Company		
Address	Dammam, Kingdom of Saudi Arabia.		
Description	Pressure Relief Valve		
Manufacturer	SAFETY VALVE		
Type.	AK28X-50T		
Serial No.	210365	Receipt Date	: 28-Mar-26
ID No.	SAC-350-004	Calibration Date	: 28-Mar-26
Location	Calibration Lab (Safaniya)	Calibration Due Date	: 27-Sep-26

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO 17025 requirements

Reference Standard Equipment Used

Description	Cert. No.	Serial No	Due Date
High Pressure Pneumatic Comparator	AME/25/TC-0711-A1	214E2408017	10-Jul-26
Digital Pressure Gauge	AME/25/CC-0703-A2	2232209008	02-Jul-26

Calibrated By
33
CAL/ENGR



Approved By

QA/QC Engineer

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement result sheets shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.

Tel.: +966 13 344 8882 / Fax: +966 13 344 8881

Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية

هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦

هاتف ٠٥١٥ ١٣ ٣٦٧

CERTIFICATE NO: UIC / SAF / 104018		PAGE	2 of 2
Customer	Sudhir Equipment Rental Company		
Address	Dammam, Kingdom of Saudi Arabia.		
Description	Pressure Relief Valve		
Manufacturer	SAFETY VALVE	Calibration Date	28-Mar-26
Type.	AK28X-50T	Calibration Due Date	27-Sep-26
Serial No.	210365	Temperature	23.0 ± 2°C
ID No.	SAC-350-004	Relative Humidity	RH 45% to 75%
Test Results			
Set Pressure :	9.0 BARG	Spring Range :	N/A
Back Pressure:	0.0 BARG	Size Inlet / Outlet :	¾" X 1"
CDTP :	9.0 BARG	Type of Valve :	Metal Seated
Setting Accuracy :	+ 3 % of Setting	Test Medium :	Air
Pop Test :	PASSED		
BASIS OF TEST:			
Ref Standard ASME Sec VIII, Div I			
Summary of Test Procedure:			
The Calibration of above Pressure relief valve is performed through the verification of set pressure and seat tightness using a reference standard pressure gauge or test gauge and a hydrostatic / pneumatic test system.			
Traceability:			
The reported tests were undertaken using equipment detailed mentioned in Reference Standard Equipment's for which the company maintains Traceability to the third party.			
Condition of Instrument			
With in the tolerance on receipt(as found)		Yes	
The instrument was adjusted		No	
The instrument was repaired		No	
***** End of the Certificate *****			
 Calibrated By: _____ Calibration Engineer	 Approved by:  QA/QC Engineer		



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س. ت ٢٠٥٥٠١١٦٤٣

THOROUGH EXAMINATION CERTIFICATE OF AIR COMPRESSOR

Report No:	SAF-INS-2026-03-07183	Report Issue Date:	15-Mar-2026
Customer Name:	Sudhir Equipment Rental Company	Inspection Type:	Visual Inspection
Address:	Al Khobar, Kingdom Of Saudi Arabia.	Serial Number	WUX544123
Site Location:	Zuluf	Equipment Id Number:	SAC-350-004
Standard Reference:	ISO 23.140	Manufacturer:	ATLAS COPCO
Inspection Date:	14-Mar-2026	Equipment Model/Type:	XATS350 T2 SQE
Next Inspection Date:	13-Sep-2026	Sticker No:	SAF/006144

Description	Capacity/SWL	Reason For Examination	Result	Safe To Use
Working pressure	10.3 BAR	B	Satisfactory	YES
Engine Power	93 kW			
Engine Speed	2300 RPM			
No. of Outlet's	3 No			
General Surface Test	Satisfactory			
Internal Visual Test	Satisfactory			
Leak Detection	Satisfactory			
Structural Integrity	Satisfactory			
Compressor Shut-Down	Satisfactory			
Air Filter / Safety Valve	Satisfactory			
Compressor & receiver condition	Satisfactory			

Reason For Exam.	A	B	C	D	E	F
	3 Months	6 Months	12 Months	Written Scheme	Exceptional Circumstance	Installation

Result	ACCEPTED	REJECTED (See Attached Defect Report)
--------	----------	--

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the Inspection/examination and found to be free from any defect likely to affect safety other than those detailed above.

Inspected By:		Approved By:	
Stamp By:		Designation: Inspection Supervisor	

No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.

أرامكو السعودية
saudi oramco
VENDOR ID: 1004457

The Red Sea
Development
Company
APPROVED VENDOR

سابك
SABIC
VENDOR ID: 11052442

الشركة السعودية للكهرباء
Saudi Electricity Company
VENDOR ID: 5014041

MA'ADEN
Saudi Arabian Mining Company
VENDOR ID: 10857

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
+966 13 344 8882 :هاتف / فاكس: +966 13 344 8881
+966 13 367 0515 :هاتف
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00

SJ X300



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

INSPECTION DIVISION
EQUIPMENT INSPECTION

NO.SAF/006144

TYPE OF EQUIPMENT : Air Compressor
EQUIPMENT ID NO : SAC-350-004
SERIAL NUMBER : WUX544123
DATE OF INSPECTION : 14-MAR-2026
DATE OF EXPIRY : 13-SEP-2026
INSPECTED BY : VIC-62

Contact No. Tel.: +966 13 344 8882, Fax: +966 13 344 8881

Website : www.ui.com.sa

UIC FMT 091-E-ST / Rev No - 00