



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No: 2055011643

س. ت. ١١٦٤٣ ٢٠٥٥

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC / SAF / 91110

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer	Sudhir Equipment Rental Company		
Address	Dammam, Kingdom of Saudi Arabia.		
Description	Pressure Relief Valve		
Manufacturer	SAFETY VALVE		
Type.	AK28X-50T		
Serial No.	210398	Receipt Date	: 04-Aug-25
ID No.	N/A	Calibration Date	: 04-Aug-25
Location	Calibration Lab (Safaniya)	Calibration Due Date	: 03-Feb-26

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO 17025 requirements

Reference Standard Equipment Used

Description	Cert. No	Serial No	Due Date
High Pressure Pneumatic Comparator	VIC-24-41658	214E191210	10-Aug-25
Digital Pressure Gauge	178189-213567	223162191111	01-Sep-25

Calibrated By

31

Calibration Engineer



Approved By

[Signature]

QA/QC Engineer

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement result sheets shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب. ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٩٦٦ / فاكس ٨٨٨١ ١٣ ٩٦٦
هاتف ٥١٥ ١٣ ٩٦٦



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD
An ISO 17025 Accredited Laboratory &
ISO 9001 Certified Company

VALVE NUMBER 210398

SET PRESSURE 17.0 BAR

CERTIFICATE UIC / SAF 517

SET DATE 04-AUG-2025

DUE DATE 03-SEP-2026

إدارة السلامة والصحة المهنية
OHS
INTERNATIONAL INSPECTION CENTERS
ISO 9001 Certified Company

SERIAL NUMBER	210398
SET PRESSURE	120 PSI
CERTIFICATE	IPC/SVP/9110
SET DATE	04-10-2025
DUE DATE	03-10-2026



CERTIFICATE NO:

UIC / SAF / 91110

PAGE

2 of 2

Customer

Sudhir Equipment Rental Company

Address

Dammam, Kingdom of Saudi Arabia.

Description

Pressure Relief Valve

Manufacturer

SAFETY VALVE

Type.

AK28X-50T

Serial No.

210398

ID No.

N/A

Calibration Date

04-Aug-25

Calibration Due Date

03-Feb-26

Temperature

23.0 ± 2°C

Relative Humidity

RH 45% to 75%

Test Results

Set Pressure : 17.0 BARG

Spring Range : N/A

Back Pressure: 0.0 BARG

Size Inlet / Outlet : 3/4" X 1"

CDTP : 17.0 BARG

Setting Accuracy : ± 3 % of Setting

Type of Valve : Metal Seated

Pop Test : PASSED

Test Medium : Air

BASIS OF TEST:

Ref Standard ASME Sec VIII, Div I

Summary of Test Procedure:

The Calibration of above Pressure relief valve is performed through the verification of set pressure and seat tightness using a reference standard pressure gauge or test gauge and a hydrostatic / pneumatic test system.

Traceability:

The reported tests were undertaken using equipment detailed mentioned in Reference Standard Equipment's for which the company maintains Traceability to the third party.

Condition of Instrument

With in the tolerance on receipt(as found)

No

The instrument was adjusted

No

The instrument was repaired

No

Calibrated By:



Calibration Engineer



UIC-QP-7.8-24 F02, REV 0

Approved by:

QA/QC Engineer

++++ End of the Certificate +++++

الشركة العالمية لخدمات القياس المعتمدة
UNIVERSAL INSPECTION CO. LTD.
(CALIBRATION DIV.)

18-AUG-2025	17-FEB-2026
CAL. DATE	DUE. DATE

UIC-42	UIC / 373859
CALIBRATED BY	CERTIFICATION

SAC-350-041
SERIAL NUMBER



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س. ت ٢٠٥٥٠١١٦٤٣

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC/ 373859

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer	Sudhir Equipment Rental Company		
Address	Dammam, Kingdom of Saudi Arabia.		
Description	Pressure Gauge		
Manufacturer	WIKA		
Model	N/A		
Serial No.	SAC-350-041	Receipt Date	: 18-Aug-25
ID No.	N/A	Calibration Date	: 18-Aug-25
Location	Calibration Lab (Jubail)	Calibration Due Date	: 17-Feb-26

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO 17025 requirements

Reference Standard Equipment Used

Description	Cert. No./Model	Serial No	Due Date
High Pressure Pneumatic Comparator	SA 178189-216695	214E2207005	19-Dec-25
Digital Pressure Calibrator	AME/25/CC-0703-A2	2232209008	02-Jul-26

Calibrated By
42
Calibration Engineer



Approved By
4
Quality / Lab Manager

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement result sheets shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص. ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ٣٤٤ ١٣ +٩٦٦ / فاكس ٨٨٨١ ٣٤٤ ١٣ +٩٦٦
هاتف ٥١٥ ٣٦٧ ١٣ +٩٦٦



بروج للتأمين التعاوني
Buruj Cooperative Insurance

شهادة التأمين - CERTIFICATE OF INSURANCE

Policy Holder Name	:	Sudhir Equipment Rental Company	:	اسم حامل الوثيقة
Policy Number	:	01/CPM/ 2025/000002	:	رقم الوثيقة
Policy Period	:	05/04/2025 to 04/04/2026	:	فترة الوثيقة
Description of Machinery / Equipment	:	ATLAS COPCO-Air Compressor-XATS350	:	وصف المعدة/ال لة
Chassis / Serial No.	:	WUX544624	:	رقم الهيكل/ التسلسلي
Year of Manufacturing	:	2022	:	سنة الصنع
Asset ID No.	:	SAC-350-041	:	رقم ال صل
Location	:	Kingdom of Saudi Arabia.	:	الموقع

BURUJ Cooperative Insurance Company certifies that above client is holding a Machinery/Equipment Insurance Policy for the above-mentioned Equipment in accordance with the above-mentioned Insurance Policy.

With effect from: 05/04/2025 to 04/04/2026

This Certificate has been issued upon Insured's request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تشهد شركة بروج للتأمين التعاوني بأن السادة أعل ه مؤمنين لديها تأمين المكاين/المعدات المذكورة أعل ه وذلك حسب وثيقة التأمين المذكورة أعل ه

والتي يبدأ تاريخ سريانها من ٢٠٢٥/٠٤/٠٥ إلى ٢٠٢٦/٠٤/٠٤

تم إصدار هذه الشهادة بناءً على طلب المؤمن له وذلك حسب الشروط وال استثناءات وال شتراطات المذكورة في الوثيقة.

Important Notices:

1. This Certificate does not pay any fines, penalties, bonds or cautions that may be imposed.
2. Original certificates are only accepted.
3. Due to the importance of correct information being stated in this certificate, kindly examine the document carefully and advise the Company of any difference.
4. In the event of changes in the above information, kindly contact +966-11-2938383

مل حظات هامة:

- ١) ل تطبق هذه الشهادة التأمين على الغرامات والعقوبات المالية بما في ذلك المخالفات أو الضمانات أو الكفالات التي قد تقرر.
- ٢) تقبل الشهادة ال صلية فقط.
- ٣) نظراً ل همية صحة البيانات الخاصة بكم في هذه الشهادة، الرجاء التأكد منها وإشعار الشركة في حالة وجود أي اختل فات.
- ٤) عند الحاجة إلى تعديل البيانات أعل ه يرجى ال اتصال على شركة بروج للتأمين التعاوني ٢٩٣٨٣٨٣-١١-٩٦٦+



BURUJ Cooperative Insurance Company

P.O. Box 51855, Riyadh 11553,

National Address 3385, Al Thomamah Road, An-Nada District.

800 124 0201 | burujinsurance.com

Issue Date: 3 April 2025

AIR QUALITY TEST REPORT

DETAILS OF TESTREPORT

Report No	GTEC/AJ/25/NS07120-01	Date of Issue	22.04.2025
Test Date	22.04.2025		

DETAILS OF CUSTOMER

Customer Name	M/s. Sudhir Equipment Rental Company.
Customer Address	Riyas NGL, Kingdom of Saudi Arabia.

DETAILS OF UNIT UNDER TEST (UUT)

Description	Breathing Air
Source	Air Compressor
Manufacturer	ATLAS COPCO
Model	XATS 350 T2SQE
Serial No / Identification No	WUX544624 / SAC-350-041

MEASURING PRINCIPLE

The Air from the medium pressure compressor or air-line is reduced to atmospheric pressure and the required flow volume is set by the needle valve flow meter of the sampling device. The air flows through a specially calibrated detector tube for a specified time. The length of stain in the detector tube is an indication of the concentration of measured substance; this can be read directly on the detector tube scale.

TEST RESULTS

Sl. No	TEST DESCRIPTION	UNIT	RESULT	EN 12021 LIMITS	CGA GRADE D LIMITS
1	Oxygen (O ₂)	Vol. %	20.9	20 to 22	19.5 to 23.5
2	Carbon Dioxide (CO ₂)	ppm	<115	≤ 500	1000
3	Carbon Monoxide (CO)	ppm	<1.5	≤5	10
4	Oil Content (Vapour & Mist)	mg/m ³	< 0.4	≤ 0.5	5.0
5	Odour	---	Satisfactory	Satisfactory	No Pronounced odour

Remarks: The above test result of the compressed air complies with European Standard EN 12021 "RESPIRATORY PROTECTIVE DEVICES- COMPRESSED AIR FOR BREATHING APPARATUS"

Note:

1. Test Report relates only to the sample tested and shall not be reproduced, except in full, without written approval of GTEC.
2. The above air quality test is equivalent to compressed gas association (CGA) grade d test.

Tested By

m. Sy.
Lab Chemist



Authorized By

C. Balm
Technical Manager

OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

Equipment	Air Compressor
Brand / Make	ATLAS COPCO
Asset ID	SAC-350-041
Model Number	XATS350
Serial Number	WUX544624
Engine Number	82441647
Rating	350 CFM
Manufacturing Year	2025

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at : Info@sudhirrentals.com

Sincerely,

Rajesh Thakur
Plant Manager
Sudhir Equipment Rental Company





REPORT OF INSPECTION

Cert. No.: 1968908	Date of Examination: 24/06/2025	Sticker No.: 01-79351
Equipment Owner	Sudhir Equipment Rental Company	
Place of Inspection	Jubail / Riyas Gas Plant	
Equipment Type	Air Compressor.	
Manufacturer Name	Atlas Copco	
Owner ID	SAC-350-041	
Serial No.	WUX544624	
Model	XATS350 T2 SQE	
Rated Power	93 KW	
Max. Operating Pressure	10.3 BAR	
Rated Speed	2300 RPM	

At the request of Sudhir Equipment Rental Company , Surveyor to BUREAU VERITAS, acting within the General Conditions of Services of the Society, attended on 24/06/2025 at Jubail / Riyas Gas Plant to witness Test and/or to carry out Thorough Examination of the above-mentioned equipment as per EN 1012

Inspection Activities:

Prior to commencing performance test, visual inspection of the equipment was carried out and no visible defects were observed. The equipment was then operated to all the functions to verify the performance of the equipment.

Result of Inspection:

Based on the visual inspection of the Air Compressor. and upon post-performance test & thorough examination, the above mentioned equipment has been found free from damage and/or permanent deformation at the time of inspection & is considered to be safe for further use, subject to continuous maintenance being applied and qualified operator being employed.

Remarks:

- Maintain regular maintenance.
- Maintain regular housekeeping.

Next Inspection Due on or before: 23/12/2025

Issued at Al Khobar on 24/06/2025

Inspected by

Signature:



Name: Mohamed Elsabry
Position: Senior Inspector



Reviewed by
Signature:



Name: Ahmed Elabady
Position: Reviewer

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



CHECKLIST OF TEST AND THOROUGH EXAMINATION

Inspection Sticker No.: 01-79351		Date of Examination: 24/06/2025
DESCRIPTION		CONDITION/REMARKS
1.	Physical condition of the compressor tank	Satisfactory
2.	Condition of the motor	Satisfactory
3.	Condition of the piston	Satisfactory
4.	Display panel / pressure gauges	Satisfactory
5.	Safety valve	Satisfactory
6.	Condition of all valves	Satisfactory
7.	Protective covering	Satisfactory
8.	Any unnecessary vibration observed	Satisfactory
9.	Grounding	Satisfactory
10.	Ventilation condition	Satisfactory
11.	Markings & safety signage	Satisfactory
12.	Lifting points (if any)	Satisfactory
13.	Supporting legs / foundation structure	Satisfactory
14.	Name plate	Satisfactory
Remarks: -		

Inspector to Bureau Veritas
Signature:




Name: Mohamed Elsabry
Position: Senior Inspector

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.