

OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

Equipment	Air Compressor
Brand / Make	ATLAS COPCO
Asset ID	SAC-500-172
Model Number	XAS500-175
Serial Number	PE2360268
Engine Number	PLHM104589
Rating	500 CFM
Manufacturing Year	2023

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at : Info@sudhirrentals.com

Sincerely,

Rajesh Thakur
Plant Manager
Sudhir Equipment Rental Company





Certificate of Insurance

Policy Holder Name
Policy Number
Original Policy Period

Sudhir Equipment Rental Company
5/EP/30425/0/0
05/04/2026 to 04/04/2027

اسم حامل الوثيقة
رقم الوثيقة
في رتبة الوثيقة الأصلية

Gulf Insurance Group certifies that above client is holding Contractor's Plant & Machinery Insurance Policy for the below mentioned Equipment in accordance with the above mentioned Insurance Policy:

تشهد مجموعة الخليج للتأمين في بأن العميل المذكور أعلاه يحمل وثيقة تأمين في على معدات واللات المقاول في للمعدة المذكورة أدناه، وذلك وفقاً ل شروط وثيقة التأمين في المذكورة أعلاه:

Asset ID	:	SAC-500-172	:	معرف الأصل
Brand	:	ATLAS COPCO	:	العلامة التجارية
Type	:	XAS500-175	:	النوع
Model	:	Air Compressor	:	الطراز
Manufacturing Year	:	2023	:	سنة الصنع
Equipment Serial Number	:	PE2360268	:	الرقم التسلسلي للمعدة
Insurance Effective Date	:	05/04/2026	:	تاريخ سريان التأمين

This Certificate has been issued upon Insureds request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تم إصدار هذه الشهادة بناء على طلب المؤمن له وذلك حسب ال شروط والاستثناءات والأش رتأطات المذكورة في الوثيقة

Al Khobar : 01st April 2026

Signature of Insurer's Authorized Representative



PUBLIC

Gulf Insurance Group

A Saudi joint stock company | Paid-up capital 500 Million Saudi Riyals
Licensed by No (TMN/25/20101) | Commercial Registration No.1010271203
3528 King Abdullah Bin Abdulaziz Road, Al Nuzha District
Unit No. 25 | Riyadh 12471 - 6378
Toll free 8001160020 | Website www.gig.sa
Regulated and Supervised by The Saudi Central Bank

مجموعة الخليج للتأمين

شركة مساهمة سعودية | رأس المال 500,000,000 ريال سعودي
مرخص لها برقم ترخيص (ت م ن/25/20101) | سجل تجاري رقم 1010271203 3528 طريق
الملك عبدالله بن عبدالعزيز، ح ال ز رنة
رقم الوحدة 25 | الرياض 12471 - 6378
www.gig.sa الرقم المجا ن 8001160020 | الموقع الإل ك نون
خاضعة لرقابة وإ رشاف البنك المركزي السعودي



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC/DAM/82150

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer	Sudhir Equipment Rental Company		
Location	Dammam, Kingdom of Saudi Arabia		
Description	Pressure Gauge		
Manufacturer	VEETHREE		
Model	N/A		
Serial No.	N/A	Receipt Date	28-Feb-26
ID. No.	PG-500-172	Calibration Date	28-Feb-26
Location	Calibration Lab (Dammam)	Calibration Due Date	27-Aug-26

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO/IEC 17025:2017 requirements

Reference Standard Equipment Used

Description	Model / Cert. No.	Serial No	Due Date
High Pressure Pneumatic Pressure Source	SA178189-224312	214E2408011	02-Dec-26
Digital Pressure Calibrator	SA178189-224315	2232411020	02-Dec-26

Calibrated By


Calibration Engineer



Approved By


QA/QC Engineer

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement result sheets shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤
هاتف ٠٥١٥ ٣٦٧ ٩٦٦

CERTIFICATE NO: UIC/DAM/82150

Page

2 of 2

Customer **Sudhir Equipment Rental Company**

Location Dammam, Kingdom of Saudi Arabia

Description **Pressure Gauge**

Manufacturer VEETHREE

Model N/A

Serial No. N/A

ID. No. PG-500-172

Calibration Date 28-Feb-26

Calibration Due Date 27-Aug-26

Temperature Range 23.6°C

Relative Humidity RH 45%

Calibration Test Results for Pressure Gauge

Min. Range: 0.0 BARG

Max. Range: 25.0 BARG

Function Tested		Gauge Pressure	
UUT Setting	Actual Reading in Master	Error	Error (FS)
BARG	BARG	BARG	(% of Range)
0.00	0.00	0.000	0.000
5.00	4.95	-0.050	-0.200
10.00	9.95	-0.050	-0.200
15.00	14.96	-0.040	-0.160
20.00	19.92	-0.080	-0.320
25.00	24.90	-0.100	-0.400

Calibration Procedure:

UIC/P/PPGCP Rev. 00

Reference Standard:

As Generally given in MSL Technical guide & Tolerance as per EN 837 standard & based on the Manufacture's Specifications.

Remarks / Deviations IF ANY:

The results stated in this certificate relate only to the item calibrated.

The item was received in good condition



++++ End of the Certificate +++++

Calibrated By: _____

Calibration Engineer

UIC-QP-7.8-24 F02, REV 0

Approved by: _____

QA/QC Engineer



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س. ت. ١١٦٤٣ ٢٠٥٥٠

THOROUGH EXAMINATION CERTIFICATE OF AIR COMPRESSOR

Report No:	SAF-INS-2026-04-07512	Report Issue Date:	07-Apr-2026
Customer Name:	Sudhir Equipment Rental Company	Inspection Type:	Functional & Visual Check
Address:	Dammam, Kingdom Of Saudi Arabia.	Serial Number	PE2360268
Site Location:	Marjan	Equipment Id Number:	SAC-500-172
Standard Reference:	ISO 23.140	Manufacturer:	ATLAS COPCO
Inspection Date:	06-Apr-2026	Equipment Model/Type:	XAS500-175
Next Inspection Date:	05-Oct-2026	Sticker No:	SAF/007503

Description		Capacity/SWL	Reason For Examination	Result	Safe To Use
Working pressure	12.0 bar	500 cfm (14 m³/min)	B	Satisfactory	YES
Engine Power	127 kW				
Engine Speed	2200 RPM				
Serial Number	VEPL/2023-24/133				
General Surface Test	Satisfactory				
Internal Visual Test	Satisfactory				
Leak Detection	Satisfactory				
Structural Integrity	Satisfactory				
Compressor Shut-Down	Satisfactory				
Air Filter / Safety Valve	Satisfactory				
Compressor & receiver condition	Satisfactory				

Reason For Exam.	A 3 Months	B 6 Months	C 12 Months	D Written Scheme	E Exceptional Circumstance	F Installation
Result	ACCEPTED			REJECTED (See Attached Defect Report)		

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the Inspection/examination and found to be free from any defect likely to affect safety or reliability of the equipment detailed above.

Inspected By:		Approved By:	
Stamp By:		Designation:	
		Inspection Supervisor	

No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client or user of inspected equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.

إرامكو السعودية
saudi aramco

VENDOR ID: 1004457

The Red Sea
Development
Company

APPROVED VENDOR

سابك
SABIC

VENDOR ID: 11052442

الشركة السعودية للكهرباء
Saudi Electricity Company

VENDOR ID: 5014041

معاذن
MA'ADEN

VENDOR ID: 10857

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882 / Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب. 2072 ، الجبيل 31951 - المملكة العربية السعودية
+ هاتف: 966 13 344 8882 / فاكس: 966 13 344 8881
+ هاتف: 966 13 367 0515
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No.2055011643

س.ت ١١٦٤٣ ٢٠٥٥٠

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC/ALH/28398

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer **Sudhir Equipment Rental Company**
Address Al Hasa, Kingdom Of Saudi Arabia.

Description **Pressure Relief Valve**
Manufacturer EW
Model N/A
Serial No. 2301131
Tank No. N/A
Location Calibration Lab (Al Hasa)

Receipt Date : 9-Oct-25
Calibration Date : 11-Oct-25
Calibration Due Date : 10-Oct-26

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO 17025 requirements

Reference Standard Equipment Used

Description	Model / Cert. No.	Serial No	Due Date
High Pressure Pneumatic Pressure Source	SA17-8189-219407	214E2207012	21-Apr-26
Digital Pressure Calibrator	SA17-8189-219408	223210304	21-Apr-26

Calibrated By
65
Calibration Engineer



Approved By

QA/QC Engineer

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement result sheets shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ٣٤٤ ١٣ / فاكس ٨٨٨١ ٣٤٤ ١٣ +٩٦٦
هاتف ٥١٥ ٣٦٧ ١٣ +٩٦٦

CERTIFICATE NO: UIC/ALH/28398

Page

2 of 2

Customer **Sudhir Equipment Rental Company**
Address Al Hasa, Kingdom Of Saudi Arabia.

Description **Pressure Relief Valve**
Manufacturer EW
Model N/A
Serial No. 2301131

Calibration Date 11-Oct-25
Calibration Due Date 10-Oct-26
Temperature 25.2°C
Relative Humidity RH 48%

Test Results

Set Pressure : 15.00 BAR
 Back Pressure : 0.00 BAR
 CDP : 15.00 BAR
 Setting Accuracy : $\pm 3\%$ of Setting
 Pop Test : PASSED

Spring Range : N/A
 Size Inlet/Outlet : 1" X 2"
 Type of Valve : Metal Seated
 Test Medium : Air

BASIS OF TEST:

Ref Standard ASME Sec VIII, Div I

Summary of Test Procedure:

The Calibration of above Pressure relief valve is performed through the verification of set pressure and seat tightness using a reference standard pressure gauge or test gauge and a hydrostatic / pneumatic test system.

Traceability:

The reported tests were undertaken using equipment detailed mentioned in Reference Standard Equipment's for which the company maintains Traceability to the third party.

Condition of Instrument

With in the tolerance on receipt(as found)
 The instrument was adjusted
 The instrument was repaired

Yes
 No
 No

++++ End of the Certificate +++++



Calibrated By:

Calibration Engineer



Approved by:

[Signature]
 QA/QC Engineer