

OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

Equipment	Air Compressor
Brand / Make	ATLAS COPCO
Asset ID	SAC-500-295
Model Number	XAS500-175
Serial Number	PE2460941
Engine Number	RHHM115793
Rating	500 CFM
Manufacturing Year	2024

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at : Info@sudhirrentals.com

Sincerely,

Ajay Koul
General Manager
Sudhir Equipment Rental Company





الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC/DAM/74847

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer	Sudhir Equipment Rental Company		
Location	Dammam, Kingdom of Saudi Arabia.		
Description	Pressure Relief Valve		
Manufacturer	Harshad		
Part No.	0832100066		
Serial No.	2407472	Receipt Date	: 25-Dec-25
ID. No.	SAC-500-295	Calibration Date	: 27-Dec-25
Location	Calibration Lab (Dammam)	Calibration Due Date	: 26-Jun-26

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO 17025 requirements

Reference Standard Equipment Used

Description	Model / Cert. No.	Serial No	Due Date
High Pressure Pneumatic Pressure Source	SA178189-224312	214E2408011	02-Dec-26
Digital Pressure Calibrator	SA178189-224313	2232411017	02-Dec-26

Calibrated By

64
Calibration Engineer



Approved By

QA/QC Engineer

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement result sheets shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥

CERTIFICATE NO: UIC/DAM/74847

Page

2 of 2

Customer Location **Sudhir Equipment Rental Company**
Dammam, Kingdom of Saudi Arabia.

Description **Pressure Relief Valve**

Manufacturer Harshad

Model 0832100066

Serial No. 2407472

ID. No. SAC-500-295

Calibration Date 27-Dec-25

Calibration Due Date 26-Jun-26

Temperature Range 23.5°C

Relative Humidity RH 48%

Test Results

Set Pressure : 12.00 BAR

Spring Range : N/A

Back Pressure : 0.00 BAR

Size Inlet/ Outlet : 1" x 1½"

CDTP : 12.00 BAR

Type of Valve : Metal Seated

Setting Accuracy : ± 3 % of Setting

Pop Test : PASSED

Test Medium : Air

BASIS OF TEST:

Ref Standard ASME Sec VIII, Div I

Summary of Test Procedure:

The Calibration of above Pressure relief valve is performed through the verification of set pressure and seat tightness using a reference standard pressure gauge or test gauge and a hydrostatic / pneumatic test system.

Traceability:

The reported tests were undertaken using equipment detailed mentioned in Reference Standard Equipment's for which the company maintains Traceability to the third party.

Condition of Instrument

With in the tolerance on receipt(as found)

No

The instrument was adjusted

Yes

The instrument was repaired

No

***** End of the Certificate *****



Calibrated By: _____
Calibration Engineer



UIC-QP-7-8-24 F02, REV 0

Approved by: _____
QA/QC Engineer



Compressor sudden stop is not **RECOMMENDED**

9097 1096 00



AIR COMPRESSOR
ENGINEERING CORNER FOR
INSPECTION COMPANY LTD.



ECI.104257

Capacity : 500 CFM
Equipment No. : SAC-500-295
Serial No. : PE2460941
Inspected Date : 21-Dec-2025
Next Inspection : 26-June-2026
Inspector : A-Raseen

P.O.Box 235 Rastanura 3941 Kingdom of Saudi Arabia
Tel.: (013) 667-6899 / 667-6895 Fax #: (013) 667-6894
E-mail Address: eci@eccgroupksa.com



CERTIFICATION

CERTIFICATE NO : ECI/SA/C-57142/25
Rev. No.: 00

S.O.# : 3969
Date of Issue: 29-Dec-2025

COMPANY NAME : SUDHIR EQUIPMENT RENTAL COMPANY
LOCATION : DAMMAM
EQUIPMENT / TYPE : INDUSTRIAL EQUIPMENT / AIR COMPRESSOR
EQUIPMENT ID NO. : SAC-500-295
EQUIPMENT SERIAL NO. : PE2460941
MODEL : XAS500-175
CAPACITY / SWL : 500 CFM
MANUFACTURER : ATLAS COPCO / 2024
APPLIED STANDARD : BS EN 1012-1

We hereby certify that the equipment mention above was thoroughly undergone Visual Inspection and Functional test done by the competent inspector according to Engineering Corner For Inspection(E.C.I) in accordance with ASME/ANSI/API/BS Standards.

REMARK: Found this item in good condition with adequate strength and free from apparent defects that affects safe operation at time of inspection, with provision of regular maintenance. Any modification / repair / re-installation of the mention equipment shall be re-inspected.

DATE OF INSPECTION : 27-Dec-2025



REPORT NO : 124857

DATE OF EXPIRATION : 26-Jun-2026

STICKER NO : 104257

*****END OF CERTIFICATE*****

INSPECTED BY : A.Muhammad Raseen

REVIEWED & APPROVED BY : QA/QC Dept

SIGNATURE :

A. Raseen

KSA Office: Registered Saudi Aramco Vendor Registration Number 10041478, Saudi Basic Industries Corporation (SABIC) Vendor number 505616, Saudi Electric Company Number 32930, Lifting Equipment Engineers Association membership (LEEA)-Cert.1876, ISO 9001:2015 Cert. 170121016621, ISO 14001:2015 Cert. 170123026621, ISO 45001:2018 Cert. 170123036621, Royal Commission: RCJ000339.

Doc. No. : ECIR-LFT-004, Issue No.: 02, Rev. No. : 001, Rev. Date : 05-FEB-2023

Page 1/1





REGISTERED CERTIFICATE OF THOROUGH VISUAL EXAMINATION & TEST OF IN-SERVICE INDUSTRIAL AIR COMPRESSOR

Time Sheet No: **3728** / Job Order No. **JO5555-T05559**

Sticker No. **11228**

Certificate No.: **AI-CERT-PI-179**

Name & Address of the Owner of the Equipment SUDHIR EQUIPMENT RENTAL CO, KSA			
Name & Address of the Maker or Supplier of the Equipment ATLAS COPCO		Location of Survey RABIGH - KSA	
Type of Pressure Equipment: AIR COMPRESSOR	Type of Examination Thorough Visual Examination	Relevant Standard BS EN 1012-1:2010 PROCEDURE NO: AI/IP/150	
Scope of Inspection:			
1- Visual Inspection of Air Compressor, Receiver & Pressure Gauge.... etc.		Satisfactory	
2- Thickness Measurement for The Shell Plate and dish head.		Satisfactory	
3- Functional Test.		Satisfactory	
4- NDT Test.		NA	
5- Hydro/ Pneumatic Test.		N.A.	
Equipment Technical Specification:			
Compressor		Air Vessel	
Manufacturer	ATLAS COPCO	Rated Pressure	12 Bar
Serial No	PE2460941	Rated Power	127 kw
Model No.	XAS500-175	Testing Pressure	2175 PSI
Year of mfg	2024	Speed	2200 rpm
Asset No	SAC-500-295		
Others:			
Date of last major repair	NIL	Date of Last NDT	NIL
Date of Latest Inspections	NIL	Functionally	Status:
1. On 19/07/2025 the above-indicated equipment was inspected, & the outcome is: 2. We kindly advise you that the mentioned items in section "A" (see overleaf) have to be repaired without delay. 3. The recommendations and remarks are for information only. We recommend the implementation of measures in the medium term or together with a major modernization. 4. Maintaining safety valve and pressure gauge calibration is the owner/user's responsibility. 5. The inspection certificate shall not be valid in case of inspected equipment is subjected to a major repair or/and the safety valves calibration is not maintained during inspection certificate validity. 6. This certificate is valid for 06 months (The next inspection is due on 18/01/2026) from the date of inspection. It doesn't cover any after-effects due to dismantling, alterations, or repairs.			

Head Office Address:

ALLIANCE INFINITE LLC 5900 BALCONES DRIVE STE 4147 AUSTIN TEXAS 78731 USA

T: +1 979-328-1759

E: info@allianceinfinite.com

W: www.allianceinfinite.com

Bahrain Office Address:

Gems Tower, Hidd, Bahrain

KSA Office:

Al Mergab Tower, 9th floor 9b, Jubail, KSA

AI/1252/12/REV.01 – 01/10/1998 ©

TECHUVI/1252/12/REV.01 – 01/10/1998 ©



Liability – the client or his assignee or supervisor in interest agrees to indemnify and hold harmless Alliance Infinite from and against any claims, demands, lawsuits, or actions for damages, including legal fees to persons and/or property tangible, intangible or otherwise which may be brought against Alliance Infinite incidental to, arising out of or in connection with the work to be done, services to be performed or material to be furnished hereunder except for those claims caused solely and completely by the negligence of Alliance Infinite's directors, officers, employees or sub-contractors.

Under no circumstances whatsoever shall Alliance Infinite be liable for any injury or damage to any person or property occurring because of any defect in all design, materials, machinery, equipment or other items which it is the responsibility of Alliance Infinite to inspect under the terms specified hereunder. Nothing herein contained shall be deemed to relieve any seller, or manufacturer of its warranties, express or implied.

In the event, Alliance Infinite's proven negligent in any respect, the liability of, Alliance Infinite agents, employees, and subcontractors for proprietors' claims shall not exceed the greater of US\$ 1,000 or five (5) times the total compensation paid to Alliance Infinite for the work. The proprietor shall save, defend and hold Alliance Infinite harmless against more than US \$ 1,000 or five (5) times the total compensation paid to Alliance Infinite LLC and Group of companies

Author	Rev.	Date of Release	Document ID.	Page
MR	00	01.01.2024	AI-IC-05	1 of 2



Time Sheet No: 3728	Sticker No. 11228	Certificate No.: AI-CERT-PI-179	
SECTION	NEEDED CORRECTIONS (if any) DEFECTS NOTED	DATE	CLEARANCE INITIAL
Shell plate	Satisfactory		
Dish head	Satisfactory		
Compressor & receiver condition	Satisfactory		
Safety valve	Satisfactory		
Pressure gauges	Satisfactory		
Shutdown pressure switch	Satisfactory		
Motor, pulley, guards	Satisfactory		
Power output voltage, current	Satisfactory		
Oil, filter serviced	Satisfactory		
Emergency stop	Satisfactory		
Nozzles, piping	Satisfactory		
Coupling, External Paint condition	Satisfactory		
Base frame and supports, lugs	Satisfactory		
Marking / Data Plate	Satisfactory		

A. Items found to be rectified at the above-described equipment:

NONE

B. Recommendations / Remarks

The Air Compressor has been inspected as outlined in this report and inspection scope and found satisfactory for operating at 12 bar maximum pressure as per standards and codes specified.

PERIODIC THOROUGH EXAMINATION RECORD

DATE	CONDITION FOUND OR LIMIT OF USE	CORRECTIONS NEEDED OR DEFECTS (IF ANY)	CLEARANCE OR EXAMINER	AUTHORIZED SIGNATORY
19/07/2025	SATISFACTORY	NONE	 PEER ISMAIL	 Mohammed Riyaz Khan
Note: the item/s mentioned above SHALL be inspected properly by the user prior to each use for any sign of relevant defects. The validity of this Certificate is 06 months from the Date of Examination. Issue Date : 19/07/2025 Due Date of Next Examination : 18/01/2026 Current Colour Code if applicable : N.A. Equipment used : UT GAUGE, PNEUMATIC HAND PUMP				
				 Stamp

Head Office Address:

ALLIANCE INFINITE LLC 5900 BALCONES DRIVE STE 4147 AUSTIN TEXAS 78731 USA
T: +1 979-328-1759
E: info@allianceinfinite.com
W: www.allianceinfinite.com
Bahrain Office Address:
Gems Tower, Hidd, Bahrain
KSA Office:
Al Margab Tower, 9th floor 9b, Jubail, KSA
AI/1252/12/REV.01 – 01/10/1998 ©
TECHUVI/1252/12/REV.01 – 01/10/1998 ©



Liability – the client or his assignee or supervisor in interest agrees to indemnify and hold harmless Alliance Infinite from and against any claims, demands, lawsuits, or actions for damages, including legal fees to persons and/or property tangible, intangible or otherwise which may be brought against Alliance Infinite incidental to, arising out of or in connection with the work to be done, services to be performed or material to be furnished hereunder except for those claims caused solely and completely by the negligence of Alliance Infinite's directors, officers, employees or sub-contractors.

Under no circumstances whatsoever shall Alliance Infinite be liable for any injury or damage to any person or property occurring because of any defect in all design, materials, machinery, equipment or other items which it is the responsibility of Alliance Infinite to inspect under the terms specified hereunder. Nothing herein contained shall be deemed to relieve any seller, or manufacturer of its warranties, express or implied.

In the event, Alliance Infinite's proven negligent in any respect, the liability of, Alliance Infinite agents, employees, and subcontractors for proprietors' claims shall not exceed the greater of US\$ 1,000 or five (5) times the total compensation paid to Alliance Infinite for the work. The proprietor shall save, defend and hold Alliance Infinite harmless against more than US \$ 1,000 or five (5) times the total compensation paid to Alliance Infinite LLC and Group of companies

Author	Rev.	Date of Release	Document ID.	Page
MR	00	01.01.2024	AI-IC-05	2 of 2