SGS INSPECTION SERVICES SAUDI ARABIA CO LTD
شركةاس جى اس لخدمات الفحص العربيه السعوديه المحدوده
P.O Box 0725, Jubail, Saudi Arabia - 31951
Tel : + 966133400044 / Fax : + 966133420212
Email : info@sgs.com

CUSTOMER SATISFACTION SURVEY

Blue Sticker Inspection	RFI No	Inspection date
	SGS-RFI-09276	18-Aug-2026
Client	**Report No**	**Inspector Name**
Sudhir Equipment Rental Co.	SGS-2026-SA-565	Shehzad Mubashar
WO No	**CRM No**	**RPO No**
	-	NA

S.No	Questions	Answer	Remarks
1	Did the Service provider Co. provide the right inspector with a valid qualification card?	Yes	
2	Did the service provider Co. respond for inspection within the expected time frame?	Yes	
3	Was the inspector wearing the required personal protective equipment (PPE) during the inspection?	Yes	
4	Did the inspection conducted safely and in accordance with Aramco's standards?	Yes	

For any enquiry or concern, please contact: Inspection Dept. - ISSD Crane Inspection Unit (CIU)

InspectionDeptOIDCraneInspectionUnitCIU@Exchange.Aramco.com.sa

Client Rep Signature



IMRAN MOHAMMED

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE: GCP-5 (THRY-5) Parking Area	WBS/BI/JO NUMBER:	INSPECTION COMPANY: SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
' S16AJ-403	ELEVATION WORK PLATFORM-MANLIFT	' 0300237662	SGS-2026-SA-565
CAPACITY (SWL): 550 LBS	MANUFACTURER: JLG	FACILITY / LOCATION: GCP-5 (THRY-5) Parking Area	
REQUESTED INSPECTION DATE: 01-Aug-2026	RFI No: SGS-RFI-09276	TASK COMPLETED DATE: 18-Aug-2026	EQUIPMENT OWNER: Sudhir Equipment Rental Co.

1	GENERAL REQUIREMENTS:					
1.1	Equipment documentation is available	ANSI/SAIA A92.5, Sec: 4.16.1.1 G.I. 7.030	√			
1.2	Previous inspection reports are checked	ANSI/SAIA A92.5, Sec: 5.11.1.3 G.I. 7.030	√			
1.3	Daily pre-operational inspection checklists are checked (if applicable)	GI 7.030 Para: 5.1.2	√			
1.4	Preventive Maintenance is established and updated records are maintained	ANSI/SAIA A92.5, Sec: 6.4.1	√			
1.5	Equipment is operated by a qualified operator	ANSI/SAIA A92.5 Sec: 4.13.13	√			
1.6	Warning notice, cautions or restrictions for safe operation and maintenance are clearly displayed and legible	ANSI/SAIA A92.5 Sec: 4.13.1	√			
1.7	A sign is posted warning the operator not to rely solely on any automatic device as a substitute for safe operating practice	G.I. 7.030 Para: 5.6.2	√			
1.8	Manufacturer name, address, serial number and model are clearly marked or tagged	ANSI/SAIA A92.5 Sec: 4.13.2	√			
1.9	Safe working load and number of persons are clearly marked on the work platform	ANSI/SAIA A92.5, Sec: 4.13.3		√		Should be marked.
1.10	Maximum platform height and reach are clearly marked	ANSI/SAIA A92.5 Sec: 4.13.4 & 5	√			
1.11	Maximum travel height and travel directions are clearly marked	ANSI/SAIA A92.5 Sec: 4.13.9	√			
1.12	Power rating are provided and marked (for AC and/ or DC)	ANSI/SAIA A92.5 Sec: 4.13.6	√			
1.13	Platform and guardrails electrical insulation data are provided	ANSI/SAIA A92.5 Sec: 4.13.10			√	
2	INSPECTION POINTS:					
2.1	Platform surfaces are at least 18" (width & length) and are slip-resistant	ANSI/SAIA A92.5 4.12.1	√			
2.2	Platform guardrails are provided and secure	ANSI/SAIA A92.5 4.12.2	√			
2.3	Platform guardrails are 42" height (+/- 3")	ANSI/SAIA A92.5 Sec: 4.12.2.1	√			
2.4	Platform toeboard is fitted and at least 4" high	ANSI/SAIA A92.5 Sec: 4.12.3	√			
2.5	Moving parts are guarded	ANSI/SAIA A92.5 Sec: 4.11	√			
2.6	Personnel on the platform is protected against the	ANSI/SAIA A92.5 Sec:	√			

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE GCP-5 (THRY-5) Parking Area	WBS/BI/JO NUMBER	INSPECTION COMPANY SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
' S16AJ-403	ELEVATION WORK PLATFORM-MANLIFT	' 0300237662	SGS-2026-SA-565
CAPACITY (SWL) 550 LBS	MANUFACTURER JLG	FACILITY / LOCATION GCP-5 (THRY-5) Parking Area	
REQUESTED INSPECTION DATE 01-Aug-2026	RFI No SGS-RFI-09276	TASK COMPLETED DATE 18-Aug-2026	EQUIPMENT OWNER Sudhir Equipment Rental Co.

	hazards of moving parts of the aerial platforms.	7.10				
2.7	Access to the platform is provided	ANSI/SAIA A92.5 Sec: 4.12.4	√			
2.8	Access gates or openings shall be properly closed per the manufacturer's instructions	ANSI/SAIA A92.5 Sec: 4.12.4	√			
2.9	Electrical cables, wiring and components are undamaged	ANSI/SAIA A92.5 Sec:8.3	√			
2.10	Safety harness anchorage is fitted in the platform	ANSI/SAIA A92.5 Sec: 4.12.5.1	√			
2.11	Battery is secure, guarded and ventilated	ANSI/SAIA A92.5 Sec: 4.15.2	√			
2.12	Outrigger position microswitches and interlocks are fully functional at their control panel	ANSI/SAIA A92.5 Sec: 4.7			√	
2.13	Air, Hydraulic and fuel systems are not leaking	ANSI/SAIA A92.5 Sec: 6.6.5	√			
2.14	Emergency stop button is available at ground control station	ANSI/SAIA A92.5 Sec: 4.6.3	√			
2.15	There are no loose nuts, bolts, missing, worn or damaged parts around the structure	ANSI/SAIA A92.5 Sec: 6.6.2	√			
2.16	The equipment is free of defective and/or corroded members/joints	ANSI/SAIA A92.5 Sec:6.4.3	√			
2.17	Working environment is hazard free and machine can be safely operated	ANSI/SAIA A92.5 Sec:7.9	√			
2.18	An hour meter is fitted	ANSI/SAIA A92.5 Sec:4.15.3	√			
2.19	A fire extinguisher is fitted (type depends on operating location)	ANSI/SAIA A92.5 General	√			
2.20	All moving parts are lubricated	ANSI/SAIA A92.5 Sec: 6.6.5	√			
2.21	All fluid levels for oil, water and hydraulic are adequate	ANSI/SAIA A92.5 Sec: 6.6.5	√			
2.22	Platform controls operate the machine correctly	ANSI/SAIA A92.5 Sec: 6.6.1	√			
2.23	Platform controls are clearly marked with direction and mode of operation	ANSI/SAIA A92.5 Sec: 4.6.1.6	√			
2.24	Platform controls accessible to the operator	ANSI/SAIA A92.5 Sec: 4.6.1.1	√			
2.25	Platform controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5 Sec: 4.6.1.4	√			
2.26	Platform controls are protected against	ANSI/SAIA A92.5 Sec:	√			

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE GCP-5 (THRY-5) Parking Area	WBS/BI/JO NUMBER	INSPECTION COMPANY SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
' S16AJ-403	ELEVATION WORK PLATFORM-MANLIFT	' 0300237662	SGS-2026-SA-565
CAPACITY (SWL) 550 LBS	MANUFACTURER JLG	FACILITY / LOCATION GCP-5 (THRY-5) Parking Area	
REQUESTED INSPECTION DATE 01-Aug-2026	RFI No SGS-RFI-09276	TASK COMPLETED DATE 18-Aug-2026	EQUIPMENT OWNER Sudhir Equipment Rental Co.

	inadvertent operation	1.3				
2.27	Over-ride control for power functions is fitted at ground level control panel	ANSI/SAIA A92.5 Sec: 4.6.2.1	√			
2.28	Lower controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5 Sec: 4.6.2.4	√			
2.29	Lower controls are clearly marked for direction and mode of operation	ANSI/SAIA A92.5 Sec: 4.6.2.6	√			
2.30	Lower controls do not include drive and steering functions	ANSI/SAIA A92.5 Sec: 4.6.2.2	√			
2.31	Lower controls are protected against inadvertent operation	ANSI/SAIA A92.5 Sec: 4.6.2.5	√			
2.32	Boom raise/extend is operable from platform and ground control	ANSI/SAIA A92.5 Sec: 4.6.2.2	√			
2.33	Boom lower/retract is operable from platform and ground control	ANSI/SAIA A92.5 Sec: 4.6.2.2	√			
2.34	Platform rotation is operable from both platform and ground controls	ANSI/SAIA A92.5 Sec:	√			
2.35	Emergency stop button is operable from both platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.3	√			
2.36	Auxiliary/emergency lowering is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	√			
2.37	Auxiliary/emergency retracting is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	√			
2.38	Auxiliary/emergency rotating is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	√			
2.39	Hydraulic/Pneumatic systems are leak-free with platform raised	ANSI/SAIA A92.5 Sec: 4.10.2	√			
2.40	Tilt alarm is operable (5 degrees out of level) (manually depress the edge of the tilt switch to cause alarm condition)	ANSI/SAIA A92.5 Sec: 4.7.3	√			
2.41	Aerial platforms is fitted with a warning device at the platform which activates automatically when the aerial platform is at and beyond the slope	ANSI/SAIA A92.5 Sec: 4.6.6	√			
2.42	Tilt alarm is not combined with boom raise cut-out (dependent on machine manufacturer)	ANSI/SAIA A92.5 Sec: 4.6.6	√			
2.43	Steering is properly working when moving forward and in reverse directions	ANSI/SAIA A92.5 Sec: 6.6.3.1	√			
2.44	Brakes are in good working condition and can hold the machine on any slope (parking and moving)	ANSI/SAIA A92.5 Sec: 4.14.1	√			
2.45	Extendable axles function is satisfactory (where fitted)	ANSI/SAIA A92.5 Sec: 7.3.3.8			√	

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE	
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT	
PROJECT TITLE: GCP-5 (THRY-5) Parking Area	WBS/BI/JO NUMBER:	INSPECTION COMPANY: SGS Inspection Services Saudi Arabia Co Ltd		

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
' S16AJ-403	ELEVATION WORK PLATFORM-MANLIFT	' 0300237662	SGS-2026-SA-565
CAPACITY (SWL): 550 LBS	MANUFACTURER: JLG	FACILITY / LOCATION: GCP-5 (THRY-5) Parking Area	
REQUESTED INSPECTION DATE: 01-Aug-2026	RFI No: SGS-RFI-09276	TASK COMPLETED DATE: 18-Aug-2026	EQUIPMENT OWNER: Sudhir Equipment Rental Co.

2.46	Outriggers (stabilizers) extension-retraction operation is satisfactory	ANSI/SAIA A92.5 Sec: 7.10.3			√	
2.47	Extendable elevating assembly operation is satisfactory (retracted vs. extended)	ANSI/SAIA A92.5 Sec: 4.2.1	√			
2.48	Elevating assembly operation is satisfactory (elevated vs. lowered)	ANSI/SAIA A92.5 sec: 4.2.1(c)	√			
2.49	Wheels and tires are serviceable and undamaged	ANSI/SAIA A92.5 Sec: 7.3.3 (6)	√			
2.50	Travel alarm is operable	ANSI/SAIA A92.5 Sec: 6.6 (4)	√			
2.51	Platform lowering alarm is operable	ANSI/SAIA A92.5 Sec: 6.6 (4)	√			
2.52	Auxiliary power source available (to use in event of primary power loss)	ANSI/SAIA A92.5 Sec; 4.15.2	√			
2.53	Platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5 Sec: 4.6.3	√			
2.54	Machine is safely drivable from the platform when raised (fast, slow, forward and reverse modes)	ANSI/SAIA A92.5 Sec: 6.6.3.1	√			
2.55	The platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5 Sec: 4.6.3	√			
2.56	Engine powered machines fuel lines are supported to minimize chafing	ANSI/SAIA A92.5 Sec: 4.15.1	√			
2.57	Engine powered machines fuel lines are positioned to minimize exposure to engine and exhaust heat	ANSI/SAIA A92.5 Sec: 4.15.1	√			
2.58	Engine powered machines exhaust system is provided with muffler	ANSI/SAIA A92.5 Sec: 4.15.1	√			
2.59	Installation of Anti- Entrapment device on work platform	Letter No. CIU-L-019/2016	√			

REFERENCE DOCUMENTS:

1.ANSI/SAIA A92.5 - 2014 Issue: Boom - Supported Elevating Work Platforms

2.SAES-B067 - 2020 Issue: Safety Identification and Safety Colors

3.SA GI 7.025 -2018 Issue: Heavy Equipment Operator and Rigger Testing and Certification

4.SA GI 7.030 - 2023 Issue: Inspection and Testing Requirements for Elevating/Lifting Equipment

Load Tested By (If Applicable):

Name	Signature	Date

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	12-Jan-23	ELEVATING/LIFTING EQUIPMENT
PROJECT TITLE: GCP-5 (THRY-5) Parking Area	WBS/BI/JO NUMBER:	INSPECTION COMPANY: SGS Inspection Services Saudi Arabia Co Ltd	

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
' S16AJ-403	ELEVATION WORK PLATFORM-MANLIFT	' 0300237662	SGS-2026-SA-565
CAPACITY (SWL): 550 LBS	MANUFACTURER: JLG	FACILITY / LOCATION: GCP-5 (THRY-5) Parking Area	
REQUESTED INSPECTION DATE: 01-Aug-2026	RFI No: SGS-RFI-09276	TASK COMPLETED DATE: 18-Aug-2026	EQUIPMENT OWNER: Sudhir Equipment Rental Co.

√ Inspected ☐ Witnessed by 3rd Party Certified Inspector:

Name	Signature	Certificate No. & Company:
Shehzad Mubashar		80019275 & SGS Inspection Services Saudi Arabia Co Ltd

User Representative:

Name	Signature	Date
IMRAN MOHAMMED		19-Aug-2026



شركةاس جى اس لخدمات الفحص العربيه السعوديه المحدوده

SGS Inspection Services Saudi Arabia Co Ltd

Address : P.O Box 0725, Jubail, Saudi Arabia - 31951

Tel : +966133400044 / Fax : + 966133420212

Website : www.sgs.com

STICKER N.O.	:	**SGS-PASS-7011**
EQUIP S.N.	:	**' 0300237662**
EQIP.N.O.	:	**' S16AJ-403**
EQIP SWL	:	**550 LBS**
INSPECTION DATE	:	**18-Aug-2026**
NEXT INSPECTION DATE	:	**17-Feb-2027**
INSPECTOR NAME	:	**Shehzad Mubashar**
SAP #	:	**80019275**

"S.A. INSPECTION DEPARTMENT APPROVED CONTRACTOR AGENCY"

NOTE: "THIS STICKER IS INTENDED AND VALID FOR ARAMCO PREMISES AND PROJECTS ONLY"

SGS INSPECTION SERVICES SAUDI ARABIA CO LTD
شركةاس جى اس لخدمات الفحص العربيه السعوديه المحدوده
P.O Box 0725, Jubail, Saudi Arabia - 31951
Tel : + 966133400044 / Fax : + 966133420212
Email : info@sgs.com

Report No: SGS-2026-SA-565

LIFTING EQUIPMENT INSPECTION REPORT	RPO No	CRM No	Inspection date	Inspection time	Previous sticker No	Issued By
	NA	-	18-Aug-2026	08:00	SGS-FAIL-471	SGS
Department / Contractor	**Equipment No.**	**Equipment Location**	**Area**	**Inspection Result**	**New Sticker No.**	
Sudhir Equipment Rental Co.	' S16AJ-403	GCP-5 (THRY-5) Parking Area	JAFFURA	PASS	SGS-PASS-7011	
Manufacturer	**Model**	**Capacity**	**Type**	**Equipment Serial Number**	**Sticker Expiration Date**	
JLG	450 AJ	550 LBS	ELEVATION WORK PLATFORM-MANLIFT	' 0300237662	17-Feb-2027	

Above Equipment was inspected by **SGS Inspection Services Saudi Arabia Co Ltd** in accordance with applicable Saudi Aramco GI's, ASME & API Standards.
Deficiencies that require corrective actions are listed below. Specific repairs to correct each dificiency should be noted in the corrective action taken column.

No	NOTES / DEFICIENCIES	CORRECTIVE ACTION TAKEN
*	Re-Inspection (Visual & Functional) carried out as per ANSI A92.5 & G.I 7.030 on boom supported elevating work platform man lift.	
*	Deficiencies mentioned in report#SGS-2026-SA-555 are rectified.	
*	All safety devices found operational at the time of inspection.	
*	MAX Platform height: 45 Feet	
*	Maintain P.M Service.	
*		

User Name	Badge No.	Telephone No.	Technical Reviewer Name	SGS Inspector Name	Certificate No.	Telephone No.
IMRAN MOHAMMED	2590163537	0538790410	aqeel hashmi	Shehzad Mubashar	80019275	+966-551594665
Signature			Signature	Signature		

When re-inspection is requested, a complete copy of this report should be ready to be reviewed by the inspector.

Distribution: Original - Proponent, 1st copy - Inspection Agency, 2nd copy - Inspector

Control Report Number : SGS/JBL/M-26/827 WO:-