

Tel. No's : (013)667 6999/6676895 Fax#:(013)667 6894

Email: Address: eci@eccgroupksa.com / info@eccgroupksa.com / Website : www.eccgroupksa.com

No: 029730

Above Equipment was inspected by Engineering Corner for Inspection in accordance with applicable Saudi Aramco GI's, ASME and ANSI Standards. Deficiencies that require corrective action are listed below. Specific repairs to correct each deficiency Should be Noted in the corrective action taken column.

[illegible]

RECEIVER NAME : Aurangzai	SIGNATURE : 	INSPECTOR NAME : ABDUL KHADER, 80019238 
BADGE #: 2573682214	TELEPHONE NO : 0597297114	TELEPHONE NO : 0550476057
When re-inspection is requested, a complete copy of this report should be ready reviewed by the inspector Distribution : Original-Proponent : 1st Inspection Agency, 2 nd copy Inspector		

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER SAIC-U-7013	ISSUE DATE 1-Jan-23	DISCIPLINE ELEVATING/LIFTING EQUIPMENNT
BOOM SUPPORTED ELEVATING WORK PLATFORM				
PROJECT TITLE		WBS/BI/JO NUMBER 3067	TASK COMPLETED DATE	INSPECTION COMPANY ECI
EQUIPMENT ID NUMBER S40AJP-635	EQUIPMENT DESCRIPTION/TYPE MAN LIFT/TELESCOPIC		SERIAL NO. 0300212933	REPORT NO.: 029730
CAPACITY (SWL) 227 kg	Manufacturer JLG		FACILITY / LOCATION PKG # 4 PARKING AREA, FADHILI	
REQUESTED INSPECTION DATE 14-Oct-2025	RFI No.	TASK COMPLETED DATE 14-Oct-2025		EQUIPMENT OWNER SUDHAIR RENTALS

ITEM. NO.	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	Comments / Remarks
1	GENERAL REQUIREMENTS:					
1.1	Equipment documentation is available	ANSI/SAIA A92.5, Sec: 4.16.1.1 G.I. 7.030	☒	☐	☐	
1.2	Previous inspection reports are checked	ANSI/SAIA A92.5, Sec: 5.11.1.3 G.I. 7.030	☒	☐	☐	
1.3	Daily pre-operational inspection checklists are checked (if applicable)	GI 7.030 Para: 5.1.2	☒	☐	☐	
1.4	Preventive Maintenance is established and updated records are maintained	ANSI/SAIA A92.5, Sec: 6.4.1	☒	☐	☐	

1.5	Equipment is operated by a qualified operator	ANSI/SAIA A92.5 Sec:4,13,13	☒	☐	☐	
1.6	Warning notice, cautions or restrictions for safe operation and maintenance are clearly displayed and legible	ANSI/SAIA A92.5 Sec: 4.13.1	☒	☐	☐	
1.7	A sign is posted warning the operator not to rely solely on any automatic device as a substitute for safe operating practice	G.I. 7.030 Para: 5.6.2	☒	☐	☐	
1.8	Manufacturer name, address, serial number and model are clearly marked or tagged	ANSI/SAIA A92.5 Sec: 4.13.2	☒	☐	☐	
1.9	Safe working load and number of persons are clearly marked on the work platform	ANSI/SAIA A92.5, Sec: 4.13.3	☒	☐	☐	
1.10	Maximum platform height and reach are clearly marked	ANSI/SAIA A92.5 Sec: 4.13.4 & 5	☒	☐	☐	

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM		SAIC-U-7013	1-Jan-23	ELEVATING/LIFTING EQUIPMENT
PROJECT TITLE		WBS/BI/JO NUMBER	TASK COMPLETED DATE	INSPECTION COMPANY
		3067		ECI

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT NO.:
S40AJP-635	MAN LIFT/TELESCOPIC	0300212933	029730
CAPACITY (SWL)	Manufacturer	FACILITY / LOCATION	
227 kg	JLG	PKG # 4 PARKING AREA, FADHILI	
REQUESTED INSPECTION DATE	RFI No.	TASK COMPLETED DATE	EQUIPMENT OWNER
14-Oct-2025	3067		SUDHAIR RENTALS

1.11	Maximum travel height and travel directions are clearly marked	ANSI/SAIA A92.5 Sec: 4.13.9	☒	☐	☐	
1.12	Power rating are provided and marked (for AC and/or DC)	ANSI/SAIA A92.5 Sec: 4.13.6	☒	☐	☐	
1.13	Platform and guardrails electrical insulation data are provided	ANSI/SAIA A92.5 Sec: 4.13.10	☒	☐	☐	
2	INSPECTION POINTS:					

2.1	Platform surfaces are at least 18" (width & length) and are slip-resestant	ANSI/SAIA A92.5 Sec: 4.12.1	☒	☐	☐	
2.2	Platform guardrails are provided and secure	ANSI/SAIA A92.5 Sec: 4.12.2	☒	☐	☐	
2.3	Platform guardrails are 42" height (+/- 3")	ANSI/SAIA A92.5 Sec: 4.12.2.1	☒	☐	☐	
2.4	Platform toeboard is fitted and at least 4" high	ANSI/SAIA A92.5 Sec: 4.12.3	☒	☐	☐	
2.5	Moving parts are guarded	ANSI/SAIA A92.5 Sec: 4.11	☒	☐	☐	
2.6	Personnel on the platform is protected against the hazards of moving parts of the aerial platforms.	ANSI/SAIA A92.5 Sec: 7.10	☒	☐	☐	
2.7	Access to the platform is provided	ANSI/SAIA A92.5 Sec: 4.12.4	☒	☐	☐	
2.8	Access gates or openings shall be properly closed per the manufacturer's instructions	ANSI/SAIA A92.5 Sec: 4.12.4	☒	☐	☐	

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM		SAIC-U-7013	1-Jan-23	ELEVATING/LIFTING EQUIPMENT
PROJECT TITLE		WBS/BI/JO NUMBER	TASK COMPLETED DATE	INSPECTION COMPANY
		3067		ECI

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT NO.:
S40AJP-635	MAN LIFT/TELESCOPIC	0300212933	029730
CAPACITY (SWL)	Manufacturer	FACILITY / LOCATION	
227 kg	JLG	PKG # 4 PARKING AREA, FADHILI	
REQUESTED INSPECTION DATE	RFI No.	TASK COMPLETED DATE	EQUIPMENT OWNER
14-Oct-2025	3067		SUDHAIR RENTALS

2.9	Electrical cables, wiring and components are undamaged	ANSI/SAIA A92.5 Sec:8.3	☒	☐	☐	
2.10	Safety harness anchorage is fitted in the platform	ANSI/SAIA A92.5 Sec: 4.12.5.1	☒	☐	☐	

2.11	Battery is secure, guarded and ventilated	ANSI/SAIA A92.5 Sec: 4.15.2	☒	☐	☐	
2.12	Outrigger position microswitches and interlocks are fully functional at their contril panel	ANSI/SAIA A92.5 Sec: 4.7	☐	☐	☒	
2.13	Air, Hydraulic and fuel systems are not leaking	ANSI/SAIA A92.5 Sec: 6.6.5	☒	☐	☐	
2.14	Emergency stop button is available at ground control station	ANSI/SAIA A92.5 Sec: 4.6.3	☒	☐	☐	
2.15	There are no loose nuts, bolts, missing, worn or damaged parts around the structure	ANSI/SAIA A92.5 Sec: 6.6.2	☒	☐	☐	
2.16	The equipment is free of defective and/or corroded members/joints	ANSI/SAIA A92.5 Sec:6.4.3	☒	☐	☐	
2.17	Working environment is hazard free and machine ca be safely operated	ANSI/SAIA A92.5 Sec:7.9	☒	☐	☐	
2.18	An hour meter is fitted	ANSI/SAIA A92.5 Sec:4.15.3	☒	☐	☐	
2.19	A fire extinguisher is fitted (type depends on operating location)	ANSI/SAIA A92.5 General	☒	☐	☐	

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE
	SAIC-U-7013	1-Jan-23	ELEVATING/LIFTING EQUIPMENNT
BOOM SUPPORTED ELEVATING WORK PLATFORM			
PROJECT TITLE	WBS/BI/JO NUMBER 3067	TASK COMPLETED DATE	INSPECTION COMPANY ECI

EQUIPMENT ID NUMBER S40AJP-635	EQUIPMENT DESCRIPTION/TYPE MAN LIFT/TELESCOPIC	SERIAL NO. 0300212933	REPORT NO.: 029730
CAPACITY (SWL) 227 kg	Manufacturer JLG	FACILITY / LOCATION PKG # 4 PARKING AREA, FADHILI	
REQUESTED INSPECTION DATE 14-Oct-2025	RFI No. 3067	TASK COMPLETED DATE	EQUIPMENT OWNER SUDHAIR RENTALS

2.20	All moving parts are lubricated	ANSI/SAIA A92.5 Sec: 6.6.5	☒	☐	☐	
2.21	All fluid levels for oil, water and hydraulic are adequate	ANSI/SAIA A92.5 Sec: 6.6.5	☒	☐	☐	
2.22	Platform controls operate the machine correctly	ANSI/SAIA A92.5 Sec: 6.6.1	☒	☐	☐	

2.23	Platform controls are clearly marked with direction and mode of operation	ANSI/SAIA A92.5 Sec: 4.6.1.6	☒	☐	☐	
2.24	Platform controls accessible to the operator	ANSI/SAIA A92.5 Sec: 4.6.1.1	☒	☐	☐	
2.25	Platform controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5 Sec: 4.6.1.4	☒	☐	☐	
2.26	Platform controls are protected against inadvertent operation	ANSI/SAIA A92.5 Sec: 1.3	☒	☐	☐	
2.27	Over-ride control for power functions is fitted at ground level control panel	ANSI/SAIA A92.5 Sec: 4.6.2.1	☒	☐	☐	
2.28	Ground controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5 Sec: 4.6.2.4	☒	☐	☐	
2.29	Ground controls are clearly marked for direction and mode of operation	ANSI/SAIA A92.5 Sec: 4.6.2.6	☒	☐	☐	
2.30	Ground controls do not include drive and steering functions	ANSI/SAIA A92.5 Sec: 4.6.2.2	☒	☐	☐	

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM		SAIC-U-7013	1-Jan-23	ELEVATING/LIFTING EQUIPMENT
PROJECT TITLE		WBS/BI/JO NUMBER	TASK COMPLETED DATE	INSPECTION COMPANY
		3067		ECI

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT NO.:
S40AJP-635	MAN LIFT/TELESCOPIC	0300212933	029730
CAPACITY (SWL)	Manufacturer	FACILITY / LOCATION	
227 kg	JLG	PKG # 4 PARKING AREA, FADHILI	
REQUESTED INSPECTION DATE	RFI No.	TASK COMPLETED DATE	EQUIPMENT OWNER
14-Oct-2025	3067		SUDHAIR RENTALS

2.31	Ground controls are protected against inadvertent operation	ANSI/SAIA A92.5 Sec: 4.6.2.5	☒	☐	☐	
2.32	Boom raise/extend is operable from platform and ground control	ANSI/SAIA A92.5 Sec: 4.6.2.2	☒	☐	☐	

2.33	Boom lower/retract is operable from platform and ground control	ANSI/SAIA A92.5 Sec: 4.6.2.2	☒	☐	☐	
2.34	Platform rotation is operable from both platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.2.2	☒	☐	☐	
2.35	Emergency stop button is operable from both platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.3	☒	☐	☐	
2.36	Auxiliary/emergency lowering is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	☒	☐	☐	
2.37	Auxiliary/emergency retracting is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	☒	☐	☐	
2.38	Auxiliary/emergency rotating is operable from platform and ground controls	ANSI/SAIA A92.5 Sec: 4.6.4	☒	☐	☐	
2.39	Hydraulic/Pneumatic systems are leak-free with platform raised	ANSI/SAIA A92.5 Sec: 4.10.2	☒	☐	☐	
2.40	Tilt alarm is operable (5 degrees out of level) (manually depress the edge of the tilt switch to cause alarm condition)	ANSI/SAIA A92.5 Sec: 4.7.3	☒	☐	☐	
2.41	Aerial platforms is fitted with a warning device at the platform which activates automatically when the aerial platform is at and beyond the slope	ANSI/SAIA A92.5 Sec: 4.6.6	☒	☐	☐	

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER SAIC-U-7013	ISSUE DATE 1-Jan-23	DISCIPLINE ELEVATING/LIFTING EQUIPMENT
BOOM SUPPORTED ELEVATING WORK PLATFORM				
PROJECT TITLE		WBS/BI/JO NUMBER 3067	TASK COMPLETED DATE	INSPECTION COMPANY ECI
EQUIPMENT ID NUMBER S40AJP-635	EQUIPMENT DESCRIPTION/TYPE MAN LIFT/TELESCOPIC		SERIAL NO. 0300212933	REPORT NO.: 029730
CAPACITY (SWL) 227 kg	Manufacturer JLG		FACILITY / LOCATION PKG # 4 PARKING AREA, FADHILI	
REQUESTED INSPECTION DATE 14-Oct-2025	RFI No. 3067		TASK COMPLETED DATE	EQUIPMENT OWNER SUDHAIR RENTALS

2.42	Tilt alarm is not combined with boom raise cut-out (dependent on machine manufacturer)	ANSI/SAIA A92.5 Sec: 4.6.6	☒	☐	☐	
2.43	Steering is properly working when moving forward and in reverse directions	ANSI/SAIA A92.5 Sec: 6.6.3.1	☒	☐	☐	
2.44	Brakes are in good working condition and can hold the machine on any slope (parking and moving)	ANSI/SAIA A92.5 Sec: 4.14.1	☒	☐	☐	
2.45	Extendable axles function is satisfactory (where fitted)	ANSI/SAIA A92.5 Sec: 7.3.3.8	☒	☐	☐	
2.46	Outriggers (stabilizers) extension-retraction operation is satisfactory	ANSI/SAIA A92.5 Sec: 7.10.3	☐	☐	☒	
2.47	Extendable elevating assembly operation is satisfactory (retracted vs. extended)	ANSI/SAIA A92.5 Sec: 4.2.1	☒	☐	☐	
2.48	Elevating assembly operation is satisfactory (elevated vs. lowered)	ANSI/SAIA A92.5 sec: 4.2.1(c)	☒	☐	☐	
2.49	Wheels and tyres are serviceable and undamaged	ANSI/SAIA A92.5 Sec: 7.3.3 (6)	☒	☐	☐	
2.50	Travel alarm is operable	ANSI/SAIA A92.5 Sec: 6.6 (4)	☒	☐	☐	
2.51	Platform lowering alarm is operable	ANSI/SAIA A92.5 Sec: 6.6 (4)	☒	☐	☐	
2.52	Auxiliary power source is available (ready to be used in event of primary power loss)	ANSI/SAIA A92.5 Sec; 4.15.2	☒	☐	☐	

SAUDI ARAMCO INSPECTION CHECKLIST		SAIC NUMBER SAIC-U-7013	ISSUE DATE 1-Jan-23	DISCIPLINE ELEVATING/LIFTING EQUIPMENT		
BOOM SUPPORTED ELEVATING WORK PLATFORM						
PROJECT TITLE		WBS/BI/JO NUMBER 3067	TASK COMPLETED DATE	INSPECTION COMPANY ECI		
EQUIPMENT ID NUMBER S40AJP-635		EQUIPMENT DESCRIPTION/TYPE MAN LIFT/TELESCOPIC	SERIAL NO. 0300212933	REPORT NO.: 029730		
CAPACITY (SWL) 227 kg		Manufacturer JLG	FACILITY / LOCATION PKG # 4 PARKING AREA, FADHILI			
REQUESTED INSPECTION DATE 14-Oct-2025		RFI No. 3067	TASK COMPLETED DATE	EQUIPMENT OWNER SUDHAIR RENTALS		
2.53	Platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5 Sec: 4.6.3	☒	☐	☐	
2.54	Machine is safely drivable from the platform when raised (fast, slow, forward and reverse modes)	ANSI/SAIA A92.5 Sec: 6.6.3.1	☒	☐	☐	
2.55	The platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5 Sec: 4.6.3	☒	☐	☐	
2.56	Engine powered machines fuel lines are supported to minimize chafing	ANSI/SAIA A92.5 Sec: 4.15.1	☒	☐	☐	
2.57	Engine powered machines fuel lines are positioned to minimize exposure to engine and exhaust heat	ANSI/SAIA A92.5 Sec: 4.15.1	☒	☐	☐	
2.58	Engine powered machines exhaust system is provided with muffler	ANSI/SAIA A92.5 Sec: 4.15.1	☒	☐	☐	
2.59	Installation of Anti- Entrapment device on work platform	Letter No. CIU-L- 019/2016	☒	☐	☐	

Remarks:

This check list will be applied for Vehicle Mounted Elevating Work Platform - ANSI/SAIA A92.2.
 - Inspected equipment with reference to ANSI/SAIA A92.5 shall be equipped with Anti- Entrapment device on work platform.

Reference Documents:

- 1- ANSI/SAIA A92.5 - 2006 Issue: Boom - Supported Elevating Work Platforms
- 2- SAES-B067 - 2015 Issue: Safety Identification and Safety Colors
- 3- SA GI 7.025 -2016 Issue: Heavy Equipment Operator and Rigger Testing and Certification
- 4- SA GI 7.030 - 2013 Issue: Inspection and Testing Requirements for Elevating/Lifting Equipment

Load Tested By (if Applicable):

Name, Signature, & Date:

Inspected Witnessed by 3rd Party Certified Inspector:


Name, Signature, Certificate No. & Company:

ABDUL KHADER, 80019238



User Representative:

Name, Signature, & Date:



Engineering Corner for Inspection (ECI)

P.O.Box 235 Rastanura 3941 Kingdom of Saudi Arabia

Tel.:(013)667-6999 / 667-6895 - Fax:(013)667-6894

E-mail: eci@eccgroupksa.com



No. ECI - 31005

EQUIP. NO.: S40AJP-635

EQUIP. S.N.: 0300212933

DATE INSPECTED: 14-Oct-2025

NEXT INSPECTION DATE: 13-Apr-2026

INSPECTED BY: ABDUL KHADER, 80019238

S.A. INSPECTION DEPARTMENT APPROVED CONTRACTOR AGENCIES