



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

THOROUGH EXAMINATION CERTIFICATE OF ARTICULATING BOOM LIFT

Report No:	DAM-INS-2025-08-05856	Report Issue Date:	31-Jul-2025
Customer Name:	Sudhir Equipment Rental Co.	Inspection Type:	Visual Inspection
Address:	DAMMAM	Serial Number	BAEC025A00011
Site Location:	DAMMAM YARD	Equipment Id Number:	SE20AD-2290
Standard Reference:	ISO 9386-1:2000(en)	Manufacturer:	DINGLI
Inspection Date:	31-Jul-2025	Equipment Model/Type:	BA20CERT2
Next Inspection Date:	30-Jan-2026	Sticker No:	DAM/004912

Description	Capacity/SWL	Reason For Examination	Result	Safe To Use
Battery Power	48 V DC	B	Satisfactory	YES
Max.Working Height	20.15 m			
Charge Voltage	100-240 VAC			
Boom Condition	Satisfactory			
Basket Condition	Satisfactory			
Internal Visual Test	Satisfactory			
Functional Check	Satisfactory			
General Condition	Satisfactory			

Reason For Exam.	A 3 Months	B 6 Months	C 12 Months	D Written Scheme	E Exceptional Circumstance	F Installation
------------------	---------------	---------------	----------------	---------------------	-------------------------------	-------------------

Result	ACCEPTED	REJECTED (See Attached Defect Report)
--------	----------	--

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the inspection/examination and found to be free from any defect likely to affect safety other than those detailed above.

Inspected By:		Approved By: MOHAMED WASIM IBRAHIM	
Stamp By:		Designation: Inspection Supervisor	

No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client owned or leased equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.



VENDOR ID: 10044577



APPROVED VENDOR



VENDOR ID: 11052442



VENDOR ID: 5014041



VENDOR ID: 10057

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
+966 13 344 8882 : هاتف / فاكس : +966 13 344 8881
+966 13 367 0515 : هاتف
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

THOROUGH EXAMINATION CERTIFICATE OF ARTICULATING BOOM LIFT

Report No:	DAM-INS-2025-08-05857	Report Issue Date:	31-Jul-2025
Customer Name:	Sudhir Equipment Rental Co.	Inspection Type:	Visual Inspection
Address:	DAMMAM	Serial Number	BAEC025A00007
Site Location:	DAMMAM YARD	Equipment Id Number:	SE20AD-2288
Standard Reference:	ISO 9386-1:2000(en)	Manufacturer:	DINGLI
Inspection Date:	31-Jul-2025	Equipment Model/Type:	BA20CERT2
Next Inspection Date:	30-Jan-2026	Sticker No:	DAM/004910

Description		Capacity/SWL	Reason For Examination	Result	Safe To Use	
Battery Power	48 V DC	320 kg	B	Satisfactory	YES	
Max.Working Height	20.15 m					
Charge Voltage	100-240 VAC					
Boom Condition	Satisfactory					
Basket Condition	Satisfactory					
Internal Visual Test	Satisfactory					
Functional Check	Satisfactory					
General Condition	Satisfactory					
Reason For Exam.	A 3 Months	B 6 Months	C 12 Months	D Written Scheme	E Exceptional Circumstance	F Installation
Result	ACCEPTED			REJECTED (See Attached Defect Report)		

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the Inspection/examination and found to be free from any defect likely to affect safety other than theses detailed above.

Inspected By:		Approved By: MOHAMED WASIM IBRAHIM	
Stamp By:		Designation: Inspection Supervisor	

No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.

 أرامكو السعودية saudi aramco	 The Red Sea Development Company	 سابك SABIC	 الشركة السعودية للكهرباء Saudi Electricity Company	 معادن Saudi Arabian Mining Company
VENDOR ID: 10044577	APPROVED VENDOR	VENDOR ID: 11052442	VENDOR ID: 5014041	VENDOR ID: 10057

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
+966 13 344 8882 : هاتف / +966 13 344 8881 : فاكس
+966 13 367 0515 : هاتف
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00

THOROUGH EXAMINATION CERTIFICATE OF ARTICULATING BOOM LIFT

Report No:	DAM-INS-2025-08-05858	Report Issue Date:	31-Jul-2025
Customer Name:	Sudhir Equipment Rental Co.	Inspection Type:	Visual Inspection
Address:	DAMMAM	Serial Number:	BAEC025A00008
Site Location:	DAMMAM YARD	Equipment Id Number:	SE20AD-2287
Standard Reference:	ISO 9386-1:2000(en)	Manufacturer:	DINGLI
Inspection Date:	31-Jul-2025	Equipment Model/Type:	BA20CERT2
Next Inspection Date:	30-Jan-2026	Sticker No:	DAM/004909

Description	Capacity/SWL	Reason For Examination	Result	Safe To Use
Max.Working Height	20.15 m	B	Satisfactory	YES
Charge Voltage	100-240 VAC			
Boom Condition	Satisfactory			
Basket Condition	Satisfactory			
Internal Visual Test	Satisfactory			
Functional Check	Satisfactory			
General Condition	Satisfactory			
Battery Power	48 V DC			

Reason For Exam.	A 3 Months	B 6 Months	C 12 Months	D Written Scheme	E Exceptional Circumstance	F Installation
Result	ACCEPTED			REJECTED (See Attached Defect Report)		

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the Inspection/examination and found to be free from any defect likely to affect safety other than theses detailed above.

Inspected By:		Approved By:	
Stamp By:		Designation:	
		Inspection Supervisor	

No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client's or operator's equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.

 VENDOR ID: 10044577	 APPROVED VENDOR	 VENDOR ID: 11052442	 VENDOR ID: 5014041	 VENDOR ID: 10857
--	--	--	--	---

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
+966 13 344 8882 / فاكس: +966 13 344 8881
+966 13 367 0515
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

THOROUGH EXAMINATION CERTIFICATE OF ARTICULATING BOOM LIFT

Report No:	DAM-INS-2025-08-05859	Report Issue Date:	31-Jul-2025
Customer Name:	Sudhir Equipment Rental Co.	Inspection Type:	Visual Inspection
Address:	DAMMAM	Serial Number:	BAEC025A00006
Site Location:	DAMMAM YARD	Equipment Id Number:	SE20AD-2289
Standard Reference:	ISO 9386-1:2000(en)	Manufacturer:	DINGLI
Inspection Date:	31-Jul-2025	Equipment Model/Type:	BA20CERT2
Next Inspection Date:	30-Jan-2026	Sticker No:	DAM/004911

Description		Capacity/SWL	Reason For Examination	Result	Safe To Use	
Battery Power	48 V DC	320 kg	B	Satisfactory	YES	
Max.Working Height	20.15 m					
Charge Voltage	100-240 VAC					
Boom Condition	Satisfactory					
Basket Condition	Satisfactory					
Internal Visual Test	Satisfactory					
Functional Check	Satisfactory					
General Condition	Satisfactory					
Reason For Exam.	A 3 Months	B 6 Months	C 12 Months	D Written Scheme	E Exceptional Circumstance	F Installation
Result	ACCEPTED			REJECTED (See Attached Defect Report)		

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the Inspection/examination and found to be free from any defect likely to affect safety other than those detailed above.

Inspected By:		Approved By: MOHAMED WASIM IBRAHIM	
Stamp By:		Designation: Inspection Supervisor	

No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.



VENDOR ID: 10044577



APPROVED VENDOR



VENDOR ID: 11052442



VENDOR ID: 5014041



VENDOR ID: 10857

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
+966 13 344 8882 : هاتف / +966 13 344 8881 : فاكس
+966 13 367 0515 : هاتف
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

THOROUGH EXAMINATION CERTIFICATE OF ARTICULATING BOOM LIFT

Report No:	DAM-INS-2025-08-05860	Report Issue Date:	31-Jul-2025
Customer Name:	Sudhir Equipment Rental Co.	Inspection Type:	Visual Inspection
Address:	DAMMAM	Serial Number:	BAEC024E00160
Site Location:	DAMMAM YARD	Equipment Id Number:	SE20AD-1466
Standard Reference:	ISO 9386-1:2000(en)	Manufacturer:	DINGLI
Inspection Date:	31-Jul-2025	Equipment Model/Type:	BA20CERT2
Next Inspection Date:	30-Jan-2026	Sticker No:	DAM/004970

Description		Capacity/SWL	Reason For Examination	Result	Safe To Use
Battery Power	48 V DC	320 kg	B	Satisfactory	YES
Max.Working Height	20.15 m				
Charge Voltage	100-240 VAC				
Boom Condition	Satisfactory				
Basket Condition	Satisfactory				
Internal Visual Test	Satisfactory				
Functional Check	Satisfactory				
General Condition	Satisfactory				

Reason For Exam.	A 3 Months	B 6 Months	C 12 Months	D Written Scheme	E Exceptional Circumstance	F Installation
Result	ACCEPTED				REJECTED (See Attached Defect Report)	

Declaration:

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions/Standards that at the time of the Inspection/examination and found to be free from any defect likely to affect safety other than theses detailed above.

Inspected By:		Approved By:
Stamp By:		MOHAMED WASIM IBRAHIM
		Designation:
		Inspection Supervisor



No liability will be considered against UNIVERSAL INSPECTION COMPANY for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance. This Inspection Certificate/Report shall not be reproduced except in full without the approval UIC and the Client.

 VENDOR ID: 10044577	 APPROVED VENDOR	 VENDOR ID: 11052442	 VENDOR ID: 5014041	 VENDOR ID: 10857
-------------------------	---------------------	-------------------------	------------------------	----------------------

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa



For Verification of This Report Scan Above QR Code:

The PDF document is electronically generated and digitally signed

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
+966 13 344 8882 / فاكس: +966 13 344 8881
+966 13 367 0515 هاتف:
الموقع الإلكتروني: www.ui.com.sa

Doc No. UIC FMT 091-E/Rev No.-00



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت ٢٠٥٥٠١١٦٤٣

(DAMMAM) DELIVERY NOTE (INSPECTION)

Page 1 of 1

CLIENT/CUSTOMER NAME & ADDRESS:

Sudhir Equipment Rental Co.

DELIVERY NO: D.N-DAM-2025-08-02122

DATE: 03-Aug-2025

W.O Ref. No: W.O-DMM-INS-03082025-007

DISPATCH DETAILS

Sr. No.	PARTICULAR	Sr. No.	Sr. Id.	CERT/REPORT NUMBER	Remarks, If any
1	ARTICULATING BOOM LIFT	BAEC025A000 11	SE20AD-2 290	DAM-INS-2025-08-05856	Accepted
2	ARTICULATING BOOM LIFT	BAEC025A000 07	SE20AD-2 288	DAM-INS-2025-08-05857	Accepted
3	ARTICULATING BOOM LIFT	BAEC025A000 08	SE20AD-2 287	DAM-INS-2025-08-05858	Accepted
4	ARTICULATING BOOM LIFT	BAEC025A000 06	SE20AD-2 289	DAM-INS-2025-08-05859	Accepted
5	ARTICULATING BOOM LIFT	BAEC024E001 60	SE20AD-1 466	DAM-INS-2025-08-05860	Accepted

Client / Receiver Details		Official use - Universal Inspection Co. Ltd
Receiver name		D/N PREPARED BY: MOHAMED WASIM IBRAHIM
Receiver sign. & Company seal		Authorized Signature:
Date & Time of receiving:->		Date & Time of Departure: -> 03-Aug-2025

P.O Box no. 2072, Jubail-31951, KSA
Tel.: +966 13 344 8882/Fax.: +966 13 344 8881
Tel.: +966 13 367 0515
Website: www.ui.com.sa

ص.ب 2072 ، الجبيل 31951 - المملكة العربية السعودية
هاتف: +966 13 344 8882 / فاكس: +966 13 344 8881
هاتف: +966 13 367 0515
الموقع الإلكتروني: www.ui.com.sa

FMT NUMBER UIC-XX-XXXX