

Ownership Certificate

To Whom It May Concern

This is to certify that the following equipment mentioned below are the sole owned by **Sudhir Equipment Rental Company**.

Equipment	AIR-COMPRESSOR
Brand / Make	VARADA
Asset ID	SAC-825-152
Model Number	XAS825-125
Serial Number	VEPL/2023-24/59
Engine Serial Number	PLEM701433
Rating	825 CFM
Manufacturing Year	2023



Authorized Signature

Sudhir Equipment Rental Company

Kingdom of Saudi Arabia





Certificate of Insurance

Policy Holder Name
Policy Number
Original Policy Period

Sudhir Equipment Rental Company
5/EP/30425/0/0
05/04/2026 to 04/04/2027

اسم حامل الوثيقة
رقم الوثيقة
فترة الوثيقة الأصلية

Gulf Insurance Group certifies that above client is holding Contractor's Plant & Machinery Insurance Policy for the below mentioned Equipment in accordance with the above mentioned Insurance Policy:

تشهد مجموعة الخليج للتأمين بأن العميل المذكور أعلاه يحمل وثيقة تأمين على معدات والآلات المقاولين للمعدة المذكورة أدناه، وذلك وفقاً لشروط وثيقة التأمين المذكورة أعلاه:

Asset ID	:	SAC-825-152	:	معرف الأصل
Brand	:	VARADA	:	العلامة التجارية
Type	:	XAS825-125 SKID	:	النوع
Model	:	Air Compressor	:	الطراز
Manufacturing Year	:	2023	:	سنة الصنع
Equipment Serial Number	:	VEPL/2023-24/59	:	الرقم التسلسلي للمعدة
Insurance Effective Date	:	05/04/2026	:	تاريخ سريان التأمين

This Certificate has been issued upon Insureds request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تم اصدار هذه الشهادة بناء على طلب المؤمن له وذلك حسب الشروط والاستثناءات والاشتراطات المذكورة في الوثيقة

Al Khobar : 01st April 2026

Signature of Insurer's Authorized Representative



PUBLIC

Gulf Insurance Group

A Saudi joint stock company | Paid-up capital 500 Million Saudi Riyals
Licensed by No (TMN/25/20101) | Commercial Registration No.1010271203
3528 King Abdullah Bin Abdulaziz Road, Al Nuzha District
Unit No. 25 | Riyadh 12471 - 6378
Toll free 8001160020 | Website www.gig.sa
Regulated and Supervised by The Saudi Central Bank

مجموعة الخليج للتأمين

شركة مساهمة سعودية | رأس المال 500,000,000 ريال سعودي
مرخص لها برقم ترخيص (ت م ن/25/20101) | سجل تجاري رقم 1010271203
3528 طريق الملك عبدالله بن عبدالعزيز، حي النزهة
رقم الوحدة 25 | الرياض 12471 - 6378
www.gig.sa الرقم المجاني 8001160020 | الموقع الإلكتروني
خاضعة لرقابة وإشراف البنك المركزي السعودي



REPORT OF A THOROUGH EXAMINATION

Issue Date: 21-Jun-2026

Certificate Number: ECI/SA/C-03027/26 Rev. No: 00	Report Number: 132238	Sticker Number: 109570
Date of Thorough Examination: 20-Jun-2026	Date of Expiration: 19-Dec-2026	S.O.#: DMM/06-26/001 Ref.#: N/A

Client: SUDHIR EQUIPMENT RENTAL COMPANY	Address of Premises at Which the Examination Was Made: DAMMAM
---	---

Description and Identification of the Equipment:	Load Test Detail	Safe Working Load(s)	Applied Load(s)
Equipment / Type : INDUSTRIAL EQUIPMENT / AIR COMPRESSOR Location of the Equipment : DAMMAM YARD Equipment ID No : SAC-825-152 Equipment Serial No : PE2360334 Model : XAS 500-152 Manufacturer / Date of Manufacture : ATLAS COPCO / 2023 Applied Standard : BS EN 1012-1	N/A	8.6 BAR	N/A

Examination after installation / In-Services	Was the Examination carried out Within an interval of						
☐ Initial ☒ Periodic Inspection ☐ Re-Inspection after Major Repair / Modification Or Overhaul	☐ 3 Months ☒ 6 Months ☐ 12 Months ☐ After the exceptional circumstances						
Additional Information about the equipment and Information / Description of the Parts / attachments with the equipment. N/A							
Description of the Load Test : N/A							
Pre Load Test NDT done by : N/A	% of Load Applied : N/A	Post Load Test NDT done by : N/A		Expiration of Load Test : N/A			
Result				PASS	☒	FAIL	
Is the above a defect which is of immediate danger to persons?				YES		NO	☒
Is the above a defect which is not yet but could become a danger to persons?				YES by :		NO	☒
Particulars of any repair, renewal or alteration required to remedy the defect identified above: N/A							
Is this equipment safe to operate?				YES	☒	NO	

Note: We thus attest that the aforementioned equipment has undergone a thorough Visual Inspection and /or Functional Test conducted by a qualified inspector in accordance with Engineering Corner for Inspection (E.C.I.) procedure / local / international standards.

Liability: The client or this assignee or supervisor in interest agrees to identify and hold harmless **Engineering corner for inspection Co.Ltd.** from and against any all claims, demands, lawsuits or actions for damages including legal fees to persons and/or property tangible, intangible or otherwise which may be against, **Engineering corner for inspection Co.Ltd.** incidental to, arising out of or in connection with the work to be done, services to be performed or material to be furnished hereunder except for those claims caused solely and completely by the negligence of **Engineering corner for inspection Co.Ltd.** its directors, others, employees or sub-contractors.

Inspected by: MOHAMED ABDUL BARICK 	Approved & Reviewed By: ALVARO 	QR Code:
--	------------------------------------	--------------

	Engineering Corner for Inspection Company Limited INSPECTION CHECKLIST AIR COMPRESSOR	Doc. No.	ECIR - LFT - 39
		Rev. No.	01
		Rev. Date	17-FEB-2026
		Page No.	2 of 3

Issue Number : 02 & Issue Date : 03-FEB-2020

Equipment Owner	SUDHIR EQUIPMENT RENTAL COMPANY /	Report No. & Date	132238 20-Jun-2026
Manufacturer / Year	ATLAS COPCO / 2023	Location	DAMMAM YARD
Type / Model	INDUSTRIAL EQUIPMENT / AIR COMPRESSOR / XAS 500-152	Equipment ID. No.	SAC-825-152
Inspection Date	20-Jun-2026	Equipment Sr. No.	PE2360334
Inspector Name	MOHAMED ABDUL BARICK	Capacity / SWL	8.6 BAR
Standard	BS EN 1012-1	Expiration Date	19-Dec-2026

Item No	ITEM NAME	PASS	FAIL	N/A	Item No	ITEM NAME	PASS	FAIL	N/A
1	OEM certificates available	✓			11	Before any repair work is done on compressor pressure systems, is the pressure bled off and the system locked out?	✓		
2	Previous visual report or Certificate available	✓			12	Are signs posted to warn of a compressor's automatic starting feature?	✓		
3	NDT certificate	✓			13	Is the belt drive system enclosed to provide protection on the front, back, top, and sides?	✓		
4	Identification number / Serial number	✓			14	Are high-pressure hoses and connections in good repair?	✓		
5	Rated pressure / Capacity	✓			15	Before compressed air is used to empty containers of liquid, are the pressure limits of the containers checked?	✓		
6	Are compressors equipped with pressure-relief valves and pressure gauges?	✓			16	When compressed air is used with abrasive blast cleaning equipment, is the operating valve a type that must be held open manually?	✓		
7	Are compressor air intakes installed and equipped to ensure that only clean, uncontaminated air enters the compressor?	✓			17	If plastic piping is used, is the plastic approved for air line service? (some abs is ok - pvc is not.)	✓		
8	Are air filters installed on the compressor intake?	✓			18	Compressor / Pipe work / Fittings free from oil leaks	✓		
9	Are compressors operated and lubricated according to the manufacturers' recommendations?	✓			19	Are noise levels at site boundary within acceptable limits (45 dBA in built up residential area)	✓		
10	Are safety devices on compressed-air systems installed?	✓			20	Other visible defects	✓		

Overall Comments

Inspected By : MOHAMED ABDUL BARICK	Customer Representative : ARIF
--	---------------------------------------



شركة ركن الهندسة للفحص والمعاينة المحدودة

ENGINEERING CORNER FOR INSPECTION CO. LTD.



ENGINEERING CORNER FOR
INSPECTION CO. LTD. (ECI)



ECI. 109570

Capacity : 8.6 BAR

Equipment No. : SAC-825-152

Serial No. : PE2360334

Inspected Date : 20-Jun-2026

Next Inspection : 19-Dec-2026

Inspector : MOHAMED ABDUL BARICK

P.O.Box 235 Rastanura 31941 Kingdom of Saudi Arabia

Tel.: (013) 667-6999 / 667-6895 Fax #:(013) 667-6894

E-mail Address:eci@eccgroupksa.com



AIR COMPRESSOR
ENGINEERING CORNER FOR
INSPECTION COMPANY LTD.



ECI.109570

Capacity : 8.6 BAR

Equipment No. : SAC-825-152

Serial No. : PE2360334

Inspected Date : 20-JUNE-26

Next Inspection : 19-DEC-26

Inspector : BARICK *[Signature]*

P.O.Box 235 Rastanura 31941 Kingdom of Saudi Arabia
Tel.: (013) 667-6999 / 667-6895 Fax #:(013) 667-6894
E-mail Address: eci@eccgroupksa.com



الشركة العالمية لخدمات التفتيش المحدودة UNIVERSAL INSPECTION CO. LTD.

CR No.2055011643

س.ت ٢٠٥٥٠١١٦٤٣

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC/DAM/112776

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer Sudhir Equipment Rental Company

Location Dammam, Kingdom of Saudi Arabia.

Description Pressure Gauge

Manufacturer N/A

Model N/A

Serial No. N/A

ID. No. SAC-825-152

Location Calibration Lab (Dammam)

Receipt Date : 07-Oct-26

Calibration Date : 07-Oct-26

Calibration Due Date : 06-Apr-27

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO/IEC 17025:2017 requirements

Reference Standard Equipment Used

Description	Cert. No.	Serial No	Due Date
High Pressure Pneumatic Pressure Source	SA178189-224312	214E2408011	02-Dec-26
Digital Pressure Calibrator	SA178189-224313	2232411017	02-Dec-26

Calibrated By

Calibration Engineer



Approved By

QA/QC Engineer



The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement results shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.

Tel.: +966 13 344 8882 / Fax: +966 13 344 8881

Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية

هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤ +٩٦٦

هاتف ٠٥١٥ ١٣ ٣٦٧ +٩٦٦

CERTIFICATE NO: UIC/DAM/112776

Page

2 of 2

Customer **Sudhir Equipment Rental Company**

Location Dammam, Kingdom of Saudi Arabia.

Description **Pressure Gauge**

Manufacturer N/A

Model N/A

Serial No. N/A

ID. No. SAC-825-152

Calibration Date 07-Oct-26

Calibration Due Date 06-Apr-27

Temperature Range 23.5°C

Relative Humidity RH 46%

Calibration Test Results For Pressure Gauge

Min. Range: 0.0 BAR

Max. Range: 25.0 BAR

Function Tested		Gauge Pressure	
UUT Setting	Actual Reading in Master	Error	Error (FS) (% of Range)
BAR	BAR	BAR	
0.00	0.00	0.000	0.000
5.00	5.03	0.030	0.120
10.00	10.05	0.050	0.200
15.00	15.70	0.700	2.800
20.00	20.06	0.060	0.240
25.00	25.08	0.080	0.320

Calibration Procedure:

UIC/P/PPGCP Rev. 00

Reference Standard:

As Generally given in MSL Technical guide & Tolerance as per EN 837 standard & based on the Manufacture's Specifications.

Remarks / Deviations IF ANY:

The results stated in this certificate relate only to the item calibrated.
The item was received in good condition.



***** End of the Certificate *****

Calibrated By: _____

Calibration Engineer

UIC-QP-7.8-24 F02, REV 0

Approved by: _____

QA/QC Engineer