

OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

Equipment	Crane
Brand / Make	SANY
Asset ID	SRC-RT-080-049
Model Number	SRC800T
Serial Number	RC0080CF0556
Capacity	80 TON
Type	ROUGH TERRAIN CRANE
Manufacturing Year	2025

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at : Info@sudhirrentals.com

Sincerely,

Rajesh Thakur
Plant Manager
Sudhir Equipment Rental Company



KINGDOM OF SAUDI ARABIA
MINISTRY OF INTERIOR

رخصة سيار
VEHICLES REGISTRATION

المملكة العربية السعودية
وزارة الداخلية

المالك شركة سودهير لتأجير المعدات شركة الشخص الواحد

المستخدم

هوية المالك ٧٠١٦١٥٨٣٣٤ هوية المستخدم

رقم الهيكل LFCNR54D6S3000335

رقم اللوحة ٢٥٢٤ أ م أ أ

نوع التسجيل اشغال عامة 2524 Z A A

طراز المركبة كرين

حمولة المركبة ٢

سنة الصنع ٢٠٢٥

لون المركبة ٥٢٠٠٠

اللون ابيض

الرقم التسلسلي ٨٨٠٦٢٩١٢٠



بهذا نشهد بأننا أصدرنا وثيقة تأمين للمركبة الموصوف ببياناتها أدناه بموجب أحكام وشروط
تأمين المسؤولية المدنية تجاه الغير في المملكة العربية السعودية

This is to certify we issued a motor policy of below referred vehicle in
accordance with terms and conditions of Third Party Liability in Kingdom of
Saudi Arabia

Product ID A-GIGR-1-C-13-002

CERTIFICATE OF MOTOR VEHICLE

INSURANCE NO : 5/VX/31062/0/0

INSURED NAME : SUDHIR EQUIPMENT RENTAL COMPANY

MOTOR VEHICLE DETAILS :

- Registration No : AAZ 2524
- Chassis No : LFCNR54D6S3000335
- Make : Sany CRANE
- Year : 2025
- Custom Card ID :

شهادة تأمين السيارة رقم :

5/VX/31062/0/0

إسم المؤمن له : شركة سودهير لتأجير المعدات

تفاصيل السيارة :

رقم اللوحة : 2524 ١١ م
رقم الهيكل : LFCNR54D6S3000335
نوع السيارة : CRANE <SANY>
الموديل : 2025
رقم البطاقة الجمركية :

PERIOD OF INSURANCE :

- Commencement date : 12/06/1447 (H) هجرية تاريخ الإبتداء : 12/06/1447
- Expiry date : 16/05/1448 (H) هجرية وينتهي في : 16/05/1448
- Corresponding to : From 03/12/2025 To 28/10/2026 16/05/1448 (H) 12/06/1447 (H)

Subject always to the Limits of Liability of 10,000,000 S.R. as provided in the Policy arising out of the use of the insured Motor Vehicle within Saudi Arabia .

This Certificate is deemed to be a guarantee for payment for all amounts which the Insured Owner and/or the Authorized Driver at the time of the accident shall become legally liable to pay as compensation for

- (a) Death or bodily injury sustained by any person including passengers of the vehicle
- (b) Damage to third party property outside the Insured Vehicle

وذلك ضمن حدود المسؤولية 10,000,000 رس المبينة في الوثيقة والناجمة
لإستخدام السيارة المؤمنة داخل المملكة العربية السعودية
وتعتبر هذه الشهادة كضمان لدفع كافة المبالغ التي يكون الملك المؤمن له أو
السائق المخول في وقت الحادث مسؤولين قانونا عن دفعها كتعويض عن
1. الوفاة أو الإصابة البدنية التي تحدث لأي شخص بما في ذلك ركاب
السيارة
2. تلف ممتلكات أي طرف ثالث خارج المركبة المؤمنة

SIGNED :

التوقيع :



IMPORTANT

- This certificate of Insurance and Policy is valid only for the Insured Owner and the authorized Driver at the time of Accident and is NOT transferable without prior consent of the Insurance Company.
- Any Accident must be notified to the Insurance Company as soon as possible by visiting our website <https://www.gig.sa/ar/claim-form> or by contacting us on 920008477 or visiting our outlets

ملاحظات هامة

- إن شهادة التأمين هذه صالحة فقط للمالك المؤمن له والسائق المخول له بالقيادة في حالة وقوع حادث وهي غير قابلة للتحويل بدون موافقة مسبقة من قبل شركة التأمين
- عند وقوع أي حادث يجب إخطار الشركة في أسرع وقت ممكن من خلال زيارة موقعنا الإلكتروني: <https://www.gig.sa/ar/claim-form> أو بالإتصال على الرقم 920008477 أو بزيارة أحد منافذنا

800T

蓝白黑

VIN/发动机号确认表格

VIN/Engine Number Verification Form

车辆编码 Vehicle identification	RC0080CF0556	空调 air conditioner	电装
发动机型号 engine model	QSB6.7-C260-31	发动机号 engine identification	93398352
轮胎型号 tire model	29.5-25	排放标准 emission standards	国三



★LFCNR54D6S3000335★

VIN 拓印



★LFCNR54D6S3000335★

发动机号拓 印 Engine Number Rubbing	刘亮 1.17
提交人/日 期 Submitted by/Date	

1. Certification No 合格证编号	WDE02025201031		2. Date of Issue 发证日期	2025-02-20	
3. Manufacture 车辆制造企业名称	SANY AUTOMOBILE MANUFACTURING CO., LTD 三一汽车制造有限公司				
4. Make / Category 车辆品牌/车辆名称	Sany 三一牌		Rough Terrain Crane 越野轮胎起重机		
5. Crane Model 车辆型号	SRC800T		6. Vehicle Identification No. 车辆识别代号	LFCNR54D6S3000335	
7. Chassis Type 底盘型号	SRC800T		8. Vehicle Color 车身颜色	BLUE/WHITE/BLACK	
9. Engine Model 发动机型号	QSB6.7		10. Engine No. 发动机号	93398352	
11. Applicable Fuel 燃料种类	DIESEL 柴油		12. Displacement / Rate Power 排量和功率 (ml/kW)	6690	194
13. Emission Standard 排放标准	EU STAGE III				
14. Crane Overall-dimension (mm)	14600	3340	3930	15. Plates of Leaf Spring 钢板弹簧片数	/
16. Tires Specifications 轮胎规格	29.5-25		17. Qty of Tires 轮胎数	4	
18. Tires Span (mm) 轮距(前/后) (mm)	2520	2520	19. Wheelbase (mm) 轴距 (mm)	4265	
20. Axle Load 轴荷 (kg)	27530/24535				
21. Qty of Axles 轴数	2		22. Steering Application 转向形式	STEERING WHEEL 方向盘	
23. Overall Weight (kg) 总质量	52,065		24. Equipment Quality 整备质量 (kg)	52,000	
25. Driver-cabin Passengers Allowed 驾驶室准乘人数	1		26. QR Code 条码		
27. Nominal Max Speed (km/h) 最高设计车速	36		28. Fabrication Date 车辆制造日期	2025-01-31	
Remarks					
Upon all due inspection the above-specified crane conforms to the standards of Q/OKTW 052-2025 <Rough Terrain Crane>. Certification is hereby issued for ready delivery. 本产品经过检验,符合Q/OKTW 052-2025《越野轮胎起重机》的要求,准予出厂,特此证明 Manufacture Name: Sany Automobile Manufacturing Co., Ltd. 车辆生产单位名称:三一汽车制造有限公司 Manufacture Address: Sany Crane Industrial Park, No.168, Jinzhou Avenue, Changsha City, Hunan Province, People's Republic of China. 车辆生产单位地址:长沙市宁乡市金洲大道西168号 Internal Vehicle Identification Code 内部编号: RC0080CF0556					





SANY

Certificate No. (证书编号) : RC0556-1
Model No. (车辆型号) : SRC800T
Crane serial No. (整车编号) : RC0080CF0556
Part No. (物料编码) : 12838070

INSPECTION CERTIFICATE

This is to certify that the following product has been duly inspected and passed in accordance with EN1677-2:2000+A1:2008.

Name of Product : 80 t hook
Hook Serial No : TQ25018005003
Safety Working Load : 80 metric tons
Test Load : 100 metric tons
Hook Ass'y Weight : 800 kg
Hook Material : 35CrMo

Certified by:



2025-02-20

Date of inspection

Chief Inspector

Quality Assurance Dept.

Sany Automobile Hoisting

Machinery Co., Ltd.



SANY

Certificate No. (证书编号) : RC0556-2
Model No. (车辆型号) : SRC800T
Crane serial No. (整车编号) : RC0080CF0556
Part No. (物料编码) : 132702010194A

INSPECTION CERTIFICATE

This is to certify that the following product has been duly inspected
and passed in accordance with EN1677-2:2000+A1:2008.

Name of Product : 8 t hook
Hook Serial No : ZX25010023
Safety Working Load : 8 metric tons
Test Load : 10 metric tons
Hook Ass'y Weight : 180 kg
Hook Material : 35CrMo

Certified by: _____



2025-02-20

Date of inspection

Chief Inspector

Quality Assurance Dept.

Sany Automobile Hoisting

Machinery Co., Ltd.



SANY

Certificate No. (证书编号) : RC0556-1
Model No. (车辆型号) : SRC800T
Crane serial No. (整车编号) : RC0080CF0556
To Messers (主机公司) : Sany Automobile Hoisting Machinery Co., Ltd.
Manufacturer (生产厂商) : Juli Sling Co., Ltd.

INSPECTION CERTIFICATE

This is to certify that the following product has been duly inspected and passed in accordance with EN 12385-4. (兹证明下列产品依据 EN 12385-4 标准检验合格)。

Construction (结构) : 35W×K7
Lay (绞丝方式) : Right hand, Lang lay (右旋, 同向捻)
Grade of Strength (强度级别) : 2160N/mm²
Length (长度) : 250m
Total Mass of the Rope (总重) : 469.6kg

Diameter (直径)	Nominal (设计值) : 20mm Actual (实测值) : 20.7mm
Breaking Load (断裂载荷)	Nominal (设计值) : 368kN Actual (实测值) : 386kN

Certified by:

2025-02-20

Date of Inspection

Chief Inspector

Quality Assurance Dept.

Sany Automobile Hoisting

Machinery Co., Ltd.



SANY

Certificate No. (证书编号) : RC0556-2
Model No. (车辆型号) : SRC800T
Crane serial No. (整车编号) : RC0080CF0556
To Messers (主机公司) : Sany Automobile Hoisting Machinery Co., Ltd.
Manufacturer (生产厂商) : Juli Sling Co., Ltd.

INSPECTION CERTIFICATE

This is to certify that the following product has been duly inspected and passed in accordance with EN 12385-4. (兹证明下列产品依据 EN 12385-4 标准检验合格)。

Construction (结构) : 35W×K7
Lay (绞丝方式) : Right hand, Lang lay (右旋, 同向捻)
Grade of Strength (强度级别) : 2160N/mm²
Length (长度) : 145m
Total Mass of the Rope (总重) : 272.4kg

Diameter (直径)	Nominal (设计值) : 20mm Actual (实测值) : 20.7mm
Breaking Load (断裂载荷)	Nominal (设计值) : 368kN Actual (实测值) : 386kN

Certified by:

2025-02-20

Date of Inspection

Chief Inspector

Quality Assurance Dept.

Sany Automobile Hoisting

Machinery Co., Ltd.

吊载测试证明
Certificate of Load Test证书编号
Certificate NO.

3G01202502200005

设备编号
Crane Serial No.

RC0080CF0556

制造单位名称 Manufacture Name		三一汽车制造有限公司 Sany Automobile Manufacturing Co., LTD							
序号 No	工作条件 Working Condition	臂长(米) Boom Length (unit: m)	吊载重量 (吨) Load Weight (unit: t)	幅度半径(米) Amplitude Radius (unit: m)	倍率 Ratio of Line	支腿 Outrigger	配重 counterweigh t	吊载测试 Load test	备注 Remark
1	基本臂 Base Boom	12.2	33.5	8	6	全伸支腿 Full- Extended	全配重 Full Counterweigh t	合格 Qualified	大臂位于侧面 和后方 Boom is over side and rear
2	中间臂 Mid-extended boom	27.6	29.5	5.5	6			合格 Qualified	
3	全伸臂 Full-extended boom	47	11.5	11	4			合格 Qualified	
4	主臂+副臂 Main boom + jib	47+17.5	2.9	主臂 78°，副臂 0°， Main boom angle 78° and jib offset 0°	1			合格 Qualified	
5	吊载行驶 (≤4 km/h) Travel with Load	12.2	9.5	6.0	4	不伸支腿 Not- Extending	全配重 Full Counterweigh t	合格 Qualified	吊臂在正面 Boom is over front

根据公司内部吊载试验结果，该产品具备相关起重性能，吊载精度符合 GB/T 12602, EN 13000, SAEJ159 相关标准。

According to the results of the company's internal loading test, the product has the relevant loading performance, and the loading accuracy meets the relevant standards of GB/T 12602, EN 13000, SAEJ159.

特此颁发证书。

Certification is hereby issued.



No. LFT-S.

01 - 86147




BUREAU
VERITAS

Saudi Arabia

Tel: +966 13 882 1071

Fax: +966 13 882 1072



EQUIP. NO. SRC-RT-080-049

EQUIP. S N. RC0080CF0556

S. W. L: 80 Ton

DATE OF INSPECTION OCT 29, 2025

NEXT INSPECTION DUE ON OCT 28, 2026

INSPECTED BY M. M. Rn

This sticker is issued under Bureau veritas General Conditions of Service and is valid only in conjunction with hereafter inspection Report No. Report No. LFT-R



CERTIFICATE OF TEST AND THOROUGH EXAMINATION OF MOBILE CRANE

Cert. No.: 2073918	Date of Examination: 29/10/2025	Sticker No.: 01-86147
---------------------------	--	------------------------------

Name & address of owner of the equipment		Sudhir Equipment Rental Company			
Inspection requested by		Sudhir Equipment Rental Company			
Place of inspection		DMM Yard.			
Type of inspection		FUNCTION TEST & THOROUGH EXAMINATION			
Relevant regulation / Standard		ASME B30.5			
Date of previous inspection / load test		07/09/2025			
Identification & Description of the Equipment	Manufacturer name	SANY			
	Equipment Type	RT Mobile Crane			
	Nature of power	DEISEL POWERED			
	Model / Year	SRC800T			
	Serial number	RC0080CE0556			
	Owner ID / Registration number	SRC-RT-080-049			
	Rated Capacity (maximum)	80 Ton			
	Present Configuration	Main hoist current capacity: 80 Ton with 6 FALLS			
		Auxiliary hoist current capacity: 8 Ton with 1 Falls			
	Radius (Mini / Max)	Minimum: 2.7 Mtr; Maximum: 44 Mtr			
	Length of Boom	Minimum: 12.2 Mtr; Maximum: 47.5 Mtr			
	Counterweight (mass)	Standard from Manufacturer			
	Wire rope specification	20 mm			
	Complementary devices	Fly Jib Was Stowed			

Description of test: Visual & Function Test inspection was carried out, followed by full functional testing.	Length of boom (m)	Radius (m)	Reeving (No. of falls)	Test Load	Safe Working Load
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-
	-	-	-	-	-

Result of Examination:

The above mentioned equipment has been found satisfactory at the time of inspection and is considered to be safe for further use, subject to continuous maintenance being applied and qualified operator being employed.

This is to certify that the Competent Person did attend at the said premises on said date to witness proof load test and/or to carry out thorough examination of the equipment described herein and that all particulars described above were correct at the time of examination. This Certificate becomes void in case of any major repair, modification and /or alteration being un-authorized by issuer of hereof.

Next Proof Load Test Due: 06/09/2030 or After Major Repair/Modifications	Next Inspection Due is on or before: 28/10/2026
---	--

Issued at Al Khobar on 29/10/2025

Inspector to Bureau Veritas
Signature:



Name: MOHAMED OMARA
Position: Senior Inspector



Reviewed by
Signature:



Name: Ahmed Elabady
Position: Reviewer

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



CHECKLIST OF TEST & THOROUGH EXAMINATION OF MOBILE CRANE

Cert. No.: 2073918	Date of Examination: 29/10/2025
---------------------------	--

SECTION	CONDITION	REMARKS
1. ACCESS		
1.1 Access to the cabin/control station	Satisfactory	
1.2 Access for maintenance operation	Satisfactory	
2. CHASSIS		
2.1 Chassis	Satisfactory	
2.2 Traveling device (tire, crawler)	Satisfactory	
2.3 Outriggers	Satisfactory	
2.4 Outrigger sole (shoe or pad)	Satisfactory	
2.5 None return valve on outrigger	Satisfactory	
2.6 Locking of suspensions	Satisfactory	
2.7 Locking of outriggers rest position	Satisfactory	
3. STRUCTURE OF EQUIPMENT		
3.1 Structure, A frame	Satisfactory	
3.2 Jib, fly jib	Satisfactory	
3.3 Pendants	Satisfactory	
3.4 Counter weight	Satisfactory	
4. MECHANISM		
4.1 Main Hoisting mechanism	Satisfactory	
4.2 Aux. Hoisting mechanism	Satisfactory	
4.3 Hydraulic system	Satisfactory	
4.4 Cylinders	Satisfactory	
4.5 Hoisting brake system	Satisfactory	
4.6 Limitation of the lowering speed	Satisfactory	
4.7 Telescoping mechanism	Satisfactory	
4.8 Luffing mechanism	Not applicable	
4.9 Pivoting joints	Satisfactory	
4.10 Brake of slewing motion	Satisfactory	



4.11 Traveling Brake	Satisfactory	
4.12 Guards for moving parts	Satisfactory	
4.13 Motor	Satisfactory	
4.14 Gear box	Satisfactory	
5. LIFTING SYSTEM		
5.1 Wire rope / chain	Satisfactory	
5.2 Wire/chain rope end termination	Satisfactory	
5.3 Drum, pulley, return pulley	Satisfactory	
5.4 Hooks & hook blocks	Satisfactory	
5.5 Other load handling devices	Satisfactory	
6. ENERGY		
6.1 Main switch locking	Satisfactory	
6.2 Equipment and cabling	Satisfactory	
6.3 Protection of live parts/enclosure	Satisfactory	
6.4 Lighting of the crane/site	Satisfactory	
7. CABIN / CONTROL STATION		
7.1 Structure	Satisfactory	
7.2 Visibility / windows	Satisfactory	
7.3 Heating / AC system	Satisfactory	
7.4 Seat	Satisfactory	
7.5 Fire extinguisher	Satisfactory	
7.6 Identification of the controls	Satisfactory	
7.7 Control dead man type	Satisfactory	
7.8 General stopping device by key	Satisfactory	
7.9 Emergency stop button	Satisfactory	
7.10 Level indicator	Satisfactory	
7.11 Angle Indicator	Satisfactory	
7.12 Horn	Satisfactory	
7.13 Traffic lights	Satisfactory	
7.14 Direction Indicators	Satisfactory	
8. SAFETY DEVICES		



BUREAU
VERITAS



8.1 Hoisting limiter/Anti Two Blocks	Satisfactory	
8.2 Luffing limiter	Not applicable	
8.3 Telescopic limiter	Satisfactory	
8.4 Slewing limiter	Satisfactory	
8.5 Load limiter	Satisfactory	
8.6 Level limiter	Satisfactory	
8.7 Rated capacity indicator (RCI) / ASLI	Satisfactory	
8.8 None return valve on piston	Satisfactory	
8.9 Other limiter or indicator	Satisfactory	
9. MISCELLANEOUS REQUIREMENTS		
9.1 Maker plate	Satisfactory	
9.2 Load chart	Satisfactory	
9.3 Wire rope certificate	Satisfactory	
9.4 General Safety Requirements	Satisfactory	
Notes : -		
Next Proof Load Test Due: 06/09/2030 or After Major Repair/Modifications		Next Inspection Due is on or before: 28/10/2026

Inspector to Bureau Veritas
Signature:



Name: MOHAMED OMARA
Position: Senior Inspector



CERTIFICATE OF TEST AND THOROUGH EXAMINATION OF MOBILE CRANE

Cert. No.: 2035956	Date of Examination: 07/09/2025	Sticker No.: 24-7788 LOAD TEST
---------------------------	--	---------------------------------------

Name & address of owner of the equipment		Sudhir Equipment Rental Company			
Inspection requested by		Sudhir Equipment Rental Company			
Place of inspection		DMM Yard.			
Type of inspection		LOAD TEST			
Relevant regulation / Standard		ASME B30.5			
Date of previous inspection / load test					
Identification & Description of the Equipment	Manufacturer name	SANY			
	Equipment Type	RT Mobile Crane			
	Nature of power	DEISEL POWERED			
	Model / Year	SRC800T/ 2025			
	Serial number	RC0080CF0556			
	Owner ID / Registration number	SRC-RT-080-049			
	Rated Capacity (maximum)	80 Ton			
	Present Configuration	Main hoist current capacity: 80 Ton with 6 FALLS			
		Auxiliary hoist current capacity: 8 Ton with 1 Falls			
	Radius (Mini / Max)	Minimum: 3 Mtr; Maximum: 34 Mtr			
	Length of Boom	Minimum: 12.2 Mtr; Maximum: 47.5 Mtr			
	Counterweight (mass)	Standard from Manufacturer			
	Wire rope specification	20 mm			
	Complementary devices	Fly Jib Was Stowed			

Description of test: Visual & Function Test inspection was carried out, followed by full functional testing. 100 % Of SWL Load Test Was Carried Out	Length of boom (m)	Radius (m)	Reeving (No. of falls)	Test Load	Safe Working Load
	27.6 M	20 M	6 Falls	4800 Kg	4800 Kg
	-	-	-	-	-
	-	-	-	-	-

Result of Examination:

The above mentioned equipment has been found satisfactory at the time of inspection and is considered to be safe for further use, subject to continuous maintenance being applied and qualified operator being employed.

This is to certify that the Competent Person did attend at the said premises on said date to witness proof load test and/or to carry out thorough examination of the equipment described herein and that all particulars described above were correct at the time of examination. This Certificate becomes void in case of any major repair, modification and /or alteration being un-authorized by issuer of hereof.

Next Proof Load Test Due: 06/09/2030 or After Major Repair/Modifications	Next Inspection Due is on or before: 06/12/2025
---	--

Issued at Al Khobar on 13/09/2025

Inspector to Bureau Veritas
Signature:



Name: MOHAMED OMARA
Position: Senior Inspector



Reviewed by
Signature:



Name: Ahmed Elabady
Position: Reviewer

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



CHECKLIST OF TEST & THOROUGH EXAMINATION OF MOBILE CRANE

Cert. No.: 2035956	Date of Examination: 07/09/2025
---------------------------	--

SECTION	CONDITION	REMARKS
1. ACCESS		
1.1 Access to the cabin/control station	Satisfactory	
1.2 Access for maintenance operation	Satisfactory	
2. CHASSIS		
2.1 Chassis	Satisfactory	
2.2 Traveling device (tire, crawler)	Satisfactory	
2.3 Outriggers	Satisfactory	
2.4 Outrigger sole (shoe or pad)	Satisfactory	
2.5 None return valve on outrigger	Satisfactory	
2.6 Locking of suspensions	Satisfactory	
2.7 Locking of outriggers rest position	Satisfactory	
3. STRUCTURE OF EQUIPMENT		
3.1 Structure, A frame	Satisfactory	
3.2 Jib, fly jib	Satisfactory	
3.3 Pendants	Satisfactory	
3.4 Counter weight	Satisfactory	
4. MECHANISM		
4.1 Main Hoisting mechanism	Satisfactory	
4.2 Aux. Hoisting mechanism	Satisfactory	
4.3 Hydraulic system	Satisfactory	
4.4 Cylinders	Satisfactory	
4.5 Hoisting brake system	Satisfactory	
4.6 Limitation of the lowering speed	Satisfactory	
4.7 Telescoping mechanism	Satisfactory	
4.8 Luffing mechanism	Not applicable	
4.9 Pivoting joints	Satisfactory	
4.10 Brake of slewing motion	Satisfactory	



4.11 Traveling Brake	Satisfactory	
4.12 Guards for moving parts	Satisfactory	
4.13 Motor	Satisfactory	
4.14 Gear box	Satisfactory	
5. LIFTING SYSTEM		
5.1 Wire rope / chain	Satisfactory	
5.2 Wire/chain rope end termination	Satisfactory	
5.3 Drum, pulley, return pulley	Satisfactory	
5.4 Hooks & hook blocks	Satisfactory	
5.5 Other load handling devices	Satisfactory	
6. ENERGY		
6.1 Main switch locking	Satisfactory	
6.2 Equipment and cabling	Satisfactory	
6.3 Protection of live parts/enclosure	Satisfactory	
6.4 Lighting of the crane/site	Satisfactory	
7. CABIN / CONTROL STATION		
7.1 Structure	Satisfactory	
7.2 Visibility / windows	Satisfactory	
7.3 Heating / AC system	Satisfactory	
7.4 Seat	Satisfactory	
7.5 Fire extinguisher	Satisfactory	
7.6 Identification of the controls	Satisfactory	
7.7 Control dead man type	Satisfactory	
7.8 General stopping device by key	Satisfactory	
7.9 Emergency stop button	Satisfactory	
7.10 Level indicator	Satisfactory	
7.11 Angle Indicator	Satisfactory	
7.12 Horn	Satisfactory	
7.13 Traffic lights	Satisfactory	
7.14 Direction Indicators	Satisfactory	
8. SAFETY DEVICES		



BUREAU
VERITAS



8.1 Hoisting limiter/Anti Two Blocks	Satisfactory	
8.2 Luffing limiter	Not applicable	
8.3 Telescopic limiter	Satisfactory	
8.4 Slewing limiter	Satisfactory	
8.5 Load limiter	Satisfactory	
8.6 Level limiter	Satisfactory	
8.7 Rated capacity indicator (RCI) / ASLI	Satisfactory	
8.8 None return valve on piston	Satisfactory	
8.9 Other limiter or indicator	Satisfactory	
9. MISCELLANEOUS REQUIREMENTS		
9.1 Maker plate	Satisfactory	
9.2 Load chart	Satisfactory	
9.3 Wire rope certificate	Satisfactory	
9.4 General Safety Requirements	Satisfactory	
Notes :		
Next Proof Load Test Due: 06/09/2030 or After Major Repair/Modifications		Next Inspection Due is on or before: 06/12/2025

Inspector to Bureau Veritas
Signature:



Name: MOHAMED OMARA
Position: Senior Inspector