



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س.ت. ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF INSPECTION

CERTIFICATE NO: UIC/MED/20250499

Customer : SUDHIR EQUIPMENT RENTAL CO.
Address : KEC HUB MEDINAH, KINGDOM OF SAUDI ARABIA
Description : SPIDER MANLIFT
Manufacturer : JLG INDUSTRIES
Model : X33JP
Serial No. : C170002315
Equipment ID No : 46903020001

This is to certify that the device detailed hereby has been inspected and found satisfactory against traceable International Standards for its function on the date of inspection. These conform to manufacturer's specification and have been inspected and tested in accordance with the conditions and requirements of the contract or purchase order and unless otherwise noted below, conform in all respects to the specifications relevant here to.

Reference Standard: BS EN 280 , ANSI A92.5

Date of Testing : 24-APR-2025

Due Date : 23-OCT-2025

Additional Certification

Sticker Number: UIC/INS/205935

Inspected By:



Industrial Inspector



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب. ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥

CERTIFICATE NO: UIC/MED/20250499**Specification:**

Engine Type	: Diesel	Engine Mfg.	: Kubota D902
Engine Power	: 16 kw	Swing	: 360 Degrees
Platform Height(Max)	: 30.0m	Outreach	: 13.2 m
Own weight	: 7616 kg		
Platform Capacity	: 230 kg / 507.1 lb		
Usage	: Outdoor, Indoor		

Inspection and Test:

Joysticks control :	Satisfactory ,	Electrical Control :	Satisfactory
Manual Control :	Satisfactory ,	Travel & Operational speed :	Satisfactory
Hydraulic System :	Satisfactory ,	General Condition:	Satisfactory
Tyres :	Satisfactory ,	Brakes :	Satisfactory
Reverser alarm :	Satisfactory ,	Fire extinguisher :	Satisfactory

Comments & Recommendations:

The SPIDER MANLIFT was found to be of good working condition and reliable for safe operation to the Designed Capacity.

- *As far as ascertainable the equipment complied with the standard applied.*
- *On the Date of inspection, the equipment found to be of Good Construction, of adequate strength, in good working order and free from apparent defects that affect safe operation.*
- *Always understand the operating procedure before using the Spider Manlift.*
- *Do not exceed the capacity of the Spider Manlift.*
- *Remember - Safety always comes first!*

Inspected By:**Industrial Inspector****Approved By:****QA/QC Engineer**



الشركة العالمية لخدمات التفتيش المحدودة
UNIVERSAL INSPECTION CO. LTD.

CR No.2055011643

س.ت ٢٠٥٥٠١١٦٤٣



CERTIFICATE OF INSPECTION

CERTIFICATE NO: UIC/MED/20250500

Customer : SUDHIR EQUIPMENT RENTAL CO.
Address : KEC HUB MEDINAH, KINGDOM OF SAUDI ARABIA
Description : MANLIFT
Manufacturer : GENIE
Model : S-85
Serial No. : S85D-1332
Equipment ID No : S285G-520

This is to certify that the device detailed hereby has been inspected and found satisfactory against traceable International Standards for its function on the date of inspection. These conform to manufacturer's specification and have been inspected and tested in accordance with the conditions and requirements of the contract or purchase order and unless otherwise noted below, conform in all respects to the specifications relevant here to.

Reference Standard: BS EN 280 , ANSI A92.5


Date of Inspection : 24-APR-2025

Due Date : 23-OCT-2025

Additional Certification

Sticker Number: UIC/INS/205936

Inspected By:



Industrial Inspector



Approved By:

QA/QC Engineer

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٨٨٨٢ ١٣ ٣٤٤ / فاكس ٨٨٨١ ١٣ ٣٤٤ +٩٦٦
هاتف ٠٥١٥ ١٣ ٣٦٧ +٩٦٦

CERTIFICATE NO: UIC/MED/20250500**Specification:**

Engine Type	: Diesel	Engine Mfg.	: DEUTZ TD2.9L
Engine Power	: 67 hp	Swing	: 360 Degrees
Platform Height (Max)	: 91 ft 27.91 m		
Outreach	: 23.51 m / 77.1 ft		
Own weight	: 17200 kg / 37919.5 lb		
Platform Capacity	: 300 kg		
Usage	: Outdoor, Indoor		

Inspection and Test:

Joysticks control	: Satisfactory	Electrical Control	: Satisfactory
Manual Control	: Satisfactory	Travel & Operational speed	: Satisfactory
Hydraulic System	: Satisfactory	General Condition	: Satisfactory
Tyres	: Satisfactory	Brakes	: Satisfactory
Reverser alarm	: Satisfactory	Fire extinguisher	: Satisfactory

Comments & Recommendations:

The MANLIFT was found to be of good working condition and reliable for safe operation to the Designed Capacity.

- As far as ascertainable the equipment complied with the standard applied.
- On the Date of inspection, the equipment found to be of Good Construction, of adequate strength, in good working order and free from apparent defects that affect safe operation.
- Always understand the operating procedure before using the Manlift.
- Do not exceed the capacity of the Manlift.
- Remember - Safety always comes first!

Inspected By:

Industrial Inspector



Approved By:

QA/QC Engineer

Company Name & Address of the Site Location:

EQUIPMENT:

No. 41037

Company / Customer Name: SUDHIR RENTALS Purchase Order No. _____

Mr./Mrs: MUNEER

Date of Calibration / Inspection

Mobile/Tel. No.: 0837104437

Calibration / Inspection Validity

Email ID :

Location

INSPECTION.

KEC. HUB
MEDINAH

[illegible]

Cal. Engr/Insp. Sign: _____

Name:

(Client Sign)

Name: _____

Contact No: 0537104432 Site Location: ICBC-HUB

Witnessed & Approved by