



**NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)**, P.O. Box 3998, DAMMAM 32252, Kingdom of Saudi Arabia

Contacts: +966 (13) 340 7607 / +966 (12) 610 9014 / +966 (14) 325 1475 / +966 538400764

Report No - LIC-2026-7340

Email: info@fahss.com

| LIFTING EQUIPMENT INSPECTION REPORT                                                                                                                                                                                                                                                              |                                                                                                                                                                                    | Area:          |                                                                                      | Inspection Date:                  |               | Inspection Time:                                                                      |                | Previous Sticker:     |                         | Issued by:        |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|-----------------------------------|---------------|---------------------------------------------------------------------------------------|----------------|-----------------------|-------------------------|-------------------|--|
|                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                    | W.R            |                                                                                      | 05-Apr-2026                       |               | 8:10 AM                                                                               |                | 24-3403               |                         | BV                |  |
| Department/Contractor:                                                                                                                                                                                                                                                                           |                                                                                                                                                                                    | Equipment No.: |                                                                                      | Equipment Location:               |               | RPO NO.                                                                               |                | Inspection Result:    |                         | New Sticker No.:  |  |
| SUDHIR COMPANY FOR EQUIPMENTS RENTAL                                                                                                                                                                                                                                                             |                                                                                                                                                                                    | S28SJ-870      |                                                                                      | USFAN - SUDHIR YARD / SUDHIR YARD |               | 26-3103                                                                               |                | pass                  |                         | FAHSS-A-000901    |  |
| Manufacturer:                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                    | Model:         |                                                                                      | Capacity:                         |               | Type:                                                                                 |                | Equipment Serial No.: |                         | Sticker Exp Date: |  |
| JLG                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                    | 860 SJ         |                                                                                      | 500 LBS                           |               | MANLIFT                                                                               |                | 0300205518            |                         | 04-Oct-2026       |  |
| <p>Above equipment was inspected by <b>FAHSS</b> in accordance with applicable Saudi Aramco GI's, ASME and API standards. Deficiencies that require corrective action are listed below. Specific repairs to correct each deficiency should be noted in the 'Corrective Action Taken' column.</p> |                                                                                                                                                                                    |                |                                                                                      |                                   |               |                                                                                       |                |                       |                         |                   |  |
| No                                                                                                                                                                                                                                                                                               | DEFICIENCIES                                                                                                                                                                       |                |                                                                                      |                                   |               |                                                                                       |                |                       | CORRECTIVE ACTION TAKEN |                   |  |
| *                                                                                                                                                                                                                                                                                                | PERIODIC INSPECTION                                                                                                                                                                |                |                                                                                      |                                   |               |                                                                                       |                |                       | NONE                    |                   |  |
| *                                                                                                                                                                                                                                                                                                | A COMPREHENSIVE VISUAL INSPECTION AND FUNCTIONAL TEST WERE CONDUCTED AND FOUND TO BE SATISFACTORY AT TIME OF INSPECTION IN ACCORDANCE WITH ASME ANSI / SAIA A92.5 AND SA. GI.7.030 |                |                                                                                      |                                   |               |                                                                                       |                |                       |                         |                   |  |
| *                                                                                                                                                                                                                                                                                                | ANTI ENTRAPMENT DEVICE ( CABLE RESSURE SENSING)) TYPE WORKING SATISFACTORY                                                                                                         |                |                                                                                      |                                   |               |                                                                                       |                |                       |                         |                   |  |
| RECIEVER                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                    |                | TECHNICAL REVIEWER                                                                   |                                   |               | INSPECTOR                                                                             |                |                       |                         |                   |  |
| RECIEVER NAME                                                                                                                                                                                                                                                                                    | BADGE NO                                                                                                                                                                           | MOBILE No      | NAME                                                                                 | RECEIVED DATE                     | REVIEWED DATE | NAME                                                                                  | CERTIFICATE NO | MOBILE No             |                         |                   |  |
| SHMIR                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                    | 0533326321     | Aqeel Aldarwish                                                                      | 05-04-2026                        | 05-04-2026    | Yahya Khalid Yaseen Al-Khayri                                                         | 80024627       | 966592028020          |                         |                   |  |
|                                                                                                                                                                                                               |                                                                                                                                                                                    |                |  |                                   |               |  |                |                       |                         |                   |  |
| RECEIVER SIGNATURE                                                                                                                                                                                                                                                                               |                                                                                                                                                                                    |                | TECHNICAL REVIEWER SIGNATURE                                                         |                                   |               | INSPECTOR SIGNATURE                                                                   |                |                       |                         |                   |  |

*When re-inspection is requested, a complete copy of this report should be ready to be reviewed by the inspector.*

|                                               |  |                                                 |                                                                                     |                                    |
|-----------------------------------------------|--|-------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                                     | ISSUE DATE                                                                          | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                              | <b>12-Jan-23</b>                                                                    | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| <b>PROJECT TITLE</b><br>USFAN - SUDHIR YARD   |  | <b>WBS/BI/JO NUMBER</b><br><b>FAHSS-26-3103</b> | <b>INSPECTION COMPANY</b><br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                                  |                                              |                                                     |                                                                |
|----------------------------------|----------------------------------------------|-----------------------------------------------------|----------------------------------------------------------------|
| <b>EQUIPMENT ID NUMBER</b>       | <b>EQUIPMENT DESCRIPTION/TYPE</b><br>MANLIFT | <b>SERIAL NO.</b><br>0300205518                     | <b>REPORT No.:</b><br>LIC-2026-7340                            |
| <b>CAPACITY (SWL)</b><br>500 LBS | <b>MANUFACTURER</b><br>JLG                   | <b>FACILITY / LOCATION</b><br>Onshore / SUDHIR YARD |                                                                |
| <b>REQUESTED INSPECTION DATE</b> | <b>RFI No.</b>                               | <b>TASK COMPLETED DATE</b><br>05-Apr-2026           | <b>EQUIPMENT OWNER</b><br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |

| ITEM No. | ACCEPTANCE CRITERIA                                                                                                          | REFERENCE                                          | PASS                                | FAIL                     | N/A                                 | Remarks |
|----------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------------------|--------------------------|-------------------------------------|---------|
| <b>1</b> | <b>GENERAL REQUIREMENTS - BOOM SUPPORTED</b>                                                                                 |                                                    |                                     |                          |                                     |         |
| 1.1      | Equipment documentation is available                                                                                         | ANSI/SAIA<br>A92.5, Sec:<br>4.16.1.1 G.I.<br>7.030 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.2      | Previous inspection reports are checked                                                                                      | ANSI/SAIA<br>A92.5, Sec:<br>5.11.1.3 G.I.<br>7.030 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.3      | Daily pre-operational inspection checklists are checked (if applicable)                                                      | GI 7.030<br>Para: 5.1.2                            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.4      | Preventive Maintenance is established and updated records are maintained                                                     | ANSI/SAIA<br>A92.5, Sec:<br>6.4.1                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.5      | Equipment is operated by a qualified operator                                                                                | ANSI/SAIA<br>A92.5 Sec:<br>4.13.13                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.6      | Warning notice, cautions or restrictions for safe operation and maintenance are clearly displayed and legible                | ANSI/SAIA<br>A92.5 Sec:<br>4.13.1                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.7      | A sign is posted warning the operator not to rely solely on any automatic device as a substitute for safe operating practice | G.I. 7.030<br>Para: 5.6.2                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.8      | Manufacturer name, address, serial number and model are clearly marked or tagged                                             | ANSI/SAIA<br>A92.5 Sec:<br>4.13.2                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.9      | Safe working load and number of persons are clearly marked on the work platform                                              | ANSI/SAIA<br>A92.5, Sec:<br>4.13.3                 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.10     | Maximum platform height and reach are clearly marked                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.13.4 & 5              | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.11     | Maximum travel height and travel directions are clearly marked                                                               | ANSI/SAIA<br>A92.5 Sec:<br>4.13.9                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 1.12     | Power rating are provided and marked (for AC and/or DC)                                                                      | ANSI/SAIA<br>A92.5 Sec:<br>4.13.6                  | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 1.13     | Platform and guardrails electrical insulation data are provided                                                              | ANSI/SAIA<br>A92.5 Sec:<br>4.13.10                 | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| <b>2</b> | <b>INSPECTION POINTS - BOOM SUPPORTED</b>                                                                                    |                                                    |                                     |                          |                                     |         |
| 2.1      | Platform surfaces are at least 18" (width & length) and are slip-resestant                                                   | ANSI/SAIA<br>A92.5 4.12.1                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.2      | Platform guardrails are provided and secure                                                                                  | ANSI/SAIA<br>A92.5 4.12.2                          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.3      | Platform guardrails are 42" height (+/- 3")                                                                                  | ANSI/SAIA<br>A92.5 Sec:<br>4.12.2.1                | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.4      | Platform toeboard is fitted and at least 4" high                                                                             | ANSI/SAIA<br>A92.5 Sec:<br>4.12.3                  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.5      | Moving parts are guarded                                                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>4.11                    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |

|                                               |  |                                          |                                                                              |                                    |
|-----------------------------------------------|--|------------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                              | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                       | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>FAHSS-26-3103</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                               |                            |                                        |                                                             |                                  |
|-------------------------------|----------------------------|----------------------------------------|-------------------------------------------------------------|----------------------------------|
| EQUIPMENT ID NUMBER           | EQUIPMENT DESCRIPTION/TYPE |                                        | SERIAL NO.                                                  | REPORT No.:<br><br>LIC-2026-7340 |
|                               | MANLIFT                    |                                        | 0300205518                                                  |                                  |
| CAPACITY (SWL)<br><br>500 LBS | MANUFACTURER<br><br>JLG    |                                        | FACILITY / LOCATION<br><br>Onshore / SUDHIR YARD            |                                  |
| REQUESTED INSPECTION DATE     | RFI No.                    | TASK COMPLETED DATE<br><br>05-Apr-2026 | EQUIPMENT OWNER<br><br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |                                  |

| ITEM No. | ACCEPTANCE CRITERIA                                                                                 | REFERENCE                           | PASS                                | FAIL                     | N/A                                 | Remarks |
|----------|-----------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|---------|
| 2.6      | Personnel on the platform is protected against the hazards of moving parts of the aerial platforms. | ANSI/SAIA<br>A92.5 Sec:<br>7.10     | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.7      | Access to the platform is provided                                                                  | ANSI/SAIA<br>A92.5 Sec:<br>4.12.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.8      | Access gates or openings shall be properly closed per the manufacturer's instructions               | ANSI/SAIA<br>A92.5 Sec:<br>4.12.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.9      | Electrical cables, wiring and components are undamaged                                              | ANSI/SAIA<br>A92.5 Sec:8.3          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.10     | Safety harness anchorage is fitted in the platform                                                  | ANSI/SAIA<br>A92.5 Sec:<br>4.12.5.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.11     | Battery is secure, guarded and ventilated                                                           | ANSI/SAIA<br>A92.5 Sec:<br>4.15.2   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.12     | Outrigger position microswitches and interlocks are fully functional at their control pane          | ANSI/SAIA<br>A92.5 Sec: 4.7         | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 2.13     | Air, Hydraulic and fuel systems are not leaking                                                     | ANSI/SAIA<br>A92.5 Sec:<br>6.6.5    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.14     | Emergency stop button is available at ground control station                                        | ANSI/SAIA<br>A92.5 Sec:<br>4.6.3    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.15     | There are no loose nuts, bolts, missing, worn or damaged parts around the structure                 | ANSI/SAIA<br>A92.5 Sec:<br>6.6.2    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.16     | The equipment is free of defective and/or corroded members/joints                                   | ANSI/SAIA<br>A92.5<br>Sec:6.4.3     | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.17     | Working environment is hazard free and machine can be safely operated                               | ANSI/SAIA<br>A92.5 Sec:7.9          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.18     | An hour meter is fitted                                                                             | ANSI/SAIA<br>A92.5<br>Sec:4.15.3    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.19     | A fire extinguisher is fitted (type depends on operating location)                                  | ANSI/SAIA<br>A92.5 General          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.20     | All moving parts are lubricated                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>6.6.5    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.21     | All fluid levels for oil, water and hydraulic are adequate                                          | ANSI/SAIA<br>A92.5 Sec:<br>6.6.5    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.22     | Platform controls operate the machine correctly                                                     | ANSI/SAIA<br>A92.5 Sec:<br>6.6.1    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.23     | Platform controls are clearly marked with direction and mode of operation                           | ANSI/SAIA<br>A92.5 Sec:<br>4.6.1.6  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.24     | Platform controls accessible to the operator                                                        | ANSI/SAIA<br>A92.5 Sec:<br>4.6.1.1  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.25     | Platform controls return to "off" or "neutral" position when released                               | ANSI/SAIA<br>A92.5 Sec:<br>4.6.1.4  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |

|                                               |  |                                          |                                                                              |                                    |
|-----------------------------------------------|--|------------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                              | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                       | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>FAHSS-26-3103</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                               |                            |                                        |                                                             |                              |
|-------------------------------|----------------------------|----------------------------------------|-------------------------------------------------------------|------------------------------|
| EQUIPMENT ID NUMBER           | EQUIPMENT DESCRIPTION/TYPE |                                        | SERIAL NO.                                                  | REPORT No.:<br>LIC-2026-7340 |
|                               | MANLIFT                    |                                        | 0300205518                                                  |                              |
| CAPACITY (SWL)<br><br>500 LBS | MANUFACTURER<br><br>JLG    |                                        | FACILITY / LOCATION<br><br>Onshore / SUDHIR YARD            |                              |
| REQUESTED INSPECTION DATE     | RFI No.                    | TASK COMPLETED DATE<br><br>05-Apr-2026 | EQUIPMENT OWNER<br><br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |                              |

| ITEM No. | ACCEPTANCE CRITERIA                                                                                                                                | REFERENCE                          | PASS                                | FAIL                     | N/A                      | Remarks |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|--------------------------|--------------------------|---------|
| 2.26     | Platform controls are protected against inadvertent operation                                                                                      | ANSI/SAIA<br>A92.5 Sec: 1.3        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.27     | Over-ride control for power functions is fitted at ground level control panel                                                                      | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.28     | Lower controls return to "off" or "neutral" position when released                                                                                 | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.29     | Lower controls are clearly marked for direction and mode of operation                                                                              | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.6 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.30     | Lower controls do not include drive and steering functions                                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.31     | Lower controls are protected against inadvertent operation                                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.5 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.32     | Boom raise/extend is operable from platform and ground control                                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.33     | Boom lower/retract is operable from platform and ground control                                                                                    | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.34     | Platform rotation is operable from both platform and ground controls                                                                               | ANSI/SAIA<br>A92.5 Sec:<br>4.6.2.2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.35     | Emergency stop button is operable from both platform and ground controls                                                                           | ANSI/SAIA<br>A92.5 Sec:<br>4.6.3   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.36     | Auxiliary/emergency lowering is operable from platform and ground controls                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.37     | Auxiliary/emergency retracting is operable from platform and ground controls                                                                       | ANSI/SAIA<br>A92.5 Sec:<br>4.6.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.38     | Auxiliary/emergency rotating is operable from platform and ground controls                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>4.6.4   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.39     | Hydraulic/Pneumatic systems are leak-free with platform raised                                                                                     | ANSI/SAIA<br>A92.5 Sec:<br>4.10.2  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.40     | Tilt alarm is operable (5 degrees out of level) (manually depress the edge of the tilt switch to cause alarm condition)                            | ANSI/SAIA<br>A92.5 Sec:<br>4.7.3   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.41     | Aerial platforms is fitted with a warning device at the platform which activates automatically when the aerial platform is at and beyond the slope | ANSI/SAIA<br>A92.5 Sec:<br>4.6.6   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.42     | Tilt alarm is not combined with boom raise cut-out (dependent on machine manufacturer)                                                             | ANSI/SAIA<br>A92.5 Sec:<br>4.6.6   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.43     | Steering is properly working when moving forward and in reverse directions                                                                         | ANSI/SAIA<br>A92.5 Sec:<br>6.6.3.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.44     | Brakes are in good working condition and can hold the machine on any slope (parking and moving)                                                    | ANSI/SAIA<br>A92.5 Sec:<br>4.14.1  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |
| 2.45     | Extendable axles function is satisfactory (where fitted)                                                                                           | ANSI/SAIA<br>A92.5 Sec:<br>7.3.3.8 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |         |

|                                               |  |                                          |                                                                              |                                    |
|-----------------------------------------------|--|------------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                              | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                       | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>FAHSS-26-3103</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                           |                                       |                                              |                                                         |
|---------------------------|---------------------------------------|----------------------------------------------|---------------------------------------------------------|
| EQUIPMENT ID NUMBER       | EQUIPMENT DESCRIPTION/TYPE<br>MANLIFT | SERIAL NO.<br>0300205518                     | REPORT No.:<br>LIC-2026-7340                            |
| CAPACITY (SWL)<br>500 LBS | MANUFACTURER<br>JLG                   | FACILITY / LOCATION<br>Onshore / SUDHIR YARD |                                                         |
| REQUESTED INSPECTION DATE | RFI No.                               | TASK COMPLETED DATE<br>05-Apr-2026           | EQUIPMENT OWNER<br>SUDHIR COMPANY FOR EQUIPMENTS RENTAL |


| ITEM No. | ACCEPTANCE CRITERIA                                                                               | REFERENCE                               | PASS                                | FAIL                     | N/A                                 | Remarks |
|----------|---------------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------|--------------------------|-------------------------------------|---------|
| 2.46     | Outriggers (stabilizers) extension-retraction operation is satisfactory                           | ANSI/SAIA<br>A92.5 Sec:<br>7.10.3       | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 2.47     | Extendable elevating assembly operation is satisfactory (retracted vs. extended)                  | ANSI/SAIA<br>A92.5 Sec:<br>4.2.1        | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |         |
| 2.48     | Elevating assembly operation is satisfactory (elevated vs. lowered)                               | ANSI/SAIA<br>A92.5 sec:<br>4.2.1( c )   | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.49     | Wheels and tires are serviceable and undamaged                                                    | ANSI/SAIA<br>A92.5 Sec:<br>7.3.3 (6)    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.50     | Travel alarm is operable                                                                          | ANSI/SAIA<br>A92.5 Sec:<br>6.6 (4)      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.51     | Platform lowering alarm is operable                                                               | ANSI/SAIA<br>A92.5 Sec:<br>6.6 (4)      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.52     | Auxiliary power source available (to use in event of primary power loss)                          | ANSI/SAIA<br>A92.5 Sec;<br>4.15.2       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.53     | Platform does not descend when in raised position and the power is off                            | ANSI/SAIA<br>A92.5 Sec:<br>4.6.3        | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.54     | Machine is safely drivable from the platform when raised (fast, slow, forward and reverse modes)  | ANSI/SAIA<br>A92.5 Sec:<br>6.6.3.1      | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.55     | The platform does not descend when in raised position and the power is off                        | off<br>ANSI/SAIA<br>A92.5 Sec:<br>4.6.3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.56     | Engine powered machines fuel lines are supported to minimize chafing                              | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.57     | Engine powered machines fuel lines are positioned to minimize exposure to engine and exhaust heat | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.58     | Engine powered machines exhaust system is provided with muffler                                   | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |
| 2.59     | Installation of Anti- Entrapment device on work platform                                          | ANSI/SAIA<br>A92.5 Sec:<br>4.15.1       | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |         |

REMARKS:

|                                               |  |                                          |                                                                              |                                    |
|-----------------------------------------------|--|------------------------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>SAUDI ARAMCO INSPECTION CHECKLIST</b>      |  | SAIC NUMBER                              | ISSUE DATE                                                                   | DISCIPLINE                         |
| <b>BOOM SUPPORTED ELEVATING WORK PLATFORM</b> |  | <b>SAIC-U-7013</b>                       | <b>12-Jan-23</b>                                                             | <b>ELEVATING/LIFTING EQUIPMENT</b> |
| PROJECT TITLE<br><b>USFAN - SUDHIR YARD</b>   |  | WBS/BI/JO NUMBER<br><b>FAHSS-26-3103</b> | INSPECTION COMPANY<br><b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> |                                    |

|                                  |                                              |                                                     |                                                                |
|----------------------------------|----------------------------------------------|-----------------------------------------------------|----------------------------------------------------------------|
| EQUIPMENT ID NUMBER              | EQUIPMENT DESCRIPTION/TYPE<br><b>MANLIFT</b> | SERIAL NO.<br><b>0300205518</b>                     | REPORT No.:<br><b>LIC-2026-7340</b>                            |
| CAPACITY (SWL)<br><b>500 LBS</b> | MANUFACTURER<br><b>JLG</b>                   | FACILITY / LOCATION<br><b>Onshore / SUDHIR YARD</b> |                                                                |
| REQUESTED INSPECTION DATE        | RFI No.                                      | TASK COMPLETED DATE<br><b>05-Apr-2026</b>           | EQUIPMENT OWNER<br><b>SUDHIR COMPANY FOR EQUIPMENTS RENTAL</b> |

|                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>REFERENCE DOCUMENTS:</b>                                                                                                                                                                                                                                                                                                                       |
| 1- ANSI/SAIA A92.5 - 2014 Issue: Boom - Supported Elevating Work Platforms<br>2- SAES-B067 - 2020 Issue: Safety Identification and Safety Colors<br>3- SA GI 7.025 -2018 Issue: Heavy Equipment Operator and Rigger Testing and Certification<br>4- SA GI 7.030 - 2023 Issue: Inspection and Testing Requirements for Elevating/Lifting Equipment |

|                                                                                                                      |                                                                                                                 |                                                                                                              |                                                                                      |
|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Load Tested By (If Applicable):</b>                                                                               |                                                                                                                 | Inspector Signature:<br> |  |
| Name :                                                                                                               | Date:                                                                                                           |                                                                                                              |                                                                                      |
| <input type="checkbox"/> Inspected by 3rd Party Certified Inspector/Inspected:                                       | <input type="checkbox"/> Witnessed by 3rd Party Certified Inspector/Witnessed by 3rd Party Certified Inspector: |                                                                                                              |                                                                                      |
| Name of Inspector : Yahya Khalid Yaseen Al-Khayri<br>Company: <b>NATIONAL INSPECTION AND TESTING COMPANY (FAHSS)</b> | Inspector ID: 80024627                                                                                          | Client signature:<br>   |                                                                                      |
| <b>User Representative:</b>                                                                                          |                                                                                                                 |                                                                                                              |                                                                                      |
| Name : SHMIR                                                                                                         | Date: 05-Apr-2026                                                                                               |                                                                                                              |                                                                                      |



# SATISFACTION SURVEY

Thank you for your feedback

| # | Question                                                                                                   | Answer | Remarks |
|---|------------------------------------------------------------------------------------------------------------|--------|---------|
| 1 | Did the Service provider Co. provide the right inspector with a valid qualification card?                  | Yes    |         |
| 2 | Did the service provider Co. respond for inspection within the expected time frame?                        | Yes    |         |
| 3 | Was the inspector wearing the required personal protective (Yes/No) equipment (PPE) during the inspection? | Yes    |         |
| 4 | Did the inspection conducted safely and in accordance with Aramco standard?                                | Yes    |         |



## الشركة الوطنية للفحص والاختبار الفني

National Inspection & Technical Testing Company

TEL.: +966 (13) 340 7607 | +966 (12) 610 9014

+966 538400764

**STICKER NO.: FAHSS-A-000901**

**EQUIP.NO.:** S28SJ-870

**EQUIP. S.N.:** 0300205518

**EQUIP. SWL:** 500 LBS

**DATE INSPECTED:** 05-Apr-2026

**NEXT INSPECTION DATE:** 04-Oct-2026

**INSPECTOR NAME:** Yahya Khalid Yaseen Al-

Khayri

**SAP #:** 80024627