



## Report of Thorough Examination of Boom Supported Elevating Work Platform ( Manlift )

|                                                |                                                       |                           |                                                    |
|------------------------------------------------|-------------------------------------------------------|---------------------------|----------------------------------------------------|
| <b>Report No:</b>                              | TEST-182-31941-01                                     | <b>Report Issue Date:</b> | 7 January 2025                                     |
| <b>Work Order No:</b>                          | 31941                                                 | <b>Inspection Type:</b>   | Periodic Visual & Functional                       |
| <b>Customer Name:</b>                          | Sudhir Equipment Rental Co.                           |                           |                                                    |
| <b>Work Location:</b>                          | Dammam                                                | <b>Equipment Type:</b>    | Boom Supported Elevating Work Platform ( Manlift ) |
| <b>Standard Reference:</b>                     | ANSI A92.5                                            | <b>Manufacturer:</b>      | JLG                                                |
| <b>Inspection Date:</b>                        | 7 January 2025                                        | <b>Equipment Model:</b>   | X26JB                                              |
| <b>Next Inspection Date:</b>                   | 6 July 2025                                           | <b>Sticker No:</b>        | 59888                                              |
| <b>Measuring &amp; Testing Equipment used:</b> | Level Measuring (MLI-002-) , Measuring Tape (MT-004-) |                           |                                                    |

| Serial No.  | Description                                                                                                                                                                                             | Capacity/SWL | Reason For Examination | Result   | Safe To Use |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|-------------|
| C 170001714 | Diesel Powered Engine Spider Boom Man Lift<br><br>Equipment ID : S26SPJ-518<br><br>Max Platform Height : 23.6 mtr<br><br>Max Platform Reach : 31.1 mtr<br><br>D.O.M : 2018<br><br>Location: Sudhir Yard | 230 KGS      | B                      | Accepted | Yes         |

|                  |             |             |              |                                       |                             |                 |
|------------------|-------------|-------------|--------------|---------------------------------------|-----------------------------|-----------------|
| Reason For Exam. | A- 3 Months | B- 6 Months | C- 12 Months | D- Written Scheme                     | E- Exceptional Circumstance | F- Installation |
| Result           | ACCEPTED    |             |              | REJECTED (See Attached Defect Report) |                             |                 |

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions and that at the time of examination is found to be free from any defect likely to affect safety.

|                      |              |                     |                              |
|----------------------|--------------|---------------------|------------------------------|
| <b>Inspected By:</b> | Eltahir Omer | <b>Approved By:</b> | Mostafa Sharshar             |
| <b>Signature</b>     |              | <b>Designation:</b> | Lifting Technical supervisor |
|                      |              | <b>Signature:</b>   |                              |
|                      |              |                     |                              |

No liability will be considered against TEST company for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance.

This Inspection Certificate/Report shall not be reproduced except in full without the approval of TEST Company and the Client.





## Report of Thorough Examination of Boom Supported Elevating Work Platform ( Manlift )

|                                                |                                                       |                           |                                                    |
|------------------------------------------------|-------------------------------------------------------|---------------------------|----------------------------------------------------|
| <b>Report No:</b>                              | TEST-182-31941-02                                     | <b>Report Issue Date:</b> | 7 January 2025                                     |
| <b>Work Order No:</b>                          | 31941                                                 | <b>Inspection Type:</b>   | Periodic Visual & Functional                       |
| <b>Customer Name:</b>                          | Sudhir Equipment Rental Co.                           |                           |                                                    |
| <b>Work Location:</b>                          | Dammam                                                | <b>Equipment Type:</b>    | Boom Supported Elevating Work Platform ( Manlift ) |
| <b>Standard Reference:</b>                     | ANSI A92.5                                            | <b>Manufacturer:</b>      | JLG                                                |
| <b>Inspection Date:</b>                        | 7 January 2025                                        | <b>Equipment Model:</b>   | 520 AJ                                             |
| <b>Next Inspection Date:</b>                   | 6 July 2025                                           | <b>Sticker No:</b>        | 59889                                              |
| <b>Measuring &amp; Testing Equipment used:</b> | Level Measuring (MLI-002-) , Measuring Tape (MT-004-) |                           |                                                    |

| Serial No. | Description                                                                                                                                                            | Capacity/SWL | Reason For Examination | Result   | Safe To Use |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|-------------|
| E00004999  | Diesel Powered Engine Man Lift<br>Equipment ID : S18AJ-183<br>Max Platform Height : 16.0 mtr<br>Max Platform Reach : 10.0 mtr<br>D.O.M : 2017<br>Location: Sudhir Yard | 249 KGS      | B                      | Accepted | Yes         |

|                  |             |             |              |                                       |                             |                 |
|------------------|-------------|-------------|--------------|---------------------------------------|-----------------------------|-----------------|
| Reason For Exam. | A- 3 Months | B- 6 Months | C- 12 Months | D- Written Scheme                     | E- Exceptional Circumstance | F- Installation |
| Result           | ACCEPTED    |             |              | REJECTED (See Attached Defect Report) |                             |                 |

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions and that at the time of examination is found to be free from any defect likely to affect safety.

|                      |              |                     |                              |
|----------------------|--------------|---------------------|------------------------------|
| <b>Inspected By:</b> | Eltahir Omer | <b>Approved By:</b> | Mostafa Sharshar             |
| <b>Signature</b>     |              | <b>Designation:</b> | Lifting Technical supervisor |
|                      |              | <b>Signature:</b>   |                              |
|                      |              |                     |                              |

No liability will be considered against TEST company for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance.

This Inspection Certificate/Report shall not be reproduced except in full without the approval of TEST Company and the Client.





## Inspection Report of Air Compressor

|                                     |                             |                    |                              |
|-------------------------------------|-----------------------------|--------------------|------------------------------|
| Report No:                          | TEST-182-31941-03           | Report Issue Date: | 7 January 2025               |
| Work Order No:                      | 31941                       | Inspection Type:   | Periodic Visual & Functional |
| Customer Name:                      | Sudhir Equipment Rental Co. |                    |                              |
| Work Location:                      | Dammam                      | Equipment Type:    | Air Compressor               |
| Standard Reference:                 | BS EN 1012-1                | Manufacturer:      | Atlas copco                  |
| Inspection Date:                    | 7 January 2025              | Equipment Model:   | XSA-50D-175                  |
| Next Inspection Date:               | 6 July 2025                 | Sticker No:        | 59890                        |
| Measuring & Testing Equipment used: | N/A                         |                    |                              |

| Serial No.       | Description                                                                                                                                                                                  | Capacity/SWL | Reason For Examination | Result   | Safe To Use |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|-------------|
| VEPL/2022-23/248 | Air Compressor<br>Equipment ID : SAC-500-131<br>Working Pressure : 12 Bar / 175 PSI<br>Engine Speed : 2200 RPM<br>Motor Power : 127 KW / 170 HP<br>D.O.M : 2023<br><br>Location: Sudhir Yard | 175 PSI      | B                      | Accepted | Yes         |

|                  |             |             |              |                                       |                             |                 |
|------------------|-------------|-------------|--------------|---------------------------------------|-----------------------------|-----------------|
| Reason For Exam. | A- 3 Months | B- 6 Months | C- 12 Months | D- Written Scheme                     | E- Exceptional Circumstance | F- Installation |
| Result           | ACCEPTED    |             |              | REJECTED (See Attached Defect Report) |                             |                 |

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions and that at the time of the examination is found to be free from any defect likely to affect safety.

|               |              |              |                              |
|---------------|--------------|--------------|------------------------------|
| Inspected By: | Eltahir Omer | Approved By: | Mostafa Sharshar             |
| Signature     |              | Designation: | Lifting Technical supervisor |
|               |              | Signature:   |                              |
|               |              |              |                              |

No liability will be considered against TEST company for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance.

This Inspection Certificate/Report shall not be reproduced except in full without the approval of TEST Company and the Client.





## Inspection Report of Generator

|                                     |                             |                    |                              |
|-------------------------------------|-----------------------------|--------------------|------------------------------|
| Report No:                          | TEST-182-31941-04           | Report Issue Date: | 7 January 2025               |
| Work Order No:                      | 31941                       | Inspection Type:   | Periodic Visual & Functional |
| Customer Name:                      | Sudhir Equipment Rental Co. |                    |                              |
| Work Location:                      | Dammam                      | Equipment Type:    | Generator                    |
| Standard Reference:                 | ANSI C39.1                  | Manufacturer:      | Atlas copco                  |
| Inspection Date:                    | 7 January 2025              | Equipment Model:   | N/A                          |
| Next Inspection Date:               | 6 July 2025                 | Sticker No:        | 59891                        |
| Measuring & Testing Equipment used: | N/A                         |                    |                              |

| Serial No.       | Description                                                                                                                                                                             | Capacity/SWL | Reason For Examination | Result   | Safe To Use |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|-------------|
| VEPL/2024-25/267 | Diesel Powered Engine Generator<br><br>Equipment ID : SG-1137-30<br><br>Rating Voltage : 400 V<br><br>Rating Power : 24 KW<br><br>D.O.M : Dec-2024<br><br><br><br>Location: Sudhir Yard | 30 KVA       | B                      | Accepted | Yes         |

|                  |             |             |              |                                       |                             |                 |
|------------------|-------------|-------------|--------------|---------------------------------------|-----------------------------|-----------------|
| Reason For Exam. | A- 3 Months | B- 6 Months | C- 12 Months | D- Written Scheme                     | E- Exceptional Circumstance | F- Installation |
| Result           | ACCEPTED    |             |              | REJECTED (See Attached Defect Report) |                             |                 |

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions and that at the time of the examination is found to be free from any defect likely to affect safety.

|               |              |              |                              |
|---------------|--------------|--------------|------------------------------|
| Inspected By: | Eltahir Omer | Approved By: | Mostafa Sharshar             |
| Signature     |              | Designation: | Lifting Technical supervisor |
|               |              | Signature:   |                              |
|               |              |              |                              |

No liability will be considered against TEST company for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance.

This Inspection Certificate/Report shall not be reproduced except in full without the approval of TEST Company and the Client.





## Inspection Report of Generator

|                                                |                             |                           |                              |
|------------------------------------------------|-----------------------------|---------------------------|------------------------------|
| <b>Report No:</b>                              | TEST-182-31941-05           | <b>Report Issue Date:</b> | 7 January 2025               |
| <b>Work Order No:</b>                          | 31941                       | <b>Inspection Type:</b>   | Periodic Visual & Functional |
| <b>Customer Name:</b>                          | Sudhir Equipment Rental Co. |                           |                              |
| <b>Work Location:</b>                          | Dammam                      | <b>Equipment Type:</b>    | Generator                    |
| <b>Standard Reference:</b>                     | ANSI C39.1                  | <b>Manufacturer:</b>      | Atlas copco                  |
| <b>Inspection Date:</b>                        | 7 January 2025              | <b>Equipment Model:</b>   | N/A                          |
| <b>Next Inspection Date:</b>                   | 6 July 2025                 | <b>Sticker No:</b>        | 59892                        |
| <b>Measuring &amp; Testing Equipment used:</b> | N/A                         |                           |                              |

| Serial No.       | Description                                                                                                                                                                              | Capacity/SWL | Reason For Examination | Result   | Safe To Use |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|----------|-------------|
| VEPL/2022-23/246 | Diesel Powered Engine Generator<br><br>Equipment ID : SG-804-250<br><br>Rating Voltage : 400 V<br><br>Rating Power : 200 KW<br><br>D.O.M : Dec-2024<br><br><br><br>Location: Sudhir Yard | 250 KVA      | B                      | Accepted | Yes         |

|                  |             |             |              |                   |                             |                 |
|------------------|-------------|-------------|--------------|-------------------|-----------------------------|-----------------|
| Reason For Exam. | A- 3 Months | B- 6 Months | C- 12 Months | D- Written Scheme | E- Exceptional Circumstance | F- Installation |
|------------------|-------------|-------------|--------------|-------------------|-----------------------------|-----------------|

|        |                 |                                       |
|--------|-----------------|---------------------------------------|
| Result | <b>ACCEPTED</b> | REJECTED (See Attached Defect Report) |
|--------|-----------------|---------------------------------------|

I hereby declare that the above information is correct and that the equipment has been thoroughly examined as far as possible in accordance with the appropriate provisions and that at the time of the examination is found to be free from any defect likely to affect safety.

|                      |              |                     |                              |
|----------------------|--------------|---------------------|------------------------------|
| <b>Inspected By:</b> | Eltahir Omer | <b>Approved By:</b> | Mostafa Sharshar             |
| <b>Signature</b>     |              | <b>Designation:</b> | Lifting Technical supervisor |
|                      |              | <b>Signature:</b>   |                              |
|                      |              |                     |                              |

No liability will be considered against TEST company for failure, damage or other occurrence to Client owned or operated equipment due to misuse, improper installations, poor maintenance, weather/environmental conditions & equipment operator/user mistakes or uncontrolled operation & maintenance.

This Inspection Certificate/Report shall not be reproduced except in full without the approval of TEST Company and the Client.

