

OWNERSHIP CERTIFICATE

To Whom It May Concern

This is to certify that the following equipment listed below is the sole property of Sudhir Equipment Rental Company:

Equipment	AIR-COMPRESSOR
Brand / Make	ATLAS COPCO
Asset ID	SAC-850-489
Model Number	XAHS850 PACE
Serial Number	WUP303715
Engine Number	93608322
Rating	850 CFM
Manufacturing Year	2026

This certification is issued to confirm the ownership status of the aforementioned equipment. Sudhir Equipment Rental Company holds full legal ownership rights over the listed equipment and retains all associated benefits and responsibilities. Should there be any queries or requests for verification regarding the ownership of the mentioned equipment, please do not hesitate to contact us at : Info@sudhirrentals.com

Sincerely,

Ajay Koul
General Manager
Sudhir Equipment Rental Company





Certificate of Insurance

Policy Holder Name
Policy Number
Original Policy Period

Sudhir Equipment Rental Company
5/EP/30425/0/28
05/04/2026 to 04/04/2027

اسم حامل الوثيقة
رقم الوثيقة
فترة الوثيقة الأصلية

Gulf Insurance Group certifies that above client is holding Contractor's Plant & Machinery Insurance Policy for the below mentioned Equipment in accordance with the above mentioned Insurance Policy:

تشهد مجموعة الخليج للتأمين بأن العميل المذكور أعلاه يحمل وثيقة تأمين على معدات والآلات المقاولين للمعدة المذكورة أدناه، وذلك وفقا لشروط وثيقة التأمين المذكورة أعلاه:

Asset ID	:	SAC-850-489	:	معرف الأصل
Brand	:	ATLAS COPCO	:	العلامة التجارية
Type	:	XAHS850 PACE	:	النوع
Model	:	Air Compressor	:	الطراز
Manufacturing Year	:	2026	:	سنة الصنع
Equipment Serial Number	:	WUP303715	:	الرقم التسلسلي للمعدة
Insurance Effective Date	:	16/08/2026	:	تاريخ سريان التأمين

This Certificate has been issued upon Insureds request as per all terms and conditions, exclusions, warranties mentioned in the policy.

تم اصدار هذه الشهادة بناء على طلب المؤمن له وذلك حسب الشروط والاستثناءات والاشتراطات المذكورة في الوثيقة

Al Khobar : 01st April 2026

Signature of Insurer's Authorized Representative



PUBLIC

Gulf Insurance Group

A Saudi joint stock company | Paid-up capital 500 Million Saudi Riyals
Licensed by No (TMN/25/20101) | Commercial Registration No.1010271203
3528 King Abdullah Bin Abdulaziz Road, Al Nuzha District
Unit No. 25 | Riyadh 12471 - 6378
Toll free 8001160020 | Website www.gig.sa
Regulated and Supervised by The Saudi Central Bank

مجموعة الخليج للتأمين

شركة مساهمة سعودية | رأس المال 500,000,000 ريال سعودي
مرخص لها برقم ترخيص (ت م ن/25/20101) | سجل تجاري رقم 1010271203
3528 طريق الملك عبدالله بن عبدالعزيز، حي النزهة
رقم الوحدة 25 | الرياض 12471 - 6378
www.gig.sa الرقم المجاني 8001160020 | الموقع الإلكتروني
خاضعة لرقابة وإشراف البنك المركزي السعودي



REPORT OF INSPECTION

Cert. No.: 2293932	Date of Examination: 19/08/2026	Sticker No.: 01-102244
Equipment Owner	Sudhir Equipment Rental Company	
Place of Inspection	Dammam Yard.	
Equipment Type	Air Compressor.	
Manufacturer Name	Atlas Copco	
Owner ID	SAC-850-489	
Serial No.	WUP303715	
Model	XAHS850 PACE	
Rated Power	850 CFM	
Max. Operating Pressure	12 Bar / 194 KW	
Rated Speed	1650 RPM	

At the request of Sudhir Equipment Rental Company, Surveyor to BUREAU VERITAS, acting within the General Conditions of Services of the Society, attended on 19/08/2026 at Dammam Yard. to witness Test and/or to carry out Thorough Examination of the above-mentioned equipment as per EN 1012

Inspection Activities:

Prior to commencing performance test, visual inspection of the equipment was carried out and no visible defects were observed. The equipment was then operated to all the functions to verify the performance of the equipment.

Result of Inspection:

Based on the visual inspection of the Air Compressor. and upon post-performance test & thorough examination, the above mentioned equipment has been found free from damage and/or permanent deformation at the time of inspection & is considered to be safe for further use, subject to continuous maintenance being applied and qualified operator being employed.

Remarks:

- Maintain regular maintenance.
- Maintain regular housekeeping.

Next Inspection Due on or before: 18/02/2027

Issued at Al Khobar on 19/08/2026

Inspected by


Signature:



Name: Mohamed Elsabry
Position: Inspector



Reviewed by
Signature:



Name: Ahmed Elabady
Position: Reviewer

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



CHECKLIST OF TEST AND THOROUGH EXAMINATION

Inspection Sticker No.: 01-102244		Date of Examination: 19/08/2026
DESCRIPTION		CONDITION/REMARKS
1.	Physical condition of the compressor tank	Satisfactory
2.	Condition of the motor	Satisfactory
3.	Condition of the piston	Satisfactory
4.	Display panel / pressure gauges	Satisfactory
5.	Safety valve	Satisfactory
6.	Condition of all valves	Satisfactory
7.	Protective covering	Satisfactory
8.	Any unnecessary vibration observed	Satisfactory
9.	Grounding	Satisfactory
10.	Ventilation condition	Satisfactory
11.	Markings & safety signage	Satisfactory
12.	Lifting points (if any)	Satisfactory
13.	Supporting legs / foundation structure	Satisfactory
14.	Name plate	Satisfactory
Remarks: -		

Inspector to Bureau Veritas
Signature:




Name: Mohamed Elsabry
Position: Inspector

The technical conclusions thus expressed may have to be reconsidered in light of any modifications or alterations that would invalidate the data shown in the present certificate. These conclusions would become null & void should Bureau Veritas not be kept informed of such modifications or alterations with specific reference to the present certificate.

Any person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by the personnel of the Society or of its Agents in the establishment or issuance of this document, and in connection with any activities for which it may provide.

This not is NOT an indication that the item(s) is (are) fit for any specific purpose and does not release the manufacture, supplier and any party from their respective duty, guarantee, obligation and/or indemnity relating to, without limitation patents, workmanship, materials, safety, performance in operation and/or reliability.



No. LFT-S.

01 - 102244



BUREAU
VERITAS

Saudi Arabia

Tel: +966 13 882 1071
Fax: +966 13 882 1072



EQUIP. NO. SAC-850-489

EQUIP. S N. WUP303715

S. W. L: NIA

DATE OF INSPECTION 19-Aug-2026

NEXT INSPECTION DUE ON 18-Feb-2027

INSPECTED BY Mohamed Zuby

This sticker is issued under Bureau veritas General
Conditions of Service and is valid only in conjunction
with hereafter inspection Report No.
Report No. LFT-R



الشركة العالمية لخدمات التفتيش المحدودة

UNIVERSAL INSPECTION CO. LTD.

CR No. 2055011643

س. ت ٢٠٥٥٠١١٦٤٣

INSTRUMENT & EQUIPMENT CALIBRATION DIVISION

CERTIFICATE OF CALIBRATION

CERTIFICATE NO: UIC/DAM/106499

This certifies that the instrument below has been tested/calibrated using equipment traceable to National/International Standards or verified by ratio type measurements using self calibrating techniques.

Information on the calibration process and the results are produced below and given in the accompanying sheets of this document.

All related traceable documents are on file at **UNIVERSAL INSPECTION CO. LTD.** and may be examined on request

Customer	Sudhir Equipment Rental Company		
Location	Dammam, Kingdom of Saudi Arabia		
Description	Pressure Relief Valve		
Manufacturer	AFS Safety Valve		
Type	AK28X-16T		
Serial No.	260026	Receipt Date	19-Aug-26
ID. No.	SAC-850-489	Calibration Date	19-Aug-26
Location	Calibration Lab (Dammam)	Calibration Due Date	18-Feb-27

The instrument was calibrated using the following reference, maintained at UIC Instrument & Equipment Calibration division conforming to ISO/IEC 17025:2017 requirements

Reference Standard Equipment Used

Description	Cert. No.	Serial No	Due Date
High Pressure Pneumatic Pressure Source	SA178189-224312	214E2408011	02-Dec-26
Digital Pressure Calibrator	SA178189-224313	2232411017	02-Dec-26

Calibrated By

67
Calibration Engineer

Approved By

QA/QC Engineer

The measurement results pertain only to the instrument calibrated.

This certificate and the attached measurement results shall not be reproduced except in full without the prior permission

P.O. Box No. 2072, Jubail - 31951, K.S.A.
Tel.: +966 13 344 8882 / Fax: +966 13 344 8881
Tel.: +966 13 367 0515

www.ui.com.sa

ص.ب. ٢٠٧٢، الجبيل ٣١٩٥١ - المملكة العربية السعودية
هاتف ٩٦٦ ١٣ ٣٤٤ ٨٨٨٢ / فاكس ٩٦٦ ١٣ ٣٤٤ ٨٨٨١
هاتف ٩٦٦ ١٣ ٣٦٧ ٠٥١٥

CERTIFICATE NO: UIC/DAM/106499

Page

2 of 2

Customer **Sudhir Equipment Rental Company**
Location Dammam, Kingdom of Saudi Arabia

Description **Pressure Relief Valve**
Manufacturer AFS Safety Valve
Model AK28X-16T
Serial No. 260026
ID. No. SAC-850-489

Calibration Date 19-Aug-26
Calibration Due Date 18-Feb-27
Temperature Range 23.5°C
Relative Humidity RH 47%

Test Results

Set Pressure	:	12.00	BAR	Maximum Pressure	: N/A
Back Pressure	:	0.00	BAR	Size Inlet/Outlet	: 1" X 1½"
CDTP	:	12.00	BAR	Type of Valve	: Metal Seated
Setting Accuracy	:	± 3 % of Setting		Test Medium	: AIR
Pop Test : PASSED					

BASIS OF TEST:

Ref Standard ASME Sec VIII, Div I

Summary of Test Procedure:

The Calibration of above Pressure relief valve is performed through the verification of set pressure and seat tightness using a reference standard pressure gauge or test gauge and a hydrostatic / pneumatic test system.

Traceability:

The reported tests were undertaken using equipment detailed mentioned in Reference Standard Equipment's for which the company maintains Traceability to the third party.

Condition of Instrument

With in the tolerance on receipt(as found)	No
The instrument was adjusted	Yes
The instrument was repaired	No



++++ End of the Certificate +++++



Calibrated By:

Calibration Engineer

UIC-QP-7.8-24 F02, REV 0

Approved by:

QA/QC Engineer

AIR QUALITY TEST REPORT

DETAILS OF TEST REPORT

Report No	GTEC/AJ/26/NS20869-01	Date of Issue	19.08.2026
Test Date	19.08.2026		

DETAILS OF CUSTOMER

Customer Name	M/s. Sudhir Equipment Rental Company.
Customer Address	Dammam, Kingdom of Saudi Arabia.

DETAILS OF UNIT UNDER TEST (UUT)

Description	Breathing Air
Source	Air Compressor
Manufacturer	ATLAS COPCO
Model	XAHS850 PACE
Serial No / Identification No	WUP303715 / SAC-850-489

MEASURING PRINCIPLE

The Air from the medium pressure compressor or air-line is reduced to atmospheric pressure and the required flow volume is set by the needle valve flow meter of the sampling device. The air flows through a specially calibrated detector tube for a specified time. The length of stain in the detector tube is an indication of the concentration of measured substance this can be read directly on the detector tube scale.

TEST RESULTS

Sl. No	TEST DESCRIPTION	UNIT	RESULT	EN 12021 LIMITS	CGA GRADE D LIMITS
1	Oxygen (O ₂)	Vol. %	20.9	20 to 22	19.5 to 23.5
2	Carbon Dioxide (CO ₂)	ppm	<105	≤ 500	1000
3	Carbon Monoxide (CO)	ppm	<1.4	≤5	10
4	Oil Content (Vapour & Mist)	mg/m ³	< 0.3	≤ 0.5	5.0
5	Odour	--	Satisfactory	Satisfactory	No Pronounced odour

Remarks. The above test result of the compressed air complies with European Standard EN 12021 "RESPIRATORY PROTECTIVE DEVICES- COMPRESSED AIR FOR BREATHING APPARATUS"

Note.

1. Test Report relates only to the sample tested and shall not be reproduced, except in full, without written approval of GTEC.
2. Recommended to test the air compressor supplied breathing air on a quarterly basis (Three Month Once).
3. The above air quality test is equivalent to grade d test.

Tested By

M. Sy.

Lab Chemist



Authorized By

C. Bahmy

Technical Manager