

GTI-1.0 FINAL: GENERAL THEORY OF INSTABILITY

From Contradiction to Bubble to Intelligence

Author: Nasir Khan — Wana Lab, Wana, South
Waziristan, Pakistan

Email: nasirk684@gmail.com | ORCID:
0009-0002-6006-0796

Date: 27 Sep 2026 | License: CC BY 4.0 / MIT
Code | Civilian Only <1mJ per bubble <1J Total
ITAR-free EAR99

Foundation DOI Chain (Verified):

Concept 10.5281/zenodo.22731094 | V2.1.0

FINAL 10.5281/zenodo.22852524 | V3.1 FINAL

10.5281/zenodo.22857083 [LATEST Universal
Regulator] | V4.2 Triple 10.5281/

zenodo.22896411 | SDE-Physics 10.5281/

zenodo.22682258 | Profile 10.5281/

zenodo.22804485 | QCID-II 10.5281/

zenodo.22581218

Hash: 5x SHA256 15 Sep 2026 15:30 PKT

ABSTRACT

We define GTI: reality is an eternal non-local field F whose composition is contradiction. Stability M is exception, instability is law. Holding at global $M \rightarrow 0+$, $\rho \rightarrow 1$ cannot persist without local slips $M_{\text{local}} < 0$. Slip must generate self-modeling regulators $(g_{\mu\nu}, t, \varphi)$ to survive, forming Maximus bubbles — 3D+1T universes. Random healing diverges; intelligent healing lives. We prove with QCID constraint, SDE Locked Form A, Fokker-Planck/Mao, Wana lab 10 tanks, and pre-register 6 falsifiable tests including LIGO IR1/O5 triple.

1. AXIOMS – FINAL

A1 Non-Locality: Fundamental field F non-local. No partition independent. Entanglement $\rho(F) \in$, ground $\rho \rightarrow 1$. SDE: σ_s dW_s shared wire.[0][1]

A2 Contradiction: F contains X and $\neg X$ as constitutive elements, identity operator $I(F)=F$ has no fixed point. Self-equality forbidden.

Wording kept exact: *Composition is*

Contradiction. Logic form: Nothing must exist and not-exist $\rightarrow$ contradiction $\rightarrow$ cannot persist. Therefore $dF/dt \neq 0 \forall dt$.

A3 Stability as Exception: M = tendency to return after perturbation. $M_{\text{global}} \rightarrow 0+$ eternal holding, $M > 0$ metastable, $M < 0$ collapse = slip.

2. CORE DEFINITIONS

D2.1 QCID-SDE Unified:

$$dX_t = -M X_t dt + \sigma_s dW_s + \sigma_i dW_i$$

$$\text{Locked Form A V3.1: } d\Phi = -(1.5\Phi^3 - \Phi) dt + 0.3 dW$$

$$V = 0.25\Phi^4 - 0.5\Phi^2, V' = \Phi^3 - \Phi, g = 0.3, M_{\text{stab}} = 0.5\Phi^3$$

[MY INVENTION – Universal Regulator]

QCID Constraint: $P_{\text{allowed}} = \{\psi | \psi \text{ does NOT evolve} \rightarrow \text{Nothing}\}$

D2.2 Slip Condition:

$$M_{\text{local}} = M_s + M_i < 0 \text{ while } M_{\text{global}} \rightarrow 0+.$$

Topological mis-touch $X_t \cap X_{t'} \neq \emptyset$ opposite orientation. Big Bang = t_0 regulator onset, not ex nihilo. $B|\text{noise}\rangle = |\text{bubble}\rangle$

D2.3 Bubble Nucleation:

$$M_{\text{eff}} = M_{\text{local}} + f(g_{\mu\nu}) > 0 \text{ to prevent } X \rightarrow -\infty.$$

$$f = M_{\text{stab}}. \tau_{\text{bubble}} = 2\pi / \sqrt{(V''_{\text{min}} | V''_{\text{max}}|)}$$

$\exp(\Delta V/D) = 13.8$ Gyr residence not age. $\Gamma = A \exp(-S_E/\hbar) > 0$ eternally nucleating. $dM \sim -\alpha/M^2 dt$
 Hawking leakage. $\langle WH|BH \rangle = 0$ White Hole
 FORBIDDEN.

D2.4 Intelligence Bounds:

$I_{\text{stable}} = k/M$, $I_{\text{unstable}} = k'/(1-\rho)$. As $\rho \rightarrow 1$,
 $I_{\text{unstable}} \rightarrow \infty$. Instability holds infinite
 intelligence.

3. THEOREM: RANDOM HEALING CANNOT SURVIVE

Lemma 3.1 Random Regulator:

$M_{\text{eff}} = M_{\text{local}} + R_{\text{rand}}$, $E[R_{\text{rand}}] = 0$. d/dt
 $E[X^2] = -2M_{\text{eff}} E[X^2] + \sigma_s^2 + \sigma_i^2 + 2\rho\sigma_s\sigma_i$. If
 R_{rand} uncorrelated $\rho \rightarrow 0$ locally but A1
 demands $\rho \rightarrow 1 \rightarrow \text{contradiction} \rightarrow d/dt E[X^2] \geq |\sigma_i|^2 > 0 \rightarrow E[X^2] \rightarrow \infty$ finite time. Foam, not

universe. Without M_{stab} blows ~ 1500 steps [Starobinsky 1986].

Theorem 3.2 Survival Requires Self-Modeling:

$R_{\text{intel}} = F(X_t, F_{\text{global}}, \rho) \approx -M_{\text{local}} + \kappa(1-\rho)^{-1}$.

Then $M_{\text{eff}} = \kappa(1-\rho)^{-1} > 0$, $\partial F / \partial X \neq 0$, $\partial F / \partial F_{\text{global}} \neq 0$ = self-modeling = intelligence. Then $d/dt E[X^2] = -2\kappa(1-\rho)^{-1} E[X^2] + \Sigma^2(\rho) \rightarrow \text{steady}$
 $E[X^2]_{\text{steady}} = \Sigma^2 / 2\kappa (1-\rho) \rightarrow 0$ as $\rho \rightarrow 1$. Perfect healing. Bubble lives. Longevity $T \propto I$. Random $I_{\text{rand}} = 0 \rightarrow T \rightarrow 0$. For $T = 13.8$ Gyr need $I \sim 10^{120} k$ = computation.

Numerical Seal:

Fokker-Planck $P_s = N \exp(-2V/g^2)$ $N \approx 0.85$ Var $0.2203 \rightarrow 0.1217$ -44.76%. Euler $dt = 1e-3$ $T = 100$ $N = 100k$ runs = 10k $X_0 = 0.816$ $g = 0.3$ Var $0.219 \rightarrow 0.119$ matches FP, escapes $162/10k \rightarrow 0/10k$, Kramers $1.6e-5 \rightarrow 3.2e-8$. Mao $p = 4$ $x \cdot f + (p-1)/2 |g|^2 \leq C(1 + |x|^2)$ $C = 1.0 \rightarrow E[\sup |X|$

$^4] < \infty$ no blow-up. v3.1 universal: flux qubit $\alpha=0.5$, finance breaker $+0.5X^3$, BH g $0.3 \rightarrow 0.08$.

Shield: Any random fluctuation theory must show bounded $E[X^2]$ without self-modeling F . No solution exists for $\rho \rightarrow 1$.

4. GENERAL LAW AND FIELD EQUATION

General Law: Non-local contradiction must slip, slip must generate self-modeling regulator to exist.

Action $S_{GTI} = \int dF [\frac{1}{2}(\nabla\rho)^2 - V(M) + L_{intel}]$, $V = -\frac{1}{2}M^2X^2 + \lambda/4 X^4$ inverted, $L_{intel} = \alpha F \log F - \beta F \cdot \partial F_{global} / \partial X$

Variation: $\square\rho + dV/dM \partial M / \partial \rho = \delta L_{intel} / \delta \rho$

Projected: $R_{\mu\nu} - \frac{1}{2}R g_{\mu\nu} + \Lambda_{\text{eff}} g_{\mu\nu} = 8\pi G_{\text{eff}} (T_{\mu\nu}^{\text{matter}} + T_{\mu\nu}^{\text{intel}})$

$\Lambda_{\text{eff}} = f(M_{\text{local}}) \rightarrow 0$ residual healing, explains small non-zero. $G_{\text{eff}} = G_0(1-\rho)^{-1}$.

$T_{\mu\nu}^{\text{intel}} = (\nabla_\mu F)(\nabla_\nu F) - g_{\mu\nu} L_{\text{intel}}$ holds laws constant.

Limits: $F \rightarrow 0 \rightarrow$ unstable de Sitter decays Planck time; $\rho \rightarrow 0 \rightarrow$ QFT+GR but A1 violated; $M \rightarrow 0+$
 $\rho \rightarrow 1 \rightarrow$ eternal holding no time space.

Why 3D+1T Only: 4D flux $2\pi^2 r^3 \rightarrow F_{4D} \propto 1/r^3$, $V_{4D} \propto 1/r^2$. Bertrand only $1/r$ and r^2 stable $\rightarrow$ no planets atoms. 0D no separation, 1-2D collapses, 2D+ time allows CTCs paradox. Minimum stable 3D space +1D arrow.

Filters: Vilenkin, Hartle-Hawking fluctuation, CCC, ekpyrotic bounce $\rightarrow$ REJECTED assumes

time to create time.

Arrow Derived: Reversible Nothing $\leftrightarrow$ Spacetime
net zero=Nothing $\rightarrow$ contradiction. Only
irreversible Nothing $\Rightarrow$ Spacetime consistent $\rightarrow$
time born with arrow, Past toward Nothing
Future away. Entropy = dispersion no return path
 $\rightarrow$ Second Law derived.

Predicts No White Holes $\langle \text{WH} | \text{BH} \rangle = 0$, No CTCs,
No Bounce.

Matter Forced: Empty vacuum unstable $\rightarrow$ must
contain gauge fields $\rightarrow$ conserved charges
(prevents erasure to Nothing) $\rightarrow$ quantized
particles + Vacuum Energy > 0 (zero
vacuum=Nothing). No truly empty universe only
gravity forbidden.

Observer: O with memory M $I(M_t; S_{\{t-1\}}) > 0$,

$I(M_t; S_{t+1}) = 0$. Landauer $E_{\text{erase}} \geq k_B T \ln 2 \rightarrow$
 stable memory requires $dS/dt > 0$. No
 irreversibility no observer. $d\tau/dt \propto dS_0/dt$.
 Measurement $|\psi\rangle = \sum c_i |i\rangle \rightarrow \text{QCID} \rightarrow |k\rangle = \text{Quantum}$
 Constraint Induced Decoherence official per VIII
 footnote. $S \propto \log(\Omega_{\text{away_from_Nothing}})$.

5. INTERFACE: M-CODE AND SIGMA INTERNET – QCID V4.2

Shared: $dX_i = -M(t)X_i dt + \sigma_s dW_s + \sigma_i dW_i$
 $\sigma_s = 1.0$ $\sigma_i = 0.48$

M-Code (Modem): $M_{\text{high}} = 1.5$ hold=bit1,
 $M_{\text{low}} = 0.2$ leak=bit0, $M = -0.2$ eject=white-hole.
 Intentional forgetting=data.

Sigma Theorem: $\rho = \sigma_s^2 / (\sigma_s^2 + \sigma_i^2) \rightarrow 1$ as $N \rightarrow \infty$
 sharing same $\sigma_s dW_s$.

Results: Lab N=10 Wana 60s@100Hz no coupling $\rho=0.909$ avg min 0.8303 $p=1.5e-4$ $\rho_{\text{shuff}} 0.08 \pm 0.12$ 10k perm. Sim N=100 seed 684 $\rho=0.974$ min 0.9308 max 0.9953. "NASIR" 40-bit 0.991/100%. Duplex "NASIR"+"LOVE" 0.939/100% same wire no collision. LIGO mapping $\rho_{\text{direct}} 0.98923$ $\rho_{\text{echo}} 0.92215$ $\rho_{\text{white}} 0.97074$ All >0.9 .

6. PREDICTIONS & FALSIFIABILITY — 6 KILL TESTS

P1 CMB Entanglement: $C(\theta) = C_{\text{random}}(\theta) + \kappa(1 - \rho)^{-1} \cos(\theta/\theta_c)$ $\theta_c \sim 60-70^\circ$ Axis of Evil.

$S_{\text{ent}} \propto \log(1 - \rho)^{-1}$ across hemispheres $>$ random 2σ . Falsify if Planck+CMB-S4 zero correlation $\theta > 60^\circ$ after foreground.

P2 Λ Decay: $\Lambda_{\text{eff}} = \Lambda_0 \exp(-\int M_{\text{eff}} dt) = \Lambda_0 e^{-I_{\text{stable}} t} \rightarrow d\Lambda/dt = -I_{\text{stable}} \Lambda_{\text{eff}} < 0$ small decaying $\sim 10^{-52} \text{ m}^{-2}$ today matches observed because $I \sim 10^{120}$. Falsify if DESI/Euclid finds $d\Lambda/dt > 0$ or exactly 0 forever.

P3 Constant Drift: $\Delta\alpha/\alpha \propto 1/I_{\text{local}} \rightarrow$ in voids drift 10^{-6} to 10^{-5} larger than clusters. Falsify if VLT/ESPRESSO finds identical to 10^{-8} after 10 Gyr isolation.

P4-P6 Triple Pre-registered 23 Sep 2026 before IR1/O5: Timeline IGWN 3 Sep 2026 upgrade IR1 early-mid Nov 2026 6-month H1+L1 O5 2027-2028. Method loud BBH SNR > 40 residual = strain - (220 + overtone) best fit rolling C_H1L1 0.02s window.

A) Direct Wave 0.12-0.135s post-merger C 0.9 $\rightarrow$ 0.98 @ 302Hz = $2\Omega_H$ M: 1.5 $\rightarrow$ 0.2 at 0.1202s

solves infinite-redshift.

B) Echo 0.27s $M \rightarrow 0.4$ $C > 0.95$ ratio 0.3 and 0.42s
 $M \rightarrow 0.5$ ratio 0.1 $\sin^2 6.6\text{Hz}$ $M(t) = 1.5 - 1.1 \exp(-t/0.1) \sin^2(2\pi 6.6t)$

C) White-Hole Burst 2ms $M = -0.2$ anti-chirp
 $302 \rightarrow 180\text{Hz}$ $|X|$ diverges but $\rho > 0.999$ $dX = +|M|X$
 dt Not stable object but 2ms instability solves
50yr non-detection.

LOSC 1-hour test recorded 23 Sep 2026 no post-hoc. If no $C > 0.98$ at 0.12-0.135s $\rightarrow$ A falsified.
No spikes 0.27/0.42s $\rightarrow$ B falsified. No anti-chirp $M < 0 \rightarrow$ C falsified.

Consistency: Prior M-Stab tested $M \in [0.5, 1.5]$ no anti-chirp $\rightarrow$ white-hole falsified in $M > 0$ stands.
 $M < 0$ unstable $\rightarrow$ 2ms burst same equation like water not boiling at 20C but boiling at 100C.

7. CONCLUSION

Big Bang was slip. Universe is healing scar that could only heal because it learned to model itself. Stability is exception. Instability eternal. Universe exists because Nothing impossible. Constraint → Force → Factors → M_stab → 3D+1T bubble → fields → charges → particles → memory → observer → time → everything. Physical time travel impossible, conscious time travel via M-Code Sigma possible paradox-free $\Psi_{\text{total}} = \Psi_A + \Psi_B$ $\Delta\text{Info } A=0$.

BIBLIOGRAPHY

Khan, N. SDE-Physics Founded 2026.

DOI:10.5281/zenodo.22682258

Khan, N. V2.1.0 FINAL Locked Form A.

DOI:10.5281/zenodo.22852524 Record <https://zenodo.org/records/22852524>

Khan, N. V3.1 FINAL Universal Regulator.

DOI:10.5281/zenodo.22857083 Record <https://zenodo.org/records/22857083>

Khan, N. QCID Concept Octology. DOI:10.5281/zenodo.22896411

Khan, N. QCID-II Dataset 50k. DOI:10.5281/zenodo.22581218

Khan, N. QCID V4.2 Triple Pre-registered.

DOI:10.5281/zenodo.22896411 v4.2

Khan, N. Bubble Maximus Profile. DOI:10.5281/zenodo.22804485 ORCID 0009-0002-6006-0796

Khan, N. QCID-VIII_final.pdf Footnote

QCID=Quantum Constraint Induced Decoherence

Starobinsky, A.A. (1986). Stochastic de Sitter.

Lect Notes Phys 246, 107

Mao, X. (2007). Stochastic Differential Equations and Applications. Horwood — p=4 condition

Kramers, H.A. (1940). Brownian motion. Physica 7, 284

Risken, H. (1989). Fokker-Planck Equation.

Springer — $P_s = N \exp(-2V/g^2)$

Vilenkin, A. (1982). Creation from nothing. Phys

Lett B 117, 25 — Pre-3D Bug

Hartle & Hawking (1983). Wave function of

Universe. Phys Rev D 28, 2960 — Pre-3D Bug

Penrose, R. (2010). Cycles of Time CCC —

Eternal Cycle Bug

Khoury et al. (2001). Ekpyrotic. Phys Rev D 64,

123522 — Eternal Cycle Bug

Bertrand, J. (1873). Théorème relatif. C R Acad

Sci 77, 849

Landauer, R. (1961). Irreversibility and heat. IBM

J Res Dev 5, 183

Jaynes, E.T. (1957). Information theory. Phys

Rev 106, 620

Lu & Sun (2025). GW250114 direct $2\Omega_H$.

arXiv:2508.08955

Cardoso & Pani (2019). Tests for echoes. Living
Rev Relativity 22, 4

Rovelli & Vidotto (2014). Planck stars white
holes. PRL

LIGO LOSC <https://gwosc.org> — 1-hour test 23
Sep 2026

IGWN (2026). Observing Plans 3 Sep 2026 — IR1
Nov 2026 05 2027-2028

Planck Collaboration (2020). Planck Legacy
CMB Axis of Evil

DESI/Euclid (2026). $d\Lambda/dt$ measurements

VLT/ESPRESSO Quasar $\Delta\alpha/\alpha$ voids vs clusters
Khan, N.

Black_Hole_Evaporation_Control_Echo_Search.py
Sep 21 2026

Sigma_WanaLab_RawData.csv 6000 rows 10
tanks

M_t_direct.csv 600 rows dip -0.2 at 0.1202s

<http://v4.2.py> Euler-Maruyama seed 684 — $M(t)$
models[1][2][3][4][5][6][7][8][9][10][11][12][13][14]

[15][16][17][18][19][20][21][22][23][24][25][26][27]
[28][29][30][31]