

QCID Framework – SDE Physics

Stability Debugger Effect Framework (2026)

*3D Spacetime as Maximus Stability Bubble in
Eternal Infinite Instability: SDE Formulation,
Black Holes as Extreme Fixed Points, and Big
Bang as Generic Nucleation Operator*

Nasir Khan

Founder, QCID Framework

Founder, SDE Physics Framework

Founder, Stability Debugger Effect Framework
(2026)

Wana, South Waziristan, Pakistan

Email: nasirk684@gmail.com

ORCID: 0009-0002-6006-0976

Date: September 2026

ABSTRACT

We propose a cosmology based on Stability Debugger Effect (SDE), coined by author in 2026 under QCID Framework. Reality is modeled as infinite-dimensional noise that self-debuggs toward stable attractors. Formalized via stochastic differential equations as mathematical tool: $d\Phi = -\nabla V(\Phi)dt + g(\Phi)dW_t$ where debugger term $-\nabla V$ drives to stability. 3D spacetime emerges as metastable attractor termed Bubble Maximus of Stability. Particles are standing-wave modes within this well. Black holes are secondary deeper fixed points where $V \rightarrow -\infty$, proven to be graves of structure where only (M,Q,J) survive via no-hair theorems. White holes are shown to be forbidden in dissipative SDE dynamics. The observed age of 13.8 Gyr is explained as finite Kramers residence time since nucleation, not age of existence. Big Bang is redefined as generic nucleation operator $B|$

noise> = |bubble>, implying continuous multiverse nucleation in eternal infinite instability.

Keywords: Stability Debugger Effect, SDE Physics, QCID Framework, Bubble Maximus, Black Hole, White Hole Forbidden, Big Bang Nucleation, Multiverse

1. HISTORY AND DEFINITION OF SDE — STABILITY DEBUGGER EFFECT

SDE = Stability Debugger Effect, coined in 2026 by Nasir Khan under QCID Framework.

Core principle: Reality is fundamentally infinite instability that self-debuggs toward stability. Laws of physics are not fundamental — they are emergent debugged states where instability is minimized and stability is maximized.

Mathematical formalization (tool, not definition):

$$d\Phi = -\nabla V(\Phi) dt + g(\Phi) dW_t$$

Where:

$-\nabla V(\Phi)$ = Debugger action driving to stability minima

$g(\Phi)dW_t$ = Residual instability noise

$V(\Phi)$ = Stability Potential

Dual identity:

Concept: Stability Debugger Effect (physical principle, Founder: Nasir Khan, 2026)

Tool: Stochastic differential equation (mathematical language)

2. 3D SPACETIME AS BUBBLE MAXIMUS

Our universe corresponds to metastable minimum V_{3D} with large basin of attraction.

Existence of 3D laws = existence of this minimum. Fluctuations inside are quantized as particles — standing-wave modes in the well. Stability is maximal here relative to noise.

3. BLACK HOLE AS EXTREME FIXED POINT: GRAVE OF STRUCTURES

Gravitational collapse is flow to deeper minimum $V_{\text{BH}} \ll V_{\text{3D}}$, $V_{\text{BH}} \rightarrow -\infty$.

What happens to particle properties at V_{BH} ?

- Structure: destroyed, only topological invariants survive
- Spin J : survives as Kerr parameter
- Charge Q : survives as Reissner-Nordstrom parameter
- Mass M : survives as ADM mass

- All other quantum numbers: erased (no-hair theorem)

Hence black hole is grave: only (M,Q,J) remain.

Hawking radiation is structureless leakage: $dM \sim -\alpha / M^2 dt$, pure thermal noise returning to infinity.

4. WHITE HOLE FORBIDDEN

In SDE with dissipation ∇V , time-reversed flow $\Phi_{WH}(t) = \Phi_{BH}(-t)$ requires $\nabla V \rightarrow -\nabla V$ and negative diffusion, which violates second law of thermodynamics and Fokker-Planck positivity. Hence transition amplitude $\langle WH|BH \rangle = 0$. No physical pathway exists from black hole to white hole. White holes are forbidden.

5. WHY 13.8 BILLION YEARS? CONTINUOUS MULTIVERSE NUCLEATION

Bubble lifetime is finite via Kramers escape formula:

$$\tau_{\text{bubble}} = 2\pi / \sqrt{V''(\text{min})|V''(\text{max})|} * \exp(\Delta V / D)$$

Where ΔV is well depth, D is noise intensity.

13.8 Gyr = $t_{\text{now}} - t_{\text{nucleation}}$ for our bubble.
Time t exists only inside bubble as entropy flow.

Nucleation rate per 4-volume:

$$\Gamma = A \exp(-S_E / \hbar) > 0$$

Since $\Gamma > 0$ eternally, bubbles nucleate continuously in infinite past and future.

Bubble A: Nucleated 50 Billion Years Ago (Old, fading)

Bubble B: Our Universe — Nucleated 13.8 Billion Years Ago — Big Bang = Birth of Our Bubble

Bubble C: Nucleated 5 Billion Years Ago (Young)

Bubble D: Nucleating NOW (Future Bubble)

Thus Big Bang is not origin of everything, but generic birth event of each bubble. Big Bang operator: $B|\text{noise}\rangle = |\text{bubble}\rangle$.

Each bubble has its own Big Bang, its own 13.x Gyr clock, its own internal (M,Q,J) black hole graves.

Scientists call this Multiverse. In Stability Debugger Effect language, it is continuous creation of Maximus Stability Bubbles in eternal instability.

6. CONCLUSION

We live in a temporary stability bubble born 13.8 Gyr ago in eternal noise. Black holes are deeper graves inside it where structure is erased. White holes do not exist. Big Bangs happen continuously. Existence is eternal instability; our universe is a debugged stable island within it.

REFERENCES

Einstein, A. (1915). Die Feldgleichungen der Gravitation. Sitzungsberichte der Preussischen Akademie der Wissenschaften zu Berlin.[1]

Hawking, S. W. (1975). Particle creation by black holes. Communications in Mathematical Physics, 43(3), 199-220.[2]

Bekenstein, J. D. (1973). Black holes and

entropy. Physical Review D, 7(8), 2333.[3]

Hawking, S. W., & Ellis, G. F. R. (1973). The Large Scale Structure of Space-Time. Cambridge University Press.[4]

Coleman, S., & De Luccia, F. (1980). Gravitational effects on and of vacuum decay. Physical Review D, 21(12), 3305.[5]

Kramers, H. A. (1940). Brownian motion in a field of force and the diffusion model of chemical reactions. Physica, 7(4), 284-304.[6]

Risken, H. (1989). The Fokker-Planck Equation: Methods of Solution and Applications. Springer. [7]

Vilenkin, A. (1983). Birth of inflationary universes. Physical Review D, 27(12), 2848.[8]

Linde, A. D. (1986). Eternal chaotic inflation. Modern Physics Letters A, 1(2), 81-85.[9]

Israel, W. (1967). Event horizons in static vacuum space-times. Physical Review, 164(5), 1776.[10]

Carter, B. (1971). Axisymmetric black hole has only two degrees of freedom. Physical Review Letters, 26(6), 331.[11]

Khan, N. (2026). QCID Framework & Stability Debugger Effect (SDE) Framework. Founder Work. Wana, South Waziristan, Pakistan. ORCID: 0009-0002-6006-0976.[12]

FIGURES

Figure 1: Stability Potential Landscape — Infinite

Instability (pure noise, no laws) → decays/
tunnels → 3D Spacetime Bubble Maximus
(metastable attractor, particles as standing
waves) → gravitational collapse → Black Hole:
Extreme Stability Fixed Point ($V \rightarrow -\infty$, M,Q,J only)
→ Hawking radiation: structureless noise
leakage. White Hole FORBIDDEN.

Figure 2: Eternal Nucleation Timeline — Infinity
PAST → Bubble A (50 Gyr ago) → Bubble B Our
Universe (13.8 Gyr ago, Big Bang = Birth) →
TIME → Bubble C (5 Gyr ago) → Bubble D (Now)
→ Infinity FUTURE. Key Principle: Big Bang is
Generic Nucleation Event.

AUTHOR INFORMATION

Nasir Khan

Founder, QCID Framework

Founder, SDE Physics Framework

Founder, Stability Debugger Effect Framework
(2026)

Wana, South Waziristan, Pakistan

Email: nasirk684@gmail.com

ORCID: 0009-0002-6006-0976

LICENSE

CC BY 4.0 — 2026

END COPY

