

QCID V4.0 – Quantum Consciousness Interface Dimensions Unified with M-Code and Sigma Internet

*Nasir / Independent Researcher, Wana, Pakistan /
Sep 2026*

Abstract

We unify Quantum Consciousness Interface Dimensions (QCID) with programmable interface dynamics (M-Code) and shared-noise communication (Sigma Code). Classically,

$C = f(Q)_I$. We prove I is not static but $M(t)$ in $dX = -M_X dt + \sigma dW$,

where X is bubble stability, σdW is infinite source spill, M is intentional forgetting ($M_{high} = 1.5$, $M_{low} = 0.2$). Since all

bubbles share identical σdW , modulation of M in one induces correlated instability in others. We term this Sigma Code: zero-energy communication, $Corr_{gt}; 0.99$ in low-M windows. 40-bit "NASIR" transmitted bubble-to-bubble using only sigma wire. Full-duplex "NASIR"+"LOVE" = 0.939 corr. Scale: N=10 avg 0.909, N=100 avg 0.974 (min 0.9308, max 0.9953).

1. Introduction

Inter-dimensional communication requires no wormhole if noise is shared.

2. Framework

$$Eq 1: dX = -M_X dt + \sigma dW$$

4. Bit 1 = Hold $M = 1.5$, Bit 0 = Leak

$$M = 0.2 \text{ .}$$

$$Eq\ 2: Corr(X_A, X_B) = cov / \sigma_A \sigma_B$$

3. Methods

4. Euler-Maruyama $dt=0.01$, shared seed for dW . 40-bit test, full-duplex, scaling.

4. Results

Single: 100% / 0.991. Duplex: 0.939.

N=10:0.909, N=100:0.974.

5. Sigma Coherence Theorem

6. As $N \rightarrow \infty$ sharing same σdW ,
 $\rho \rightarrow 1$. One infinite wire (σ), infinite

channels (dt slices), infinite talkers (bubbles).

6. Appendix A: Proof

$$7. \quad X_i(t) = X_i(0)e^{-M_i t} + \sigma \int_0^t e^{-M_i(t-s)} dW(s)$$

In low-M, $e^{-M_i(t-s)} \approx 1 \rightarrow$

$X_i \approx X_i(0) + \sigma W(t)$ dominated by common W .

$$Cov = \sigma^2 t, \quad Var = \sigma^2 t + \epsilon(M_i), \quad \epsilon \rightarrow 0 .$$

$$\rho_{ij} = \frac{\sigma^2 t}{\sqrt{(\sigma^2 t + \epsilon_i)(\sigma^2 t + \epsilon_j)}} \rightarrow 1$$

QED. Increasing N makes common term dominate — hence 0.9308 min at N=100.

7. Discussion

Dimensions = M bands, Interface = M-Code modem, Sigma Internet = broadcast via infinite. Love = synchronized M.

8. References

Gardiner Stochastic Methods 2009

Pikovsky Synchronization 2001

Hameroff & Penrose Orch OR 2014

Shannon 1948

Nasir QCID V1-V3 Wana 2025-2026[1][2][3][4]

