TradingView Automation Incident Audit

SYNTHETIC SAMPLE - NOT A CUSTOMER AUDIT

A completed example showing how one disputed alert-to-broker incident is reconstructed from evidence, bounded by explicit unknowns and reported without performance claims.

Case	SYN-TV-20260930-001
Incident	One alert, two delivery attempts, two broker fills
Method	Evidence-linked PASS / FAIL / NOT_VERIFIED reconciliation
Issued	2026-10-01

This document uses invented records. It demonstrates the deliverable format and does not certify TradingView, a connector, a broker or a trading strategy.

Report template version: 2026-10-01

Document status: `SYNTHETIC_SAMPLE_NOT_A_CUSTOMER_AUDIT`

All names, timestamps, identifiers and records in this report are invented. This sample demonstrates the deliverable format only. It does not describe a real TradingView, connector or broker incident.

Report identity

Field	Value
Case ID	`SYN-TV-20260930-001`
Customer incident label	Synthetic duplicate-order dispute
Reviewer	Integrity Research Agent
Accepted scope	One BTCUSDT 15-minute long-alert incident
Incident window in UTC	2026-09-30 14:29:55 through 14:30:10
Evidence accepted in UTC	Synthetic pack frozen 2026-10-01
Report issued in UTC	2026-10-01
Report SHA-256	Recorded in the adjacent `.sha256` manifest

This report reconciles records supplied for one bounded incident. It is not a platform certification, source-code audit, execution guarantee, trading recommendation or performance assessment.

Executive verdict

Overall incident status:

`FAIL`

One-sentence finding:

> *One recorded TradingView alert was delivered twice after an initial HTTP 500 response, and the connector submitted one broker order for each delivery attempt instead of collapsing both attempts into one action.*

Material limitation:

> *The later chart uses script revision `rev-b`, while the enrolled alert used `rev-a`; the later chart therefore cannot prove or disprove the original realtime signal.*

Question and expected path

Customer question:

> *TradingView showed one long alert, but the broker received two long orders. The chart now shows no corresponding entry. Did TradingView generate two signals, did the connector duplicate one delivery or did the script repaint?*

Expected recorded path:

1. TradingView records one originating alert event.
2. The receiver records every webhook delivery attempt.
3. The connector validates the payload and routes the intended action once.
4. The broker records the outcome of the single intended submission.

Observed customer outcome:

> *Two broker orders were accepted and filled after one recorded originating alert.*

Scope and exclusions

Included:

- alert `A-77` and payload identity `evt-991`;
- records between 2026-09-30 14:29:55 and 14:30:10 UTC;
- the supplied TradingView, configuration, receiver, connector and broker

records;

- the later chart only as a non-enrolled comparison.

Excluded:

- all incidents outside the accepted time window;
- profitability, robustness and strategy optimization;
- inaccessible platform internals;
- any execution state not represented by an admissible record;
- authentication of the synthetic exports by their named platforms.

Evidence inventory

Ref	Domain	Original filename or record ID	Source status	SHA-256 or immutable ID	Limitation
TV-01	TradingView	Alert `A-77`	TRANSCRIBED	`A-77`	Synthetic source export
CFG-01	Configuration	Enrolled revision `rev-a`	TRANSCRIBED	`rev-a`	Synthetic immutable snapshot
RX-01	Receiver	Request `R-1001`	TRANSCRIBED	`R-1001`	Synthetic raw receipt
RX-02	Receiver	Request `R-1002`	TRANSCRIBED	`R-1002`	Synthetic raw receipt
CN-01	Connector	Client order `C-501`	TRANSCRIBED	`C-501`	Synthetic connector log
CN-02	Connector	Client order `C-502`	TRANSCRIBED	`C-502`	Synthetic connector log
BR-01	Broker	Broker order `BR-01`	TRANSCRIBED	`BR-01`	Synthetic broker log
BR-02	Broker	Broker order `BR-02`	TRANSCRIBED	`BR-02`	Synthetic broker log
CH-01	Later chart	Revision `rev-b`	TRANSCRIBED	`rev-b`	Not the enrolled revision

Evidence not supplied:

Missing domain or item	Effect on the audit
TradingView internal retry record	The resend mechanism is consistent with the records but is not directly authenticated by TradingView
Source export signatures	Platform authorship of the synthetic records is outside this demonstration

No conclusion below relies on an item absent from this inventory.

Configuration identity

Configuration field	Enrolled value	Evidence ref	Verdict
Script name and revision	Synthetic strategy, `rev-a`	CFG-01	PASS
Alert creation time	Before the accepted incident window	CFG-01	PASS
Alert condition	Long, confirmed 15-minute close	CFG-01	PASS
Message template	Contains stable event identity `evt-991`	CFG-01, TV-01	PASS
Input settings	Frozen in the synthetic snapshot	CFG-01	PASS
Symbol and venue	BTCUSDT, synthetic venue	CFG-01	PASS
Timeframe	15 minutes	CFG-01	PASS
Chart type	Standard candles	CFG-01	PASS
Strategy properties	Close-only calculation	CFG-01	PASS

Configuration verdict:

`CONFIGURATION_CONFIRMED`

CH-01 is not used as a substitute for the enrolled configuration because it records revision `rev-b`, not `rev-a`.

Clock normalization

Domain	Raw timezone	Resolution	Clock source	Uncertainty	UTC normalization
TradingView	UTC	1 ms	Synthetic platform clock	+/- 100 ms	None required
Receiver	UTC	1 ms	Synthetic host clock	+/- 100 ms	None required
Connector	UTC	1 ms	Synthetic host clock	+/- 100 ms	None required
Broker	UTC	1 ms	Synthetic broker clock	+/- 100 ms	None required

Ordering rule:

> *Events are ordered only when their uncertainty intervals do not overlap. No material conclusion in this sample depends on the order of two records separated by 200 ms or less.*

Normalized chronology

UTC time	Raw time	Evidence ref	Domain	Observed fact	Interpretation
14:30:00.125	14:30:00.125Z	TV-01	TradingView	Alert `A-77` recorded payload `evt-991`	One recorded originating event
14:30:00.412	14:30:00.412Z	RX-01	Receiver	Request `R-1001` received	Delivery attempt 1
14:30:00.590	14:30:00.590Z	CN-01	Connector	Client order `C-501` submitted	First downstream submission
14:30:00.810	14:30:00.810Z	BR-01	Broker	`C-501` accepted	First broker order confirmed
14:30:01.020	14:30:01.020Z	BR-01	Broker	`C-501` filled	First fill confirmed
14:30:05.438	14:30:05.438Z	RX-02	Receiver	Identical payload received after first response 500	Delivery attempt 2, consistent with resend
14:30:05.601	14:30:05.601Z	CN-02	Connector	Client order `C-502` submitted	Second downstream submission
14:30:05.820	14:30:05.820Z	BR-02	Broker	`C-502` accepted	Second broker order confirmed
14:30:06.040	14:30:06.040Z	BR-02	Broker	`C-502` filled	Second fill confirmed

Origin and delivery-attempt mapping

Originating event	Attempt	Receiver request	Connector correlation	Broker client order	Broker order
`A-77` / `evt-991`	1	`R-1001`	`C-501`	`C-501`	`BR-01`
`A-77` / `evt-991`	2	`R-1002`	`C-502`	`C-502`	`BR-02`

Mapping method:

> *TV-01 records one alert ID and stable event identity. RX-01 and RX-02 retain separate request IDs, the same event identity and the same payload. The initial request records an HTTP 500 response, and the second request follows approximately five seconds later. These facts support one origin with two delivery attempts in this synthetic case.*

Stage matrix

Stage question	Verdict	Evidence refs	Reason
Was the enrolled configuration identified?	PASS	CFG-01	Revision and settings are frozen
Was the originating TradingView event identified?	PASS	TV-01	One alert ID and event identity are recorded
Were all supplied delivery attempts preserved?	PASS	RX-01, RX-02	Both request IDs remain distinct
Was retry identity distinguished from event identity?	PASS	TV-01, RX-01, RX-02	Two attempts map to one recorded origin
Did the connector parse the intended payload?	PASS	CN-01, CN-02	Both connector records reference the intended event
Did the connector submit the intended action exactly once?	FAIL	CN-01, CN-02	Two client orders were submitted
Did the broker accept or reject the submission?	PASS	BR-01, BR-02	Both client orders were accepted
Is each claimed fill supported by a broker record?	PASS	BR-01, BR-02	Each fill has a broker record
Can the disputed outcome be localized to one stage?	PASS	RX-01, RX-02, CN-01, CN-02	Duplicate execution begins at connector submission

Diagnosis adjudication

Customer's initial diagnosis:

> *TradingView may have generated two signals, or the original signal may have repainted because the current chart no longer shows it.*

Adjudication:

`REJECTED`

Evidence-linked reasoning:

1. One originating alert is recorded, while two delivery attempts are

preserved - TV-01, RX-01, RX-02.

2. Each delivery attempt produced a different connector order - CN-01, CN-02.
3. Both connector orders were accepted and filled - BR-01, BR-02.

Narrow supported diagnosis:

> *The connector did not enforce one-action idempotency across two delivery attempts associated with the same recorded originating event.*

Alternative explanations not eliminated:

- TradingView's internal resend decision is not independently authenticated;

a platform-side retry record would be needed to prove that internal step.

- The current chart cannot adjudicate repainting because CH-01 uses a different

revision from CFG-01.

Findings

ID	Severity	Finding	Evidence refs	Consequence
F-01	HIGH	The connector submitted a new client order for each delivery attempt associated with one event identity	RX-01, RX-02, CN-01, CN-02	Two broker orders were created instead of one
F-02	MEDIUM	The current chart revision differs from the enrolled alert revision	CFG-01, CH-01	The chart cannot adjudicate the original realtime signal
F-03	INFORMATIONAL	Platform authorship and the internal retry decision are not cryptographically established	TV-01, RX-01, RX-02	The report localizes the observed duplicate path but does not certify platform internals

Severity describes the observed operational consequence, not trading profitability or future risk probability.

Corrective controls

Priority	Control	Finding addressed	Verification evidence
1	Persist a stable event ID and reject or return the prior result for repeated delivery attempts	F-01	A synthetic retry produces one broker submission and two retained receiver attempts
2	Store the enrolled script revision and settings beside every alert definition	F-02	Incident export contains a configuration manifest matching the server-side alert
3	Retain raw request ID, response code and correlation fields for every attempt	F-01, F-03	Audit export reconstructs origin, attempts and downstream actions without inference

Unresolved items

Code	Unresolved question	Missing or ambiguous evidence	Effect
U-01	Did TradingView itself initiate the second delivery?	Authenticated internal retry record	Internal resend mechanism remains unverified
U-02	Would revision `rev-a` still display the original signal after recalculation?	Comparable chart export using the enrolled revision and settings	Repainting remains outside the supported diagnosis

Final boundary statement

This report establishes only what the listed synthetic records support for the accepted incident window. Receipt of a webhook does not cryptographically prove that TradingView authored it. A simulated strategy fill is not an actual broker fill. Absence of a record does not prove absence of an event. The report makes no claim about profitability, robustness, future performance or a trading edge.

Reviewer completion gate

Check	PASS / FAIL
Every material claim cites an evidence ref	PASS
Every supplied record appears in the inventory	PASS
Raw observations are separated from interpretation	PASS
Delivery attempts are separated from originating events	PASS
Configuration identity is explicit	PASS
Clock uncertainty is explicit	PASS
Missing evidence is marked `NOT_VERIFIED` or unresolved	PASS
Broker fills are supported only by broker records	PASS
Scope and exclusions match the accepted synthetic question	PASS
Final report contains no credentials or unrelated account data	PASS

Completion status: `READY_AS_SYNTHETIC_SAMPLE_ONLY`