Key features & system overview

Phone Wholesale RSD

A comprehensive source-based review of the phone wholesale, retail and distribution management system.

One system. Multiple operations.

Retail and wholesale sales, serialized stock, purchasing, lorry distribution, cheques, accounts and reporting.

Evidence snapshot	Observed in this checkout
Application structure	56 controller files, 63 model files, 21 service files
UI and routing	148 Blade view files; 372 registered routes, including framework routes
Automated test result	80 tests: 77 passed, 1 failed, 2 skipped; 442 assertions
Review basis	Local source, migrations, route registry and isolated SQLite tests

Assessment: A broad operational platform with tested core sales flows, plus important gaps in authorization, invoice editing, accounting consistency and unfinished modules.

Prepared 18 September 2026. Key features come first, followed by workflow details, implementation gaps and a future roadmap. This report describes the reviewed checkout; it does not certify production readiness.

01 Main key features

A connected business system for phone wholesale, retail shops and lorry distribution. These are the main feature areas found in the code; partial modules are identified in the detailed pages.

Key feature	What it helps the business do
Retail and wholesale POS	Bill customers through separate selling interfaces with prices, discounts and taxes.
Phone / IMEI tracking	Identify individual devices and connect them to inventory and invoices.
Products and variants	Manage brands, categories, units, barcodes, color, RAM and storage options.
Stock management	Track stores, transfers, adjustments, damage and stock movement history.
Purchases and suppliers	Receive goods, manage supplier records, payments and purchase returns.
Customers and credit sales	Maintain customer balances, due invoices and later payment collections.
Mixed payments and cheques	Split invoice payments and track pending, passed, returned or replaced cheques.
Sales returns and exchanges	Record refunds, replacements, exchanged items and stock disposition.
Lorry distribution	Assign users, load stock, manage trips, field sales, expenses and reconciliation.
Accounting and expenses	Maintain accounts, journals, expense categories, ledgers and closing records.
Tax and import costs	Calculate item taxes and manage tax periods and shipment landed costs; partial.
Reports and administration	View business summaries, print/export documents, control roles and configure settings.

Reading guide: pages 3-4 architecture/access; 5-12 feature details; 13-15 maturity/findings/tests; 16-17 future roadmap; 18-19 operations and route gaps; 20 sources. PRESENT means implementation was found, not that every path was tested. PARTIAL marks material gaps; CONFIG ONLY marks settings without an execution path found; PROPOSED marks future work.

02 Architecture and data

Layer	Observed implementation
Web interface	Blade templates, Livewire and Flux; Tailwind CSS and Vite assets; JavaScript-driven POS screens.
Application	Laravel controllers orchestrate requests; domain services handle inventory, payments, cheques, journals, taxes and reporting.
Data	Eloquent models plus direct query-builder SQL. Relational migrations and a MySQL schema dump are present; tests use SQLite in memory.
Documents	DomPDF for PDF output; Laravel Excel for workbooks; Picqer library for barcode generation.
Background work	Laravel scheduler defines cheque reminders at 08:00 and overdue processing at 08:10. Actual scheduler operation was not verified.

Primary business relationships

Supplier → purchase → purchase items → stock. Products connect to categories, brands, units, variants and serialized devices. Store stock and lorry stock use separate records.

Customer → sale → sale items → invoice payments. Cleared amounts, cheque holds and customer dues determine payment state. SaleInventoryService controls when stock leaves inventory.

Business transaction → journal items → accounts. Customer and supplier transaction histories also maintain party balances. These parallel representations must reconcile.

Shipment → shipment items + allocated costs. Currency, exchange rates and HS-code data feed landed costs. Tax transactions connect operational records to period balances, payments and adjustments.

Version snapshot from the lockfile

Laravel **13.15.0**; Livewire **4.3.1**; Fortify **1.37.2**; DomPDF integration **3.1.2**; Laravel Excel **3.1.69**. Composer requires PHP ^8.3; the review ran on PHP 8.3.30.

Design implication: keep this as a modular Laravel application while consolidating duplicated transaction logic. Separate services or an API should follow a concrete integration or scale requirement. Sources: S01, S02, S03, S06, S07, S09.

03 Users, access and dashboard

Identity and administration - PRESENT

Sign-in: Email or username authentication, password reset, password confirmation, two-factor authentication and passkey support are configured through Fortify. Self-registration is disabled in configuration.

User management: Create and update users, assign roles, change passwords, toggle active status and delete users. The permission layer checks active status on routes that use that middleware.

Roles and permissions: Role-based module and action permissions are available. Super Admin, Admin and Administrator names bypass granular permission checks. Protected/default role behavior has automated coverage.

Audit trail: Login/logout listeners and model activity hooks record events; an activity-log screen is permission restricted. Coverage is not necessarily complete for direct SQL mutations.

Operational users

User group	Main responsibilities
Owner / administrator	Configure the business, manage users, inspect dashboards and oversee controls.
Retail / wholesale operator	Create invoices, take payments, print receipts and handle authorized returns.
Stock / purchasing staff	Maintain product records, receive goods, transfer stock and record damage.
Accounts staff	Manage dues, cheques, expenses, journal entries, closing and tax records.
Lorry user / manager	Work with assigned lorries, field orders, lorry stock, sales and expenses.

Management dashboard - PRESENT

Today’s retail and wholesale sales, estimated profit, purchases, expenses, customer and supplier balances, cash/bank balances, stock value, order counts, due invoices, recent transactions, low-stock products and sales/payment charts are assembled in DashboardController. Store filtering is applied to selected metrics; party totals and some account figures remain global.

Access caveats: email verification is configured, but User does not implement MustVerifyEmail. Active-account enforcement is not global. These controls require tightening before relying on them as universal restrictions. Sources: S02, S04, S05.

04 Products and inventory

Catalogue and device identity - PRESENT

Master records: Products, categories, brands and units; SKU/barcode identifiers; cost, retail and wholesale prices; stock alert thresholds; images and active state.

Phone variants: Color, storage and RAM variants with their own SKU, prices and stock quantity. Serial/IMEI records identify individual devices and their availability or sale association.

Search and bulk entry: Product lookup includes serial numbers. Product CSV export/import and an Excel import template are implemented; reference sheets cover categories, brands and units. Barcode printing has dedicated routes.

Inventory control - PRESENT, with location gaps

Store stock: View stock by location, inspect product stock history and maintain store records. A configured default store supports single-store operation.

Transfers: Create store-to-store transfers and mark them completed through an approval permission. Lorry load, return and transfer paths use a separate stock service.

Corrections and damage: Stock-adjustment documents and reports; damaged-stock records with status transitions and return-to-stock handling. Stock histories retain quantities, references and users.

Sale finalization: An invoice is locked before finalization, checked for prior deduction, and validated against available stock. A stock_deducted_at marker prevents the same invoice from deducting twice.

Business rule to clarify

For ordinary store items, inventory is held until full payment clears unless an authorized operator releases it early. The system also prevents assigning an IMEI already referenced by a pending invoice. This differs from a conventional credit sale where goods leave immediately; staff must understand when an invoice means an order versus a physical dispatch.

Inventory improvement priority

Store-level non-variant stock is location-specific, but SaleInventoryService changes a variant’s global stock_quantity. Standardize stock around product + variant + location, with separate available, reserved and physical quantities. Add reconciliation between device serials and aggregate quantities.

The Excel template test currently fails on a column-index expectation; this is discussed on page 15. FIFO/average/last-purchase options exist in settings, but a complete selectable costing engine was not established. Sources: S06, S07, S14.

05 Sales, POS and payments

Retail and wholesale checkout - PRESENT

Separate interfaces provide product selection, customer selection or quick creation, price and quantity entry, discounts, item taxes, invoice totals and payment allocation. The server recalculates totals and rejects material mismatches. Product serial/IMEI assignment is supported.

Capability	Observed behavior
Mixed payment	Allocate an invoice across cleared payment methods, cheque hold and customer credit/due. Allocation must cover the invoice; overpayment requires an enabled setting and permission.
Due-print invoice	Requires a registered customer. The dedicated checkout mode overrides submitted payment values so stock stays pending.
Later collections	Record subsequent payments against the invoice; fully cleared payment triggers stock finalization. An explicit release option can deduct stock before full settlement.
Held baskets	Held sale records can be listed, resumed and deleted. They are separate from completed invoices awaiting payment.
Invoice records	Search/filter sales, inspect items and payments, print invoices and download PDFs. Signed public invoice links can be shared through a WhatsApp compose link.
Invoice editing	Both POS controllers accept edit_sale_id and rebuild items/tax records while keeping the invoice number. Financial reversal and authorization require additional controls.

Payment and stock sequence

1. Create invoice and item records.
2. Allocate payment amounts to cleared, cheque-hold or due balances.
3. Keep stock pending while payment is incomplete, unless deliberately released.
4. Finalize inventory once payment clears; record stock movement and sold serials.
5. Use linked return/cancellation processes to reverse the appropriate effects.

Recording a card or bank-transfer payment is not evidence of a live payment-gateway integration. WhatsApp sharing opens a compose flow; it is not an automated messaging service. Signed invoice links in the reviewed view have no explicit expiry. Sources: S02, S07, S08.

06 Purchasing, parties and returns

Purchasing - PRESENT

Purchase documents: Create, inspect, edit, delete, print and download purchases. Select supplier and store, enter items and associated monetary values, and record the resulting inventory/party effects.

Supplier convenience: Quick supplier creation is available from purchasing. Supplier master data includes business/contact details, opening balance, bank details and notes.

Supplier accounts: Supplier transaction histories and payment entry support outstanding-payable tracking and supplier-due reports.

Customer accounts - PRESENT

Customer records hold identity/contact information and balances. Detailed views show sales and transaction history; payment collection records reduce receivables. These balances support customer-due reports and management summaries. Separate permissions protect customer data and collection actions in the controller.

Sales returns and exchanges - PRESENT

Operation	Observed scope
Refund	Select a sale and returned items, calculate eligible quantities and amounts, and record cash/due refund components.
Replacement / exchange	Return types include refund, replacement and exchange. Exchanges can create a linked replacement sale and calculate the price difference.
Stock disposition	Return items can be put back into stock or marked for scrap; this prevents treating every return as saleable inventory.
Return deletion	Deletion paths exist and attempt to reverse return effects. These complex paths need dedicated accounting and stock tests.
Purchase return	Return selected purchase items with a refund method/status, including supplier credit; view and delete return documents.

End-to-end business example

Receive phones from a supplier into a store, sell a specific IMEI to a customer, then process a later exchange. The old device’s disposition, replacement device’s stock, net customer balance and financial postings must all agree after the exchange. This is an essential acceptance scenario for release testing.

These are operational returns and damage workflows. A complete repair-job or warranty-claim workspace was not found among registered routes, despite repair-related migrations. Sources: S06, S08, S10.

07 Lorry distribution and field sales

Central distribution workspace - PRESENT

Fleet and users: Lorry records, status, assigned users and dated assignments. Assignment flags include selling, order creation, collections, expenses, cost/profit visibility and reconciliation.

Mobile stock: Load stock from a store to a lorry, return it, or transfer between lorries. The stock service checks quantities and records movement information.

Trips: Create/manage trip records and change trip status. Field sales and expenses can carry lorry and trip references.

Sales and oversight: Review lorry sales, distribution dashboards and reports, expenses, low stock, settings and reconciliation records.

My Lorry workspace - PRESENT

Assigned users receive a focused dashboard, current stock, order entry, sales list, customers and expense entry. LorryAccessService resolves active assignments and can restrict queries to permitted lorry IDs. POS checkout checks a restricted lorry user's can_sell flag and validates an explicitly supplied trip against that lorry.

Suggested daily workflow

Step	Operational record
Plan and load	Assign the user and trip; complete a stock load from the source store.
Sell on route	Create orders or POS invoices from the assigned lorry's stock; capture payment type and customer.
Record costs	Enter trip expenses against category and payment account.
Return and reconcile	Return unsold stock; compare sales, collections, expenses and counted cash; investigate variance.

Gaps before wider field rollout

DistributionController contains separate collections and saleReturns actions, but corresponding routes were not registered in the reviewed route list. Their presence in source does not establish a usable menu flow. Cash reconciliation also needs tender-specific checks so due invoices and cheque holds do not appear as physical cash.

No offline synchronization, GPS tracking, route optimization or proof-of-delivery integration was found in the reviewed application paths. These are proposed future capabilities, not existing claims. Sources: S02, S11.

08 Cheque lifecycle management

Core functions - PRESENT

The cheque module supports received and issued cheques, party and transaction references, attachments, bank details, cheque dates, amounts and status history. Dedicated permissions cover viewing, creation, passing, returning, cancelling, replacing and exporting.

State / action	Operational purpose
Pending / hold	Track a cheque without treating it as cleared cash. Invoice payment records can retain the cheque-held portion.
Passed	Clear the cheque through balance and accounting services; associated invoice stock may finalize when payment becomes complete.
Returned	Return the amount to an outstanding balance and capture a reason; configured charges and accounting paths require reconciliation.
Cancelled	Cancel an open cheque and release the held amount appropriately.
Replaced	Create a replacement linked to a returned/bounced cheque and preserve the relationship/status trail.

Planning and visibility

The module has a dashboard, upcoming/today/overdue/passed/returned lists, a calendar, filtered reports and PDF/Excel exports. In-app reminders are generated for approaching or overdue dates. No external notification delivery was demonstrated.

Automation needs a stronger release control

The scheduler invokes overdue processing daily. ChequeAutoProcessService can mark old open cheques passed or returned based on age and settings. Its fallback action is passed. A cheque_auto_manager_approval setting exists, but the reviewed processor does not consult it.

Recommended behavior: create an exception task for overdue cheques and require verified bank evidence or a manager-approved transition before clearing balances. The acceptance test should prove that ageing alone cannot create a cleared payment when approval is required.

Scheduler times are defined in code; the deployed scheduler, timezone and actual business settings were not inspected. The report describes technical workflow and control gaps, not banking or legal advice. Sources: S02, S09.

09 Accounting and daily closing

Financial functions - PRESENT

Chart of accounts: Maintain account records used by journals and payments. Account types drive debit/credit balance updates.

Journal entries: Manual entries require at least two lines, balanced debits/credits and nonzero totals. Automatic journals are generated by operational flows. Manual deletion uses a reversal service; automatic entries cannot be deleted through that controller action.

Expenses and capital: Expense categories and expenses, account association, capital/drawing records and a ledger-book screen support basic bookkeeping.

Business reporting: Profit/loss, product profit, cash/bank and party-due summaries are available. They should be treated as operational reports until reconciled against journals and source transactions.

Daily closing - PARTIAL

The closing screen calculates sales, customer collections, supplier payments and expenses, then compares an expected balance with counted cash. It saves a record keyed by date. However, opening cash is initialized to zero; saved totals are accepted from the request; purchase_payments is hardcoded to zero; and the record is not scoped by store or till.

Sales paid amounts and customer credits are both included in cash-in calculations without filtering payment tender. Since a POS payment also creates a customer credit transaction, the same receipt can enter both totals. Non-cash payments can also affect the figure labelled cash.

Accounting integrity priorities

Priority	Required improvement
One posting contract	Enforce balanced journal entries inside JournalService, not only the manual-entry controller; reject duplicate postings.
Safe invoice edits	Reverse old account effects before replacing journals. Preserve payment history and explicitly process overpayments, customer changes and refunds.
Reliable cash close	Recompute server-side by receipt date, tender, store and till; carry opening cash forward; add approval and period locks.
Reconciliation	Compare customer/supplier balances with transaction histories and account balances with journal lines. Surface differences rather than silently adjusting them.

The journal service updates cached account balances using read/modify/save without a row lock. Concurrent posting is a risk to validate under the production database engine. Sources: S07, S10, S12.

10 Tax and import shipments

Tax calculation and management - PRESENT / PARTIAL

Tax rates include classification, effective dates, default/active flags and calculation attributes. TaxCalculationService supports inclusive and exclusive pricing, discounts and non-taxable items. Dedicated unit tests cover these calculations.

Tax transactions, periods and period balances support a dashboard and liability calculation. Tax payments have draft, approved and reversed states with allocation to periods. Adjustments can be drafted and approved. Reports include VAT-return summaries and a payment register.

Imports and landed costs - PARTIAL

Stage	Observed behavior
Shipment draft	Supplier, currency, exchange rate, store, product quantities and foreign prices. HS codes hold configured levy-rate fields.
Additional cost	Freight, insurance, clearing and other local costs can be entered at finalization.
Finalization	Allocates costs, computes configured levies, increases store stock, updates product average cost and marks the shipment completed.
Material gaps	Update returns success without persisting edits. Value/weight/quantity allocation can be selected, but finalization always uses item value.

Specific repair work

Import store selection: the controller queries Store by is_active, while the reviewed store schema uses status. Align that field name; the create/edit pages can otherwise fail on SQL execution.

Tax navigation: TaxRateController redirects to tax-rates.index, but the registered route name is accounting.tax-rates.index. Save/delete flows can therefore fail after the database mutation.

Completeness: several resource routes refer to missing methods. Import/HS-code/tax-rate actions also lack the explicit granular authorization seen elsewhere. Finalization should lock the shipment and guard against concurrent duplicate completion.

This is a review of software behavior. No current tax rates, customs rules, return formats or statutory compliance were validated. A qualified domain reviewer must supply approved calculation examples before these reports are used for filing. Sources: S02, S13, S14.

11 Reports, documents and settings

Report catalogue - PRESENT

Area	Available report routes
Sales	All sales, retail sales, wholesale sales and sales returns.
Purchasing	Purchases and purchase returns.
Inventory	Stock, low stock, movement history and damaged stock.
Performance	Product profit, profit/loss and expenses.
Receivables / payables	Customer due, supplier due, customer payments and supplier payments.
Finance / oversight	Cash-bank, tax, user activity and daily closing.
Specialist modules	Cheque reports/calendar, distribution reports, tax VAT-return summary and tax payment register.

Reports use date/filter logic and tabular summaries, with chart data in several screens. PDF and Excel export services exist; cheque exports have explicit endpoints. Confirm each report’s actual export wiring and permission behavior before promising universal export support.

21 configurable settings sections

General; business profile; stores; invoice; POS; product; stock; barcode; purchase; sales; customer; supplier; accounts; expenses; tax/discount; payment methods; SMS/WhatsApp; reports; backup; security; audit logs.

SettingsController supports viewing, updating and resetting sections and checks section-specific permissions. Profile, appearance and account-security screens are separate user settings.

Settings are not proof of implementation

The backup schedule/download/restore fields and SMS/WhatsApp API fields have no corresponding backup runner or API-sending service identified in the reviewed application. Costing-method choices and selected security controls also need a trace from setting to runtime behavior. Document each toggle as implemented, partial or informational.

Existing WhatsApp compose links do work as sharing entry points in source; automated outbound messages remain a separate integration. The dashboard notification count is initialized to zero. Sources: S02, S05, S15.

12 Implementation maturity map

This table separates delivered application structure from unfinished or future capability. It is a code-review classification, not a percentage-complete estimate.

Capability	Status	Basis / next check
Retail / wholesale POS	PRESENT	Checkout and payment tests pass; invoice edits need dedicated tests.
Products / IMEI / variants	PRESENT	CRUD, serial assignment, bulk files and stock history exist.
Multi-location inventory	PARTIAL	Store stock exists; variant deductions are global.
Purchases / parties / returns	PRESENT	Routed controllers and workflows; deeper reversal coverage needed.
Lorry distribution	PARTIAL	Core routes exist; separate collection/return actions are not routed.
Cheque lifecycle	PRESENT	State, balances and reports exist; automatic passing needs approval enforcement.
Accounting / cash close	PARTIAL	Journals exist; edit reversals, concurrency and cash-close logic need repair.
Tax / import shipments	PARTIAL	Calculations and screens exist alongside route, field and update gaps.
Backups / restore	CONFIG ONLY	Settings found; executable backup/restore path not found.
Automated SMS / WhatsApp	CONFIG ONLY	Provider settings exist; compose sharing is a distinct existing feature.
Repair / warranty workspace	PARTIAL	Repair migrations exist; no registered repair routes found.
Offline field sales / API portal	PROPOSED	No complete implementation found in reviewed paths.

Overall readiness

The system has enough functional breadth for a controlled, reconciled pilot. Production rollout should be gated by authorization tests, the financial/stock fixes in this report, a successful backup restore and user acceptance across realistic invoice, cheque and return scenarios.

Absence statements are limited to the reviewed repository. Infrastructure, external integrations and deployed settings could provide additional capabilities not represented here.

13 Prioritized technical findings

P1 = address before depending on the affected flow in production. **P2** = resolve in the next stabilization release. Findings are source-backed; impacts not reproduced through a browser are identified as risks.

Priority / finding	Evidence and consequence	Recommended action
P1 - Authorization gaps	HS-code, import-shipment and tax-rate routes/controllers lack granular checks. Accounting write routes reuse broad view permissions. POS edit IDs are accepted on create-sale endpoints.	Add action permissions and record/location policies. Test an ordinary user against every write action and cross-user invoice ID.
P1 - Invoice edit postings	POS edit paths directly delete old Sale journals without reversing account balances, then create new journals. Existing payments are retained and allocateSale can append more.	Implement a single transactional edit/reversal service. Reject or explicitly settle incompatible paid-invoice edits.
P1 - Automatic cheque clearing	Overdue processor can pass cheques by age and does not read the manager-approval toggle.	Require verified clearance or approval; test the enabled approval setting and retry behavior.
P1 - Cash closing integrity	Zero opening cash, client-submitted totals, no tender separation and overlapping receipt sources.	Recalculate from one receipt ledger and lock an approved store/till close.
P1 - Location stock consistency	Variant sale deductions use global stock_quantity while ordinary items use store stock.	Unify product/variant/location records; reconcile existing quantities before migration.
P2 - Import partial paths	Edit update is a no-op; all allocations use value; status field mismatch and missing finalization lock.	Finish update, implement selected allocation mode and add exactly-once finalization tests.

Also remove the unauthenticated GET /link-storage maintenance endpoint from normal web access. Keep storage-link setup in the deployment process. These observations are not a full penetration test. Sources: S02, S07, S09, S12, S13.

14 Verification and remaining gaps

Automated verification performed

Check	Result
Existing Pest suite	80 total: 77 passed, 1 failed, 2 skipped. 442 assertions; tool-reported duration approximately 3.7 seconds.
Test environment	PHP 8.3.30 with an explicit testing environment, SQLite :memory:, array cache/session/mail and synchronous queue. No application migration was run against business data.
Route registry	372 registered routes inspected. Static comparison found 33 registrations targeting methods absent from their application controllers.
Coverage boundary	No production database reconciliation, live UI walkthrough, load test, deployment inspection or full static-analysis/lint run was performed.

The one failing test

ProductsModuleTest: *excel import template exposes products and category reference sheets* fails at line 377 because it expects "Visible Product" in column index 1. ProductImportProductsSheet places the product name at index 0 and SKU at index 1. This suggests a test/export contract mismatch, not proof that the download endpoint itself fails. Reconcile the intended workbook schema, then rerun the round-trip test.

Important additional test scenarios

Money: Edit a fully paid invoice, change its customer, reduce its total, repeat a payment request, return a passed cheque, and verify party/account balances after each action.

Stock: Sell the final unit concurrently from two tills; edit/return an IMEI sale; transfer a variant between stores; retry shipment finalization. Run concurrency tests on the intended database engine.

Access: Disabled-user sign-in and existing sessions; unverified accounts; view-only accounting users; unauthorized import/tax changes; lorry users attempting another lorry’s invoice.

Operations: Reconcile a day containing cash, card, bank transfer, due sales and cheque holds; restore a backup to a clean environment and compare document counts and balances.

The existing suite covers core auth, users, products, inventory/parties, POS, deferred stock/payment behavior and tax calculations. Test count and passing status do not establish coverage of every module. Sources: S14 and the review-generated route inventory.

15 Future development roadmap

The sequence below is a proposed plan, not a delivery commitment. Time windows assume a small experienced team, access to representative test data and prompt business decisions. Validate effort after fixing the highest-risk flows.

Phase	Scope	Completion gate
0: Stabilize Weeks 1-2	Fix action/record authorization, maintenance endpoint, false-success shipment update, broken route names and unused resource routes. Resolve the Excel test contract.	Every exposed action resolves; unauthorized users are rejected; existing suite is green with documented intentional skips.
1: Trust the numbers Weeks 3-6	Centralize invoice edit/payment reversals; enforce balanced journals and posting idempotency; correct closing and cheque approval. Normalize variant/location stock.	Scenario-based reconciliations show no unexplained stock, customer, supplier or journal variance.
2: Operate reliably Weeks 7-10	Implement backups with restore tests, scheduling visibility, error monitoring, store/till close approvals and audit coverage. Add missing import/distribution tests.	A fresh environment restores successfully; daily close and scheduled tasks have monitored owners and evidence.
3: Improve operations Months 3-4	Stock counts/reservations, replenishment suggestions, credit-limit approval, purchasing stages, margin controls and warranty/repair workflow if needed.	Pilot users complete representative work with measured reductions in manual correction.
4: Extend reach Months 4-6+	Prioritize an offline lorry workflow or dealer ordering portal; add messaging delivery and integrations through documented APIs.	A scoped pilot meets agreed synchronization, access, delivery and support targets.

Recommended team responsibilities

An application engineer owns transaction and authorization fixes; a QA owner maintains regression scenarios; the business owner confirms dispatch/credit/return rules; an accounts reviewer approves reconciliation examples; an operations owner demonstrates backups, monitoring and recovery. One person may cover multiple roles, but every gate needs an accountable owner.

Dependency order matters: accurate stock and payments must precede offline synchronization, external ordering and automated customer messages.

16 Future feature catalogue

Proposed capability	Business value	Acceptance example
Inventory reservation and counts	Distinguish physical, available and promised stock; reduce overselling.	A reserved IMEI cannot be sold again; a stock-count variance requires a reason and approval.
Dealer pricing and credit control	Support wholesale price tiers, minimum margins, credit limits and ageing.	An overdue or over-limit customer requires an approved override before goods are released.
Purchase order to goods receipt	Separate ordering, partial receipt, supplier invoice and payment.	Two partial deliveries reconcile to one purchase order without duplicating stock or liability.
Warranty and repair jobs	Track device intake, warranty, diagnosis, parts, repair charges and handover.	A device's IMEI links its sale, claim, repair history, consumed parts and final collection.
Offline lorry sales	Allow work through poor connectivity with a clear sync state.	A retried upload produces one invoice; a conflicting serial is flagged without silent stock overwrite.
Dealer ordering portal	Expose approved products/prices and order status to wholesale customers.	Each dealer sees only its own invoices, balances and assigned pricing.
Automated notifications	Send approved invoice and payment-reminder messages with delivery status.	Retries do not duplicate delivery; opt-out and failed-delivery handling are visible.
Purchasing and margin analytics	Use stock ageing, sales velocity and realized margins to support decisions.	Replenishment suggestions explain their source period and reconcile to available stock.
Payment / accounting integrations	Reduce duplicate entry through scoped, authenticated integrations.	Webhook retries create one receipt; every exported posting has a traceable source ID.

All items on this page are proposals. Select them by measured business demand; no product, vendor or paid service is being recommended or assumed. The current code can remain the system of record while these capabilities are added incrementally.

17 Operating model and release gates

Daily business controls

Opening: Verify the prior close, cash float, assigned store/lorry, printer operation and current stock exceptions. Distinguish orders awaiting payment from dispatched goods.

During trade: Record every receipt with its actual tender; use explicit approval for credit release, price overrides and stock adjustments. Review duplicate/failed transaction attempts.

Closing: Reconcile counted cash separately from bank/card receipts and cheque holds. Review returns, cancelled documents, negative stock and outstanding differences before approving the close.

Deployment and recovery controls to implement

Serve the application from its public directory, configure a production environment, restrict sensitive configuration access and use appropriate session/transport settings. Run schema changes in a tested release process. Monitor the queue and scheduler, centralize errors, and protect backups with controlled access and a demonstrated restore process.

Backup success should mean more than a file exists: restore to a separate environment, verify attachments and invoices, compare key table counts, and reconcile sampled stock and financial balances. Recovery time and acceptable data loss must be agreed with the business.

Release acceptance checklist

Gate	Evidence required
Access	Role/action matrix plus cross-store, cross-lorry and disabled-account tests.
Financial integrity	Paid invoice edit, cheque return, exchange and day-close examples reconcile.
Inventory integrity	Concurrent last-unit sale, IMEI uniqueness, transfer and return tests pass.
Module completeness	No route points to a missing action; every success message represents a saved change.
Operational recovery	Successful backup restore, monitored scheduled tasks and a named support owner.
User acceptance	Retail, wholesale, inventory, accounts and lorry users complete a pilot script.

Suggested targets: zero unexplained reconciliation differences; zero duplicate invoice/payment postings on retry; complete traceability for stock corrections. Performance and recovery targets should be set after measuring a representative deployment.

18 Route-completeness appendix

The route registry was compared with method declarations in application controllers. The following 33 route registrations point to methods that are absent. They may not all be linked from the UI, but the registered endpoints are incomplete.

Controller	Missing registered actions	Count
ChartOfAccountController	create, show, update, edit	4
CapitalDrawingController	create, show, update, destroy, edit	5
ExpenseCategoryController	create, show, edit	3
ExpenseController	create, show, update, edit	4
JournalEntryController	create, show, update, edit	4
TaxRateController	create, show, edit	3
TaxAdjustmentController	show, update, destroy, edit	4
TaxPaymentController	update, destroy, edit	3
TaxPeriodController	update, destroy, edit	3

Preferred correction

For modules designed around a single index page and inline forms, restrict resource routes to the actions that actually exist. Implement additional actions only where the user workflow needs them. Add a route/action smoke check and verify navigation/redirect names after each change.

Other incomplete or unconnected paths

Import update: ImportShipmentController::update returns a successful message but does not save requested changes.

Tax-rate redirect: The controller uses tax-rates.index while registration produces accounting.tax-rates.index.

Distribution collections/returns: Controller methods exist, but matching routes were not found in the route inventory.

Repair workspace: Repair-related schema migrations are present without a registered repair workflow.

This appendix lists structural completeness findings. It is not a claim that all 33 endpoints were requested in a browser or that every currently linked screen is broken. Source: S02 and static route-to-controller comparison.

19 Evidence and scope notes

References below are repository-relative to phone_wholesale_rsd. They identify the principal evidence used for the analysis. Controller references resolve under app/Http/Controllers; service references under app/Services unless shown otherwise.

S01 composer.json, composer.lock, package.json, bootstrap/app.php; technology and application setup.

S02 routes/web.php, routes/settings.php, routes/console.php; registered workflow, permissions and schedules. Route registry generated with artisan route:list --json.

S03 app/Models; database/migrations; database/schema/mysql-schema.sql; entity structure and migration history.

S04 app/Models/User.php; app/Http/Middleware/PermissionMiddleware.php; app/Providers/FortifyServiceProvider.php; AppServiceProvider.php; config/fortify.php.

S05 DashboardController.php; SettingsController.php; config/settings_sections.php; dashboard metrics and configuration.

S06 ProductController.php; StoreStockController.php; StockTransferController.php; StockAdjustmentController.php; DamagedStockController.php; ProductVariant.php.

S07 RetailPosController.php; WholesalePosController.php; SaleInventoryService.php; MixedPaymentService.php; InvoiceNumberService.php.

S08 SaleController.php; HoldSaleController.php; SaleReturnController.php; resources/views/sales/show.blade.php; sales, returns and sharing.

S09 ChequeService.php; ChequeBalanceService.php; ChequeAccountingService.php; ChequeReminderService.php; ChequeAutoProcessService.php; cheque controllers.

S10 PurchaseController.php; PurchaseReturnController.php; CustomerController.php; SupplierController.php; party transaction services.

S11 DistributionController.php; MyLorryController.php; LorryAccessService.php; LorryStockService.php; distribution migrations.

S12 JournalService.php; JournalEntryController.php; ChartOfAccountController.php; DailyClosingController.php; accounting controllers.

S13 ImportShipmentController.php; HsCodeController.php; TaxRateController.php; tax controllers; TaxCalculationService.php; TaxBalanceService.php.

S14 tests/Feature, tests/Unit, tests/Pest.php, phpunit.xml; app/Exports/ProductImportProductsSheet.php; isolated test execution on the review date.

S15 ReportController.php; PdfExportService.php; ExcelExportService.php; ChequeReportController.php; TaxReportController.php; report views.

Review boundary

Checkout base: e5ca208. An existing modification to resources/views/pos/wholesale.blade.php was present and retained. This review created the PDF and its build/QA files; it did not repair application code. Counts describe files and route registrations, not completed business features.

Production data, credentials, deployed configuration and external services were not audited. No current statutory or third-party product claims are made. Findings should drive focused fixes and acceptance tests before wider rollout.