# **SMS Spam Detection Using Machine Learning**

### 1. Title Page

**Project Title:** SMS Spam Detection Using Machine Learning

Intern Name: S. Nasreen Farzana

**Institution / Department:** Pallavan college of Engineering/ B.E. CSE

**Date:** 21/10/2025

Reg No: 5117231040067

Github link: https://github.com/Nasreen-17/SMS-SPAM-DETECTION-/tree/main

#### 2. Table of Contents

1. Title Page

- 2. Table of Contents
- 3. Project Overview
- 4. Objectives & Problem Statement
- 5. Proposed Solution
- 6. Features
- 7. Technologies & Tools
- 8. System Architecture
- 9. Implementation Steps
- 10. Output / Screenshots
- 11. Advantages
- 12. Future Enhancements
- 13. Conclusion

# 3. Project Overview

Spam detection in SMS messages is a critical task in modern communication. The project aims to build a machine learning model that automatically classifies messages as 'spam' or 'ham' (not spam). This improves user experience and prevents fraudulent activities.

Scope: The project focuses only on SMS text classification into two categories: spam and ham.

The solution includes preprocessing, feature extraction, model training, evaluation, and prediction.

Dataset: SMS Spam Collection Dataset (UCI Repository)

### 4. Objectives & Problem Statement

#### **Problem Statement**

The main goal is to classify a given SMS message as spam or ham. The challenge lies in dealing with short, informal, and diverse text patterns, including slang, typos, and mixed-language expressions.

### **Objectives**

- Build an accurate predictive model for SMS spam detection.
- Compare performance across multiple machine learning algorithms.
- Implement text preprocessing and feature extraction using TF-IDF.
- Evaluate model performance with standard metrics (Accuracy, Precision, Recall, F1-score).
- Visualize and analyze results to identify the best model.

### 5. Proposed Solution

Approach: Supervised machine learning using text classification.

Pipeline: Raw SMS  $\rightarrow$  Preprocessing  $\rightarrow$  TF-IDF Vectorization  $\rightarrow$  Model Training  $\rightarrow$  Evaluation  $\rightarrow$  Prediction.

Algorithms Used: Naive Bayes, Logistic Regression, Random Forest, and Support Vector Machine (SVM).

Justification: These algorithms are effective for text classification tasks and balance accuracy with computational efficiency.

#### 6. Features

#### **Functional Features**

- Input SMS text and output classification result ('spam' or 'ham').
- Display model performance metrics and confusion matrix.
- Support batch message classification.

#### **Non-Functional Features**

- High accuracy and low latency.
- User-friendly implementation in Google Colab.
- Scalable and maintainable codebase with reusable models.

### 7. Technologies & Tools

- Language: Python
- Libraries: pandas, numpy, scikit-learn, nltk, seaborn, matplotlib, joblib
- Environment: Google Colab, GitHub for version control
- Dataset Source: UCI Machine Learning Repository

### 8. System Architecture

#### Architecture Flow:

Input SMS  $\rightarrow$  Text Preprocessing  $\rightarrow$  TF-IDF Vectorization  $\rightarrow$  Model Training  $\rightarrow$  Prediction & Evaluation

#### Components:

- 1. Input Layer: Accepts SMS messages.
- 2. Preprocessing Layer: Cleans and normalizes text.
- 3. Feature Extraction: Converts text to TF-IDF features.
- 4. Model Layer: Trains multiple ML algorithms.
- 5. Evaluation: Measures model accuracy, precision, recall, and F1-score.
- 6. Output: Displays prediction results and performance visuals.

### 9. Implementation Steps


- 1. Load dataset from online source.
- 2. Perform exploratory data analysis (EDA) to understand message distribution.
- 3. Preprocess text data (cleaning, tokenization, stopword removal, stemming).
- 4. Convert text to numerical features using TF-IDF Vectorizer.
- 5. Split dataset into training and testing sets.
- 6. Train models: Naive Bayes, Logistic Regression, Random Forest, SVM.
- 7. Evaluate models and visualize results.
- 8. Identify the best-performing model.
- 9. Save model and vectorizer using joblib.
- 10. Test the system on new SMS samples.

# 10. Output / Screenshots

The system successfully classifies SMS messages as spam or ham.

## - Dataset preview

Figure 1: Sample of SMS Spam Dataset



### - Class distribution chart



Figure 2: Distribution of Spam vs Ham Messages

- Model performance comparison bar graph




Figure 3: Model Accuracy Comparison

### - Confusion matrix heatmap




Figure 4: Confusion Matrix of Best Model (SVM)

# -Sample message predictions

```
Message: Congratulations! You've won a $500 Amazon gift card. Click the link to claim now!

Prediction: SPAM

Message: Hey, are we still going to class tomorrow?

Prediction: HAM

Message: Unchart ! Your account will be locked. Verify immediately!

Prediction: SPAM

Message: Lunch at 1 pm sound good?

Prediction: HAM
```

Figure 5: Example Predictions for New SMS Messages

### 11. Advantages

- Automates SMS spam detection efficiently.
- Achieves high precision and recall.
- Easy to extend with new data or algorithms.
- Visualization improves interpretability.
- Works seamlessly in cloud environments like Google Colab.

### **12. Future Enhancements**

- Use deep learning models like LSTM or BERT for improved accuracy.
- Support multilingual spam detection.
- Develop a web or mobile interface using Flask or Streamlit.
- Implement real-time detection and alert system.
- Deploy as a REST API service on cloud platforms.

### 13. Conclusion

The project successfully developed and evaluated multiple machine learning models for SMS spam detection.

Among the tested algorithms, the best-performing model achieved high accuracy and robust generalization.

This project demonstrates the practical use of NLP and ML in communication security and can be expanded into real-time systems for commercial deployment.